REVIEW OF APPLIED MYCOLOGY

COMPILED FROM WORLD LITERATURE ON PLANT PATHOLOGY AND APPLIED MYCOLOGY





GENERAL INDEX

This is basically a host-pathogen index. Entries are analysed under the host; abstract numbers only are given under the pathogen.

New records are indicated by an asterisk*

Aardisol against Corticium solani on potato and as soil disinfectant, 2590.

Abavit B as seed treatment for bean, 1726.

- B5 against Xanthomonas malvacearum on cotton, 2801.
- Abies, Ceratocystis on, in Canada, association of Dryocoetes confusus with, 16791. , Fomes annosus on, in U.S.S.R., bioecology

- of, control, factors affecting, 872, 873.

 -, pini on, in Canada, 1679d; growth-time temp. characteristics of, 1696.

 -, fungi on, in Spain, 2633; U.S.S.R., 845, 3165.
- -, Lophodermium on, in Canada, 1679c. -, Melampsora on, in Canada, 1970b.
- -, Melampsorella caryophyllacearum on, 1979; in Japan, 1280; U.S.A., 545, 553; causing witches' broom of, 1280; characteristics and control, 545.
- -, Polyporus tomentosus and P. t. var. circinatus on, 1680.
- , Pucciniastrum epilobii on, in Germany, survey of, 2902.
- balsamea, Leucostoma kunzei can infect, 1284.
- -, Rhizothyrium abietis on, in Canada, 1697. -, Stereum chailletii on, in Canada, trans-
- mission of, by vectors, 2251. selectivity -, — sanguinolentum on,
- heartwood extracts for, 1698. fraseri, Fomes annosus and F. pini on, in U.S.A., 2635.
- Phytophthora cinnamomi associated with, in U.S.A., 2698k, 1.
- ---, Polyporus schweinitzii on, in U.S.A., 2635.
- -lasiocarpa, Ceratocystis dryocoetidis on, association of, with Dryocoetes confusus, 1699, 2901; effect of on, 2901; Verticicladiella dryocoetidis imperfect state of, 1699.
- sachalinensis, Racodium therryanum on, effect of on, 1279.
- sibirica, Armillaria mellea on, in U.S.S.R., 1281.
- -, ascomycetes on, in U.S.S.R., 871.
- -, fungi on in U.S.S.R., 1281.
- -, Uredinales on, in U.S.S.R., 871.
- Absidia spinosa in soil, 3271.
- Abutilon mosaic virus in Brazil, 1027; preferred as name for Abutilon infectious variegation virus, 1452; Wissadula amplissima mosaic virus related to, 1027.
- on cotton, 451.
- striatum var. thompsonii, virus causing ornamental features of, 1453.
- Acacia, fungi on, in U.S.S.R., 1471.
- , Microsphaera palczewskii on, in U.S.S.R., 2619.

- *Acalypha indica,?Uncinula acalyphae on, in
- Mauritius, 3232e.

 yellow mosaic virus in India, distinct from A. wilkesiana virus, symptoms and transmission by vectors, 3063.
- *Acephalis radiata in beech forest soils, 1797.
- Acer blight in U.S.A., study on, 2889. decay, pattern of, 3169.
- dieback in U.S.A., 2887.
- -, Verticillium dahliae on, development of, in relation to nutrition, 3263.
- macrophyllum, Poria weirii on, resistance to, 1711.
- platanoides, Aspergillus fumigatus, Gliocladium roseum, Hormodendrum, and Penicillium in rhizosphere of, antagonism of to Verticillium, 2247.
- -, Rhytisma acerinum on, tobacco mosaic virus inhibitor from, 1463.
- -, Trichoderma viride in rhizosphere of, antagonism of to Verticillium, 2247.
- pseudoplatanus, Rhytisma acerinum on, tobacco mosaic virus inhibitor from, 1463.
- rubrum, endotrophic mycorrhiza of, anatomy of, 23.
- saccharinum, fungi on, association of, with Columbian timber beetle, 847.
- saccharum, Ceratocystis coerulescens on, in U.S.A., 848.
- decline in U.S.A., organisms associated with, 1270.
- tataricum, Ophiostoma roboris on, control,
- *Acerbiella acicularis on apple and Prunus cerasifera var. divaricata, 2530.
- Aceria medicaginis associated with lucerne witches' broom, 2180.
- Acetic acid against Leptosphaeria nodorum and Tilletia foetida on wheat; as seed treatment for wheat, 412; as soil disinfectant, 641.
- Acetone as timber preservative, 1303.
- Achillea ptarmica, Pseudomonas savastanoi on, pathogencity of, 974.
- Achras sapota, Botryodiplodia theobromae on, in India, effect of on sugar content, 192b.
- -, fungi on, in India, list of, 192a.
- -, Pestalotia sapotae on, in India, effect of on sugar content, 192b.
- Acriflavine against Mycosphaerella on banana,
- Acroconidiella tropaeoli on Tropaeolum majus, 1592.
- *Acrodinum album and A. roseum, Sclerotinia sclerotiorum on, in India, over-summering of,
- Acrostalagmus glaucus on sugarcane, 2867. - vilmorinii filtrates, effect of on wilt fungi, 49.

Actidione against Ascochyta pisi, 2658; Blumeriella jaapii on cherry, 769; Cronartium ribicola on pine, 2639, 2911; Glomerella cingulata on coffee, 3230c; Hemileia vastatrix, 3230b.

-, effect of, on Wisconsin pea streak virus on

pea, 3205.

-for selective isolation of actinomycetes in soil, 1809.

injury to pea, 3205.

—, production of, by Streptomyces, 988. —, uptake of, by Saccharomyces fragilis and

S. pastorianus, 990. Actinomycete, antagonism of, to Cochliobolus miyabeanus, Pyricularia oryzae, 3343a, c.

Actinomycetes, antibiotics from, 1364b; against Ascochyta pisi and Mycosphaerella pinodes, 3229c; Phytophthora cactorum, 638; Verticillium dahliae on cotton, 1568; Xanthomonas citri in soil and on citrus, 136a.

, classification of, 69, 1397d; book on, 3279. -, effect of carbamide resin on, 2361; Cenococcum graniforme antibiotic on, 28b; microelements on antagonism of, to Verticillium dahliae on cotton, 1566, 3267f; Xanthomonas

malvacearum, 1566. - in soil, 455.

on root nodules of non-leguminous plants,

-, popular account of, 2043.

-, structure and development of, book on, 1014.

Actinothyrium marginatum on pine, 1705.

Acyrthosiphon pisum, effect of bean yellow mosaic virus on reproduction of, 1454; on severity of Phoma herbarum var. medicaginis on lucerne, 1133.

transmitting bean yellow mosaic virus, 156, 926; cherry virus, 1756w; pea enation mosaic virus, 912, 913, 1891, 2282, 2752, 3206; pea mosaic virus, 156, 1891.

Adenine, inhibition of *Phytophthora infestans*

on potato by, 801.

Adonis autumnalis, Ranunculus mottle virus on, symptomless host of, 2816.

Aecidium fragiforme on Agathis, 2636.

Aegilops, Puccinia graminis on, in Yugoslavia,

umbellulata, Puccinia recondita on, resistance to, 2329h.

Aeration in the laboratory, 1364b.

Aerobiology, symposium on, 1.

Aesculin, effect of captan on breakdown of, in soil, 2384.

Agallia constricta transmitting lucerne wound tumour [clover big vein] virus, 2080.

Agallol against Aspergillus niger on groundnut, 1328.

Agaricus, see Mushroom.

Agathis beckingi, A. celebica, A. dammara, A. hammii, and A. regia, Aecidium fragiforme on, in Indonesia, 2636.

*Agave, Phytophthora nicotianae and Pythium aphanidermatum on, in Tanganyika, 599b.

- sisalana, see Sisal.

Agricultural chemicals, annual list of approved, 1381.

Agriculture in Ghana, bibliography of, 2081.

Agrimycin against cauliflower soft rot, 281; Pseudomonas betle on Piper betle, 2575.

- in combination against Pseudomonas betle on Piper betle, 2575.

[Agrimycin] 17 against Xanthomonas vesicatoria on Capsicum, 958.

- 100 against X. campestris on cauliflower,

versus fytolan and zineb, 2653.

Agrobacterium, β -glucosidase activity in, 973. — rhizogenes, C.M.I. description of, 1768. - tumefaciens, C.M.I. description of, 1768.

, comparison of chemical composition of cell walls of, with Erwinia carotovora, 8.

-, inactivation of tumour-inducing ability in, 2703.

-, inhibition of, by almarcetin, 2716.

-, interaction of, with Capsicum mosaic virus and potato virus X on tobacco, 1759c.

-, isolation of, 2967. on almond, 1758a.

*-- on avocado pear, 1182. — — on bean, 2339, 3241. — — on cherry, 2198, 2705. — — on Datura stramonium, 1375.

— — on Eucalyptus, 552. - on hop, 513, 1189. — on Kalanchoe, 1756b.

*--- on Macadamia, 548.

— on peach and pear, 1758a. — on Rosaceae, 2198. -- on rose, 2704, 2955g.

- — on tobacco, 1756b, 2339. — on tomato, 1182, 1756b, 1758a, 2704, 2705.

sensitivity of isolates of, to antibiotics, 2704. Agronal as seed treatment for barley and oats,

3295a; for wheat, 3295b. Agronex TA as seed treatment for pea, 2281.

Agropyron, Gibberella zeae on, in China, 1055. mosaic virus on Agropyron in Canada, 1594b.

-, Puccinia graminis on, 3020a; in Yugoslavia, 401i.

- agroelymoides, P. graminis on, physiologic races of, 3020a.

campestre, P. agropyri on, European form of, 401b.

cristatum as indicator of Pythium graminicola in soil, 2735.

, Sclerospora macrospora on, in U.S.A., 398.

glaucum, Puccinia agropyri on, European form of, 401b.

repens, Agropyron mosaic virus on, in Finland, hosts of, str. of wheat streak mosaic virus, 1125.

-, Ophiobolus graminis on, in Norway, comparison of damage caused by different ff.sp., 429.

Puccinia graminis on, physiologic races of, 3301.

-, Septoria agropyri on, in U.S.S.R., 414. Tilletia contraversa on, specialization in, 2950f.

- semicostatum, Erysiphe graminis on, physiologic races of, 419.

Agrosan against Pleospora calvescens on poppy, 197: Pythium debaryanum, P. ultimum, and Thielaviopsis basicola on tobacco, 2881.

-5W against Xanthomonas malvacearum on cotton, 452, 2801; as seed treatment for barley, 1061; for cotton, 719a.

- versus liquid mercurial, 452.

Agrostis, effect of toxin from Sclerotinia homoeocarpa on root tips of, 732.

gigantea, Ophiobolus graminis on, in Norway, comparison of damage caused by different ff.sp. on, 429.

-palustris, Cochliobolus sativus on, effect of host and barley guttation fluid on, 1850.

effect of toxin from Sclerotinia homoeocarpa on root tips of, 732, 3392.

Ustilago striiformis on, var. reaction to, 2170, 3390

-tenuis, effect of hydrogen cyanide from Marasmius oreades on, 3393. , Fusarium roseum on, factors affecting,

386g.

vulgaris, Dilophospora alopecuri on, in U.S.S.R., 1596.

Air, the, Acremoniella in, in Italy, 1610. Alternaria in, in Italy, 1610; Queensland,

1360; U.S.A., diurnal periodicity in, 2959. -, ascomycetes in, in Italy, 2720. -, Aspergillus in, in England, 325a; U.S.S.R.,

1766; periodicity of, 325a.

-, Aureobasidium pullulans in, in England, periodicity of, 325a.

basidiospores in, in U.S.A., diurnal periodi-

city in, 2959.

-, Botrytis in, in Italy, 1610; U.S.S.R., 1766. -cinerea in, in England, periodicity of, 325a.

-, Brachycladium in, in Italy, 1610.

, Cladosporium in, in Queensland, 1360; U.S.A., diurnal periodicity in, 2959.

- herbarum in, in England, periodicity of, 325a, b.

-, Curvularia in, in Queensland, 1360.

Epicoccum in, in England, 325a; Queensland, 1360; periodicity of, 325a.

-, fungi imperfecti in, in Italy, 2720.

-, Fusarium in, in Italy, 1610.
-, micro-organisms in, in Italy, secondary infection of books in relation to, 2720. -, Mucor in, in U.S.S.R., 1766.

Penicillium in, in England, 325a; U.S.S.R., 1766; periodicity of, 325a.

-, phycomycetes in, in Italy, 2720. -, Pithomyces chartarum in, in England, periodicity of, 325b.

pollution, meteorology of, 2025; revised edition of book on, 1363.

-, Puccinia coronata, P. graminis, and P. recondita in, in Canada, 2763.

-, Pullularia in, in Queensland, 1360.

in Philippines, Pyricularia oryzae in, 2479b.

-spora in England, 325; Queensland, 1360; U.S.A., 2959; U.S.S.R., 1766; diurnal periodicity in, 2959.

, Venturia inaequalis in, in Italy, 1610.

yeasts in, in U.S.A., diurnal periodicity in,

Aircraft for spraying, 964d, 1756y, 2195a, b, 2257, 2350, 2351, 2688, 3143, 3153.

spraying versus hand on almond, 2195a, b. Albizzia moluccana, Phoma on, in India, 1233a. *Albugo occidentalis on spinach, 2953.

Alder (Alnus), actinomycetes in root nodules of, 1782; isolation and properties of, 26. -, Alternaria and Discula on, in U.S.S.R., 849.

-, Fomes annosus on, in Finland, 2258.

, fungi on forming mycorrhiza, in Switzerland, 625.

*[Alder], Gloeosporium cylindrospermum on, in Denmark, 596a.

-, Mucor on, in U.S.S.R., 849.

-, Poria weirii on, resistance to, 1711. Taphrina tosquinetii on, in Netherlands, 1348a.

Trichoderma on, in U.S.S.R., 849.

Aldrin in combination against Streptomyces scabies on potato, 1940.

Alfalfa dwarf and mosaic viruses on lucerne, preferred as names for lucerne dwarf and mosaic viruses, 1452.

-witches' broom virus on lucerne preferred as name for lucerne witches' broom virus,

1452.

see Lucerne.

Aliphatic chlorinated compounds as timber preservatives, 3191.

n-alkylamines in combination against Erysiphe

graminis on oats, 2468.

Allantophoma nematospora on timber, 3190. Alliaria officinalis, turnip mosaic virus on, in Yugoslavia, 563.

Allium, Urocystis cepulae on, life cycle phenomena and host-parasite interaction in, and specific reaction to, 1731.

ascalonicum, see Shallot.

- cepa, see Onion. - porrum, see Leek.

- sativum, see Garlic.

schoenoprasum, see Chives.

Allyl alcohol against Corticium solani, Fusarium culmorum, F. solani, and Sclerotinia sclerotiorum on cucumber, 2950m.

-, effect of on growth of seedlings of forest trees, on mycorrhizal development in forest nurseries, and on Trichoderma viride in soil, 2365.

Almarcetin, isolation of, from str. of Streptomyces albus, 2716.

Almond (Prunus amygdalus), Agrobacterium tumefaciens on, toxicity of kerosene to, 1758a.

calico virus on almond, hosts of, str. of peach ringspot virus, 1756x.

-, cherry [peach] ringspot virus on, 1902. -, effect of fusicoccin A on, 348.

-, fungi on, in U.S.S.R., 1138a. -, Hendersonia rubi on, control, 2195a.

-, Hyalodendron amygdali on, in Sicily, 3107. -, Stigmina carpophila on, control, 1756y, 2195a, b.

, Verticillium alboatrum on, in U.S.S.R., symptoms of, 491.

Alnus, see Alder.

Alopecurus, Fusarium, Penicillium, and Trichoderma in rhizosphere of, antagonism of antibiotic to, 639.

pratensis, Ophiobolus graminis on, spread

and survival of, 2440.

Alphazanaphthyl acetic 2-acid, inhibition of potato viruses X and Y on Chenopodium amaranticolor and Gomphrena globosa by, 2584.

Alsike, see Clover.

Alternaria, taxonomy of, 55. -, the genus, book on, 1436.

- brassicae on cauliflower, 3228i. on turnip rape, 1723.

-brassicicola, effect of sodium fluoride on growth of, 2377. on Brassica oleracea, 1789.

- on turnip rape, 1031.

[Alternaria brassicicola], toxicity of Aspergillus niger-infected orange pulp to, 703.

- cepulicola on onion, 83,

- chrysanthemi, effect of light on sporulation in, 1756d.

-, extraction of P₃₁₀ from, 1756e.

on Chrysanthemum maximum, *2955a.

, relationship of UV and visible light to sporulation of, 36.

*— cichorii on endive, 3014.

- circinans, effect of 1-substituted pyridines on, 982.

- citri on orange, 1555, 2792.

- -, production of toxic metabolite by, 1790. - consortiale on cucumber, 1757d.
- *— crotalaricola on Crotalaria juncea, 83. - cucumerina on Cyamopsis psoraloides, 3215a.

*- cucurbitae on watermelon, 89.

- cuscutacidae on dodder, 604. - dauci on carrot, 306, 948, 1331, 3228g.

- dianthi on carnation, 458.

- dianthicola on Dianthus barbatus, 1031. - gossypii, N-fixing capacity of, 2986.
- humicola, effect of 1-substituted pyridines on, 982.

- in soil, 54.

*— longipes on Datura stramonium, 1351b. —— on tobacco, 1249, 1351b, 2598, 2698i. -, production of toxic metabolite by, 1790.

- macrospora on cotton, 452.

— *mali* on apple, 3100.

- passiflorae not causing brown spot of passion fruit, 1354k.
- porri on Asphodelus fistulosus and garlic, 1733.

— on onion, 941, 1732, 1733.

*——f.sp. dauci on Guizotia abyssinica, 515. — raphani on radish, 1789.

* - senecionis on Senecio confusus, 2955a. - sesami on sesame, 200, 1196, 1350d.

- solani, arabanases in, 2725.

—— as test fungus, 981. ——, C and N utilization by, 2987.

--, inhibition of, by almarcetin, 2716: extracts from Anagallis arvensis, patulin, 2362.

on potato, see Potato.

— on tomato, see Tomato. — tenuis in nests of Vespula, 2970.

- on beet, 3202.

– — on Coccinia indica, 1472. - on Digitalis lanata, 2574. *— — on Guizotia abyssinica, 515.

- on hollyhock, 1789.

*—— on lentil, 582. —— on maize, 2783.

*— — on papaw, 646. — — on tomato, 840, 1267.

- — on watermelon, 82.
- —, production of cellulolytic enzyme by,

2371; of toxic metabolite by, 1790. -tenuissima, effect of on Cochliobolus sativus

on wheat, 3025.

- on bean, 646.
- — on Chrysanthemum cinerariifolium, 3120.
- *— on Freesia, 3232e.
- *— on mango, 2842.
- -- on Pancratium and Ricinus communis, 646.
- triticina on wheat, 2023b, 2106.
- triticola on wheat, 1512.

[Alternaria] zinniae on Zinnia, 3075.

Althaea rosea, see Hollyhock.

Amabam against Phacidium infestans on pine, 3186.

Amanita muscaria on pine forming mycorrhiza, 3254.

Amaranthus edulis, Sesamum phyllody virus on, in India, transmission of, by vectors, 1352a.

retroflexus, Verticillium dahliae on, 1429. Amaryllis, Colletotrichum crassipes on, in Germany, confusion of, with Stagonospora curtisii, symptoms of, 1587.

cucumber mosaic virus str. on, identification, symptoms, and transmission of, 1108.

—, Fusarium on, 1587.
— mosaic virus on Amaryllis in U.S.A., symptoms of, and transmission of, mechanically, 1107.

Ambrosiella xylebori in the Ivory Coast, relationship of, with Xyleborus compactus on

coffee, 2345.

β-amino-arylethyl-ketones against Plasmopara viticola on vine and Uromyces appendiculatus on bean, 2359.

2-aminobutane against Gloeosporium musarum on banana, Penicillium expansum on pear, P. italicum on citrus, and Sclerotinia fructicola on peach, 1389.

- acetate, effect of, on Diaporthe citri, 1557. - bicarbonate against Sclerotinia draytonii on

Gladiolus, 2810.

- salts against Botrytis cinerea on carnation and Chrysanthemum and Sclerotinia draytonii on Gladiolus, 1118. Ammate compounds against Fomes annosus

on pine stumps, 876.

Ammi majus, plum virus causing [peach] ring

spot virus symptoms on, 175. Ammonia against Botrytis cinerea on grapes,

1342. - utilization by low temperature basidiomy-

cete, 349b. Ammonium compounds, quaternary, effect of,

on fungi, 324e.
dimethyl dithiocarbamate against Perono-

spora tabacina on tobacco, 2236e. -fluoride against Fomes annosus on pine

stumps, 876.

molybdate against Ascochyta fabae on bean, 3248; on broad bean, 2929; A. pisi on pea, 2929, 3248; broad bean diseases, Fusarium in soil, pea diseases, Penicillium and Trichothecium in soil, 2929; as seed treatment for clover, 155b, 1130.

in combination against cauliflower 'whip-

tail', 3228i.

nitrate against Ascochyta fabae, Botrytis cinerea, Macrosporium commune, and red spot on broad bean, 1728.

polysulphide against Erysiphe polygoni on beet, 2278.

2531.

- -sulphate, association of, with leaf scorch of cauliflower, 1720.
- causing magnesium deficiency in potato, 1220.

in combination, effect of, on Fusarium solani f.sp. phaseoli on bean, 2001b. Amomum subulatum mosaic virus, symptoms

of, and transmission of, by sap and vectors to arrowroot and wheat, 386q. *Amphisphaeria pomacearum on apple and pear, Amphorophora rubi not transmitting raspberry bushy dwarf virus, 1346g.

Amphotericin B, toxicity of, to fungi, 987. Anagallis arvensis, maize rough dwarf and stripe disease virus can infect, 3034.

-, production of anti-fungal extracts from,

Ananas comosus, see Pineapple.

Anemone, Peronospora anemones on, in France, 3065

, tobacco ringspot virus on, in U.K., purification of, 3064.

Anemonella thalictroides, Puccinia recondita on, in U.S.A., 397d.

Anethum graveolens, see Dill.

Cercospora depressa f.sp. angelicae Angelica, on, 2950j.

-. Phoma anethi and P. rostrupii on, 2950j. Anguina graminophila in relation to Dilophospora alopecuri on Calamagrostis, 1596. Annona reticulata, see Custard apple.

Anthriscus sylvestris,? carrot red leaf virus on, transmission of, by vectors, 1346e.

- virus, resemblance of, to beet yellows virus, transmission of, by sap, 1346f. Anthyllis vulneraria, pea enation mosaic virus

on, 289.

Antibiotics against diseases of agricultural crops and Fusarium on Cucurbitaceae, 3267e; Pyricularia oryzae, 2479c; Pseudo-monas savastanoi on olive, 1186; Uredinales on Gramineae, 3267e; Verticillium dahliae on cotton, 455.

- from higher plants, review of properties of,

2980.

—, uses of, non-medical, 1364c. Antimycin VBC against *Phytophthora* on *Hevea* rubber, 3234b.

Antirrhinum diseases, bulletin on, 1106.

-, growth of Venturia inaequalis on callus tissue of, 3861.

*—, Peronospora antirrhini on, in Argentina, symptoms of, 363.

-, Puccinia antirrhini on, control, 2160. Antracol against Exobasidium vexans on tea, 1233b; Mycosphaerella arachidicola and M. berkeleyii on groundnut, 1355c.

Aphanomyces euteiches, effect of C sources on growth and sexual reproduction of, 1792.

on pea, 293, 557h, 914, 2285.

- raphani on Cruciferae and radish, 283.

Aphelenchoides, relationship of, to filamentous fungi in marine environment, 1397e. Aphelenchus avenae, fungus hosts of, 1380.

Aphidius sp. on Cavariella aegopodii, 1354r. Aphids, effect of, on spread of virus diseases of

potato, 1927.

transmitting cabbage black ringspot virus, 1722; cabbage virus B [cauliflower mosaic virus str.], 2403; carrot motley dwarf disease, 1346e; cucumber mosaic virus, 2403; lucerne mosaic virus, 375; maize dwarf mosaic virus, 2471; *Matthiola* mosaic virus, 149; *Narcissus* mosaic, silver leaf, and yellow stripe viruses, 463; pea enation mosaic virus, 912a, b; pea virus 2 [pea mosaic virus] and potato virus Y, 2403.

Aphis transmitting pumpkin mosaic virus, 1738.

- cacebari transmitting potato virus, 2228. - citricidus transmitting coconut cadangcadang, 3124a.

[Aphis] craccivora not transmitting vegetable marrow mosaic virus, 2009.

transmitting Capsicum virus. groundnut mottle virus, 578; groundnut rosette virus, 578, 933, 934, 2327a.

- fabae transmitting bean yellow mosaic virus, 156; beet yellows virus, 566c, 909; pea mosaic virus, 156, 1891; watermelon mosaic

virus, 2311.

gossypii not transmitting citrus tristeza virus, 2491; Passiflora foetida virus, 2754; sweet

potato veinclearing virus, 1660.

transmitting Capsicum virus, 2317; Chinese cabbage mosaic virus, 898; clover virus, 472; coconut cadang-cadang, 3124a; cucumber mosaic virus, 583; Datura distortion mosaic virus str., 81; potato virus, 2228; sugarcane mosaic virus, 2117a; sweet potato

russet-crack virus, 386w.

- idaei not transmitting raspberry leafcurl virus, 2207; raspberry bushy dwarf virus,

1346g.

- laburni transmitting pumpkin mosaic virus,

- maidis transmitting coconut cadang-cadang, 3124a.

pomi not transmitting citrus tristeza virus, 2491.

- transmitting Erwinia amylovora on apple, 1369.

Aphyllophorales, taxonomy of, 360. *Apioporthe corni on Cornus alba, 88.

Apium australe, Septoria apii and S. apiigraveolentis on, no distinction between, S. apiicola suggested as name for, 951.

graveolens, see Celery.

Aplanobacterium populi on poplar, 862, (?)3164. Apparatus [see also Technique] for accommodating shake cultures, 73; cutting, extracting and transferring mycelial plugs, 1816; destroying tobacco stalks infected by Peronodestroying tobacco stalks infected by *Peronospora tabacina*, 2236d; extracting spores from elm twigs, 252; inoculating, 2747, 3139a; measuring climatic data, 71, 368; plant protection in U.S.S.R., 979; seed disinfection, 1720, 2253, 3296; seed testing, 595; sterilizing razor blades used for cutting orchids, 1121b.

*Apple (*Malus pumila*), *Acerbiella acicularis* on, in U.S.S.R. 2530

in U.S.S.R., 2530.

-, activity of polyphenoloxidase in, 172. -, Alternaria mali on, symptoms of, 3100. Amphisphaeria pomacearum

U.S.S.R., 2531.

-, as indicator for apple latent virus, 1607. *-, Ascochyta pirina on, in U.S.S.R., 89.

-, association of, with Fomes annosus on cedar, 874.

-, Bacillus cereus and B. subtilis on, 324f. bacterial disease of, ? related to Bacterium

herbicola-Xanthomonas trifolii group, 1898.

- bitter pit, control, 2545, 3405.

- rot, Pezicula alba and other fungi associated with, 2184.

- black end in Italy, symptoms of, 2835.

, boron deficiency in, in Argentina, 2389; *Greece, 161c; symptoms of, 161c, 2389.

- brown ringspot virus on apple in Czecho-slovakia, 3398.

-, Catharinia mira on, in U.S.S.R., 2531.

- chat fruit virus on apple, diagnosis, spread and symptoms of, 3088.

[Apple], cherry [peach] ring spot virus and cherry [plum] line-pattern virus on, resistance to, 1902.

chlorosis in U.S.S.R., 2533; control, 1155,

2533; Fe content of soil in relation to, 2533. — chlorotic leaf spot virus on apple, 2205; in Canada, 2953; Queensland, 1608; control, 164, 1608, 2330i; detection of, 1607; identical with raspberry bushy dwarf virus, 2205; non-transmission of, by seed, 165, 2205; ?relationship of, to *Prunus pissardii* str. of raspberry bushy dwarf virus, 480; should be named chlorotic leaf spot virus, 2205; study on, 1143; transmission of, mechanically, 745; to Malus platycarpa and quince, 480.

on Prunus and raspberry, 2205. +Spy 227 decline+Virginia Crab stem-pitting viruses on apple, effect of, on

growth, 2535.

, Cochliobolus carbonum and C. heterostrophus on, hypersensitive reaction to, 749. cuticle, penetration of, by radioactive model

compounds and antibiotics, 1771. dapple apple virus on apple, serology of, 386k.

-decline virus on apple, control, 164; not

transmitted by seed, 165.

Diaporthe perniciosa on, in N. Ireland, 2 1152; U.S.A., 489; control, 489; effect of UV light on sporulation of, 2948e; var.

reaction to, 489.

— dieback in W. Australia, 2546.

— diseases, list of, in Rhodesia, 163.

, effect of sprays on fruit set and yield of, 1617; of leaf exudates on decomposition of zineb, 1391.

energy requirements for absorption of leucine and streptomycin by, 1616.

epinasty virus on apple, control, 164; not

transmitted by seed, 165.

of, 1768; inhibition of, by avirulent str. of and by yellow bacterium, 324f; interaction between ?strs. of, 1898; mode of penetration by, 1615, 3404; transmission of, by vectors, 1369; virulence of, 1615.

-, Eutypa armeniacae on, in Victoria, 1354d. -flat limb virus on apple in Germany, 166; Queensland, 1608; control, 1608; effect of on yield, 166; histological study of, 481; resemblance of, to cherry 'flat limb', 498; transmission of, 166; var. reaction to, 166.

—, fluorine injury to, 2983b.

—, fungi on, in U.S.S.R., 1138b.

—, Gilbertella persicaria can infect, 758. — green crinkle virus on apple in N.S. Wales,

3233; N.Z., 3397; Queensland, 1608; apple 'infectious kikei-ka' resembling, 3089.

— mottle virus on apple, serological rela-

tionship of, to apple dapple apple virus, 386k.

, Gymnosporangium juniperi-virginianae on, 3402; genetics of, 1150; life-history and symptoms of, 1977; var. reaction to, 3402.

, Helminthosporium papulosum on, similarity of symptoms of, to Physalospora obtusa. 1151.

'hyperhydric' cracking in Italy, symptoms

of, 2835. 'infectious kikei-ka' virus on apple in Japan, 3089; resemblance of symptoms of, to apple green crinkle and apple star crack viruses, 3089.

[Apple] internal bark necrosis, effect of Mn content on, 3103; factors affecting, 3406. - interveinal chlorosis, control, 3407.

-Jonathan freckle and Jonathan spot on stored, effect of gamma irradiation on, 3101.

- -latent virus on apple in *N.S.W., 2332e; detection of, 2332e; properties and purification of, 2183; transmission of, 2332e; to Chenopodium amaranticolor and C. quinoa,
- on pear and Sorbus aucuparia, 596b. - leaf pucker virus on apple in India, 2023f; suppression of symptoms of, by virus interference, 968f.

scorch, Ca sprays associated with, 488. -, Linochora ligniaria on, in U.S.S.R., 2530. 'little leaf' virus on apple in India, 2023f.

, low-temp. breakdown, storage in polyethylene bags affecting, 486.

magnesium deficiency in, in Germany, 965m.

' Manchurian sabi-ka' virus in Manchuria. apple 'sabi-ka' virus in Japan identical with, 3089.

-, manganese deficiency in, in Greece, symptoms of, 1616.

- McIntosh leaf pucker virus on apple in Canada, 2953.

, morestan residues on, determination of, 171.

mosaic virus on apple in Denmark, 596b; India, 162; Japan, 3089; N.Z., 3397; Queensland, 1608; Rhodesia, 598b; control, 164, 1608; cross-protection between strs. of, 1141; effect of heat on infectivity of, 1756j; effect of on, 598b; non-transmission of, by seed, 165; plum mosaic [line pattern] virus str. of, 162; strs. of, 162; transmission of, to peach and loquat, 162.

on loquat, 2023f.

— on pear, 596b.
— + apple rubbery wood viruses on apple, effect of on, 2528.

-, Naemospora aurea on, in U.S.S.R., 2530. Nectria galligena on, in Germany, 166; N.

Ireland, 2, 1152; N.Z., 3400; U.S.A., 1153; control, 752, 1153, 3400; factors affecting, 752; report on, 1153; symptoms of, 1152; var. reaction to, 752.

-, peach ring spot virus on, resistance to, 1902. Penicillium expansum on, in N. Ireland, 2,

1152.

on stored, effect of gamma irradiation on, 3101.

, Pezicula on, in N. Ireland, 1152; control, 485.

, — alba on, in Denmark, 1154; Victoria, 1354d; control, 484, 1154, 1354d; effect of storage atmosphere on, 1613.

-malicorticis on, in Denmark, 1154; effect of storage atmosphere on, 1613.

Phacidiella discolor on, in U.S.S.R., parasitism and pathogenicity of, 1140.

-, Phyllosticta mali on, in U.S.S.R., 1148, 2185; control, 2185; effect of fungicides on, 1148; factors affecting, 754, 2185; var. reaction to, 754, 2185.

- solitaria on, in Canada, 88.

, Physalospora obtusa on, in Cyprus, 3231b; Spain, 2544; U.S.S.R., 1146, 1147; control, 1146, 3094; penetration of, 1146, 3231b; spread of, 3231b; symptoms of similar to Helminthosporium papulosum, 1151; var. reaction to, 1146.

[Apple], Phytophthora on, 2943.

-cactorum on, 2085; in Germany, 753; Victoria, 1354d; factors affecting, 638, 1354d; *Phytophthora* on pansy different from, 3388; var. reaction to, 1612.

- platycarpa dwarf virus and platycarpa scaly bark virus on apple, control, 164; not

transmitted by seed, 165.

-, plum line-pattern virus on, resistance to, 1902.

-, Podosphaera leucotricha on, in Bulgaria, 482, 3096; Czechoslovakia, 1604; U.S.S.R., 1145; Cicinnobolus cesatii parasitizing, 3097; control, 169, 170, 482, 751, 964h, 1144, 1145, 2354, 2537, 3094, 3095, 3098; effect of fungicides on photosynthesis and respiration of leaves of, 1144; effect of, on yield, 1145; factors affecting, 1145; fungitoxicity of 2,4and 2,6-dinitrophenols to, 2040; genetic resistance of, 750; overwintering of, 3096; seasonal fluctuations in relation to leaf infection, 3095; symptoms of, 1145; var. reaction to, 1145, 1611.

-, Pseudomonas cerasi on, in U.S.S.R., transmission of, by rain and tools, 1614.

- ring russeting virus on apple, suppression of symptoms of, by virus interference, 968f. - spot virus on apple in Queensland, 1608. - rough bark disease [internal bark necrosis],

effect of Mn content on, 3103. rubbery wood virus on apple in Queensland, 1608; control, 164, 1608; effect of, on, 2528; not transmitted by seed, 165.

+ apple mosaic viruses on apple,

effect of on, 2528.

russet ring virus on apple in Denmark, 596b; *U.S.A., 2534; part of leaf pucker complex, 596b; serologic relationship of, to dapple apple virus, 386k; symptoms of, 2534. 'sabi-ka' virus on apple in Japan, identical

with 'Manchurian sabi-ka', symptoms of,

- scar skin virus, apple 'sabi-ka' virus symptoms in Japan identical with, 3089.
- -, Sclerotinia on, in U.S.S.R., 1614. -, — fructigena on, in Lithuania, 1149. -, — laxa on, 1139, 3401.

- mali on, N and C sources of, 3099.

- Spy 227 decline virus on apple in Denmark, 596b; control, 2330i.

crab stem-pitting viruses on apple, effect of, on growth, 2535.

?Spy lethal [apple chlorotic leaf spot] virus on apple, transmission of, mechanically, 745.

- star crack, apple 'infectious kikei-ka' virus symptoms resembling, 3089.

- stem cavity russet, geographical distribution and symptoms of, 2186.

pitting virus on apple in *Canada, 2953; Denmark, 596b; control, 164; not transmitted by seed, 165; pathological anatomy of, 1605; var. reaction to, 596b.

-, Stereum purpureum on, morphological and anatomical changes in, 743.

- storage disorders, 1613; in N. Ireland, 1152; control, 485; factors affecting, 487; storage in polyethylene bags affecting, 486.

- - pit, factors affecting, 487.

[Apple] sun scald in Italy, symptoms of, 2835. superficial scald, storage in polyethylene

bags affecting, 486.

-, tobacco mosaic virus on, symptomless host of, 1896. toxicity of lime sulphur to, var. reaction to,

2536.

-, Trichometasphaeria turcica on, hypersensitive reaction to, 749.

- twisted twig due to bud-sport, perpetuation of, by vegetative propagation, 1756u.

, use of, in trapping *Phytophthora* and *Pythium* in soil, 2837.

Tythum in soil, 2537.

747; N. Ireland, 2539; Poland, 2756; U.S.S.R., 3092; adaptation of strs. of, to fungicides, 746; ascospore discharge in, 2330d; control, 167, 169, 337, 483, 484, 617, 747, 751, 1136, 1897, 2536, 2537, 2540, 3090, 3091, 3093; distribution of, 2756; effect of amino acids on growth of, 2834; of fungicides on, 3092; of humidity and temp. on, 2699g; of leaf glucosides on, 2543; of spraying with water on spots of, 5; of urea on, 1609; fore-casting outbreaks of, 2538, 2756; fungitoxicity of 2,4- and 2,6-dinitrophenols to, 2040; genetic resistance of, 750; growth of, on callus tissues, 3861; histology of infections by biochemical mutants of, 168; infection by, 2539; mercury residues in, 747; overwintering of, 1609; study on, 318d; var. reaction to, 748, 749, 2834.

—, Virginia Crab stem-pitting+chlorotic leaf

spot+Spy 227 decline viruses on apple, effect

of, on growth, 2535.

- virus disease, effect of, on RNA and zinc content of leaves of, 744; resemblance of, to beet yellows virus, transmission of, by sap, 1346f.
- diseases in Queensland, 1608; Rhodesia, 598b; biochemical patterns in leaves infected with, 1606; control, 1608; incidence of, 598b; indicators for, 2526.

water core, detection of, 2547; factors

affecting, 3408.
- witches' broom virus on apple in Bulgaria, 1142a, 2527; Czechoslovakia, 1604; *Germany, 1142b; control, 1142a, 2527; effect of on yield, 1142a; incidence of, 1142a; symptoms of, 1142a, b, 1604, 2527; transmission of, 2527; by vectors, 1604.

-, Xanthomonas pruni on, 324f. - York spot, control, 3405.

-, zinc deficiency in, in Greece, symptoms of, 161a.

Apricot (Prunus armeniaca) as indicator for

plum pox virus, 493.

bacterial disease in U.S.S.R., 2556; control, 2194; effect of sprays on symptoms of, 2556. , Blumeriella jaapii on, in Poland, spread of, 2189.

*--, Cercosporella persicae on, in India, symptoms of, 391.

c, cherry [peach] ring spot virus and cherry [plum] line pattern virus on, 1902.

-, Cytospora on, in U.S.S.R., 491.

- dieback, review of, 180.

-, Eutypa armeniacae on, in France, 1356g; S. Australia, 1356g, 2193; dispersal and production of ascospores of, 2193.

-, fungi on, in U.S.S.R., 1138a, 1471. *--, Monilinia demissa on, in Canada, 88. [Apricot], peach ring spot and plum line-pattern viruses in, 1902.

-, plum pox virus on, 175.

pox' in Spain, resemblance of, to peach mosaic virus, 2555.

-, Pseudomonas syringae on, in U.S.A., 3409. Sclerotinia fructicola on, in Victoria, 354a; cytology of asexual stages of, 766; quiescent infection in, 2191

,—laxa on, in *Victoria, 2190; association of, with gum formation, 1905; chlorophyll

breakdown by, 1904.

-, Stereum purpureum on, morphological and anatomical changes in, 743.

, Stigmina carpophila on, in Canada, 2953; U.S.S.R., 2556.

*—, Taphrina deformans var. armeniaca on, in Yugoslavia, symptoms of, 494.
*—, — mume on, in India, 2023h.

-, Verticillium alboatrum on, in U.S.S.R., symptoms of, 491.

-, — dahliae on, in New Zealand, 3007. -, Xanthomonas pruni on, symptoms of, 1623.

α-L-arabinofuranosidase, secretion Sclerotinia fructigena, 2369.

Arabis mosaic virus on celery, 2938.

- on Chamaecyparis lawsoniana, 1819.

-- on Chenopodium amaranticolor, 1023.

— — on *Narcissus*, 463.

— on raspberry, 186.

-- related to vine soil-borne viruses, 590.

str. on raspberry, 1170. Arachis hypogaea, see Groundnut.

Arasan against Ascochyta rabiei on Cicer arietinum, 299; phycomycetes on rice, 2698b. Araucaria, list of fungi on, in Italy, 389b.

- angustifolia, Uleiella paradoxa on, micro-scopy of spores of, 2903. - imbricata, Fusicoccum araucariae on, in

Italy, Cryptosporella araucariae perfect state of, 389b.

Areca palm (Areca catechu) 'bleaching', factors affecting, 2580a.

-, Curvularia on, symptoms of, 2580b. -, Gloeosporium and Nigrospora sphaerica on, in India, symptoms of, 2695d.

-, Pestalotia palmarum on, 2580a.

-, Phytophthora arecae on, in India, 2695d. - 'spindle choking', (?)nutritional disorder, 2580a.

, Trametes corrugata on, in India, 2580c. -yellow leaf disease, symptoms of, 2580c. Arenaria leptoclados, beet mild yellowing virus

on, 2275. Arenarin, penetration and translocation of, in

tomato, 246.

Aretan against Fomes noxius on Hevea rubber,

Arjesome, production of, by potato, 1645m. Armillaria mellea, effect of plant growth sub-stances on growth and light emission of, 1397h.

- inhibition of, by soil toxin, 353.

— — on Abies sibirica, 1281.

- on hop, 1917.

- on larch, 1283, 1978.

– — on Passiflora quadrangularis, 598a.

— on peach, 1354g. — on pine, 552, 881, 1351b.

– on Pseudotsuga menziesii, 2260.

— on timber, 318a, 2267.

[Armillaria mellea] on trees, deciduous, 846.

on Widdringtonia whytei, 598a. -, ultrastructure of hyphae of, 1814.

Armoracia rusticana, see Horse-radish. Aroids, phytoncidal activity in, 966b.

Arrhenatherum elatius, Ophiobolus graminis on, spread and survival of, 2440.

Arrowroot (Maranta arundinacea), Amomum subulatum mosaic virus can infect, 386q.

Arsenobenzene as timber preservative, 3191. Arthrobotrys, classification of, 2341.

- arthrobotryoides in soil, 1756r.

- conoides, effect of absence of CO2 on, 1379.

-, study on nemin causing trap formation in, 1769.

- dactyloides in soil, 1756r.

-oligospora in rhizosphere of soybean and wheat, 1378.

in soil, 1378, 1756r, 2707.

*Artichoke (Cynara scolymus), Erwinia on, in Italy, 390.

latent virus on artichoke, resemblance of globe artichoke virus in Tunisia to, 2013.

on sunflower, 1821.

-, Puccinia helianthi on, C.M.I. description of, 2739.

virus disease in Tunisia imported from France, host range and purification of, resemblance of, to Californian artichoke latent virus, transmission of, 2013.

*Articularia quercina var. minor on oak, 2888. Artocarpus rigida producing inhibitor of

Gibberella fujikuroi, 1392.

Ascochitine, constitution and isolation of 1772.

Ascochyta desmazierii on Lolium multiflorum, 1031.

- dianthi on carnation, 458.

- digitalis on Digitalis lanata, 2574.

-fabae, isolation of ascochitine from, 1772. on broad bean, see Bean, broad.

- grovesii on timber, 2261b.

- imperfecta, see Phoma herbarum var. medicaginis.

laurina on laurel, 854. linicola on flax, 142.

lycopersici on eggplant, 391.

- onobrychidis on Onobrychis viciifolia, 742. *- phaseolorum on Phaseolus aureus, 2082.

- pinodella on pea, 2284, 2658.

pinodes, see Mycosphaerella pinodes.

- pirina on apple, 89.

- pisi, differentiation of, from Phoma-like fungi, 3002.

, effect of UV radiation on light absorption by, 1756d.

-, electron microscopy of pycnidiospore development in, 3002.

-, extraction of P₃₁₀ from, 1756e. -, isolation of ascochitine from, 1772.

-, N-fixing capacity of, 2986. on pea, see Pea.

- rabiei on Cicer arietinum, 299.

- sojaecola on soybean, 2928. - tarda on coffee, 967b, 1560d, 3055.

- trifolii on clover, 155b.

Ascomycetes, genetics of, 1009, 2743.

— in the air, 2720.

in India, 359; Lithuania, 2063; U.S.S.R., 2066.

on fruit trees, 1137, 1138a, b. – on oats, 1535.

*Ascotricha chartarum on Sansevieria macrophylla, 1832.

Ash (Fraxinus) bacterial canker in Czechoslo-

vakia, 1269.

, Fusicoccum on, in U.S.A., symptomless host of, transmission of, by pruning, 1974.

- ringspot virus on, in U.S.A., symptoms and transmission of, 1759f.

Asparagus 'fusariosis', fungi associated with, 2308.

-, Fusarium oxysporum on, in N.S.Wales, 3233.

— — f.sp. asparagi on, in Italy, 390.

-, Helicobasidium purpureum on, 2308; factors affecting, 2672; host specialization of strs. of, 2760.

-, Penicillium martensii and Phytophthora

cactorum on, 2308.

- Puccinia asparagi on, 2308; in Hungary, 2941; C.M.I. description of, 2739; control, 2941.
- -, Sclerotinia, Zopfia, and Z. variospora on, 2308.

- bean, see Vigna sesquipedalis.

Aspen (Populus spp.) [see also Poplar] black cankers and Cenangium singulare on, in U.S.A., 259.

Cenangium populneum on, in U.S.S.R.,

2629b.

Ceratocystis fimbriata on, morphology of, 3176; symptoms of, 968l.

- tremulo-aurea on, 1695.

- -, Cryptodiaporthe populea, Cytospora foetida, Fomes fomentarius, and F. igniarius on, in U.S.S.R., 3175.
- -, F. igniarius f.sp. tremulae on, in U.S.S.R., 1694.

var. populinus on, effect of extracts from dead branches on, 262.

—, fungi imperfecti on, in U.S.S.R., 3165. —, Fusarium solani on, effect of temp. on, 2898.

Gloeosporium tremulae on, in U.S.S.R., 1694, 3175.

-, Hypoxylon pruinatum on, in U.S.A., 259, 2899; U.S.S.R., 2629b; invasion of tissues by, 1277.

-, Macrophoma tumefaciens on, in Europe and N. America, 968m.

-, Marssonina populi on, in U.S.S.R., 3175. —, Melampsora on, in Canada, 1970b. —, — populnea on, in U.S.S.R., 1694, 3175.

-, mycorrhizal roots of, antibiotic in, 28a. - 'Nectria'-like canker in U.S.A., 259; resemblance of, to Ceratocystis fimbriata,

- 259. -, - cinnabarina on, in U.S.S.R., 3175.
- -, Pezicula ocellata on, cankers of, 261. -, Polyporus tomentosus and P. t. var. circinatus on, 1680.

Pseudomonas rimaefaciens on, in U.S.S.R., 2629b.

-, Septoria populi on, in U.S.S.R., 3175.

-, Valsa nivea on, in Sweden, 844.

- sordida on, in U.S.A., 259; U.S.S.R., 3175.
- -, Venturia tremulae on, in U.S.S.R., 1694. Aspergillus amstelodami in soil, 3272.
- on groundnut, 3217.
- candidus in soil, 54.
- on rice, 133.
- chevalieri, isolation of gliotoxin from, 2715.

— on groundnut, 3217.

[Aspergillus] flavipes in soil, 54, 640.

on cotton textiles, 343.

- flavus in rhizosphere of Compositae, Gramineae, and Leguminosae, 1798.

— on cotton, 452

on groundnut, 936, 1729, 2697a, 3217.

- — on leafhopper, 2950o. — on wheat, 2773.

- fumigatus in rhizosphere of Acer platanoides, 2247.

- in rhizosphere of wheat, 352 -, Trichothecium roseum on, 620.

glaucus in soil, 3272.

on rice, 133.

on soybean seed in storage, 301.

- heterocaryoticus, conidial state of Eurotium heterocaryoticum, 3347.

- luchuensis on cotton textiles, 343.

- nidulans, growth and sporulation of, 2053.

- in rhizosphere of wheat, 352.

--- on groundnut, 3217.

-, survival of, in sterile soil, 3268. - niger as fungicide test fungus, 1391.

-, association of, with Fomes annosus on timber, 543f.

-, effects of high partial pressures of O on, 2379.

in soil, 54, 1423.

inhibition of Pythium graminicola by, 2386; of, by fungal morphogen from Fusarium oxysporum, 347.

on cotton textiles, 343. on Feronia limonia, 82.

- on groundnut, see Groundnut.

— on orange, 703. — on sisal, 2158.

on soybean seed in storage, 301.

-, tolerance of Hg by, 1387.

quadrilineatus, growth and sporulation of, 2053.

- restrictus in soil, 3272. on wheat, 397e.

- rugulosus, growth and sporulation of, 2053.

- sydowi in rhizosphere of wheat, 352. - terreus, effect of fungistatic principle on, 324m.

- in soil, 54, 640.

- on cotton textiles, 343.

——, survival of, in sterile soil, 3268. — ustus in soil, 640.

-, survival of, in sterile soil, 3268.

- variecolor, growth and sporulation of, 2053.

- versicolor on stored grain, 1486.

on wheat, 2773.

Asphodelus fistulosus, Alternaria porri on, 1733. Aspor against Alternaria zinniae on Zinnia, 3075; Bacillus mesentericus on peach, 1622; Peronospora tabacina on tobacco, 835, 1244; Plasmopara viticola on vine, 592; Xanthomonas pruni on peach, 1622

in combination against Bacillus mesentericus on peach, 1622; Plasmopara viticola on vine, 592; Podosphaera leucotricha on apple, 482; Xanthomonas pruni on peach, 1622.

———, injury to peach, 1622. versus tabacin, 1244.

Aster (Callistephus chinensis), clover proliferation virus on, 2825.

-, Fusarium oxysporum on, distinct from F. oxysporum on Chrysanthemum, 386c. -, — f.sp. callistephi on, hosts of, 1109;

nuclear ratios in, 1583; physiologic races of, 3387.

- [Aster] yellows virus, inter-relationships between insects and, 1456; nomenclature of, 1452; transmission of, by vectors, 376, 1455.
- on aster, effect of barriers on spread of, 504; transmission of, by vectors, 2404.

 — — on barley, 397f, 2111, 3294.

 — — on *Brassica*, 3228d.

— — on carrot, 504.

- — — on Erigeron canadensis, 2404.

— — on lettuce, 3228d. — — on maize, 1457. — — on onion, 2404, 3228d.

— — on *Primula*, 2169. — — on tomato, 3228d.

--- on Vinca rosea, 2404.

- — on wheat, 3294.

- - + oats blue dwarf virus on flax, 721.

- celery str. on barley, 2111.

— str. on Primula, 3073.

-- strs. on Nicotiana rustica and Plantago major, 2751.

Asterolecanium associated with Botryodiplodia on oak, 3171.

Astragalus sinicus, watermelon mosaic virus on, 571.

Atlox G-3300, fungicidal activity of, 981. Atrazine against Verticillium on cotton, 713.

- -, effect of on Aspergillus terreus, A. ustus, Fusarium, and Penicillium janthinellum in soil, 640; cellulose-destroying soil microorganisms, 1800; Ustilago maydis on maize, 1539.
- *Atropa belladonna, Peronospora hyoscyami on, in Argentina, symptoms of, 363.

Atropellus piniphila on pine, 882.

treleasei on Tsuga heterophylla, 1679f. Aulacorthum matsumuraeanum transmitting

potato leaf roll virus, 1928. Aureobasidium bolleyi on wheat roots, 1515.

microstictum on Hemerocallis fulva, 1348a. (?)—pullulans causing dieback of Juniperus, 1282.

-- in the air, 325a.

- in nests of Vespula, 2970.

- — on barley, 2116.

- on Digitalis lanata, 2574.
 on timber, 1302, 1303, 2265, 3190.
 var. lini, Guignardia fulvida ascogenous
- state of, 2156.

on flax, 2155.

- Aureomycin, effect of, on morangial production in Phytophthora cinnamomi, 2699c.
- inhibition of *Phytophthora cactorum* by, 638. -, popular account of discovery, production and uses of, 2043.
- -, resistance of mutants of Xanthomonas campestris to, 2965.
- hydrochloride, effect of, on *Pythium*, 2593d. Avena, see Oats.
- *Avocado pear (Persea americana), Agrobacterium tumefaciens on, in U.S.A., 1182.
- -, Diplodia natalensis on, in the Ivory Coast, 776.
- endomycorrhiza in Israel, (?) Endogone associated with, 2212.
- -, Phytophthora cinnamomi on, 3115; in *Brazil, 600a; Fiji, 969a; factors affecting and fungi associated with, 775; testing for resistance to, 2569.
- Sphaceloma perseae on, in Argentina, pathogenicity and symptoms of, 2211.

6-azauracil against Sphaerotheca fuliginea on vegetable marrow, 2674.

-, effect of, on Erysiphe cichoracearum on cucumber, 17; on E. graminis on wheat, 17, 1054.

-, toxicity of, to vegetable marrow, 2674. 6-azauridine and 6-azauridine-5'-phosphate, effect of, on Erysiphe cichoracearum on cucumber and E. graminis on wheat, 17.

Azidithion against vectors of potato viruses, 1645t.

Baccharis pilularis, Erysiphe cichoracearum on, effect of cultivation on susceptibility to, 1767.

Bacillus amaracrylus antibiotic against Botrytis cinerea on strawberry, 189, 3419.

- cereus on apple, 324f.

- macerans, effect of nupharin on, 621.

- megaterium on Puccinia graminis uredospores, 404.

- mesentericus on peach, 1622.

- polymyxa on cabbage, Chinese, in storage, 2273.
- on Puccinia graminis uredospores, 404. - on timber, 2266.

- pumilus on apricot, 181.

on cabbage, Chinese, in storage, 2273.

on cherry and peach, 181.

- subtilis, inhibition of Erwinia amylovora by, 978; of Streptomyces scabies by, 1758b; of, by antibiotic from Cochliobolus victoriae, 397m; from Sclerotium rolfsii, 1773.

on apple, 324f.

- — on cabbage, Chinese, in storage, 2273. - — on pigeon pea, 2044.

-- on Puccinia graminis uredospores, 404.

on timber, 2266. Bacitracin, inhibition of Aplanobacterium populi

on poplar by, 862. Bacteria, review of interactions of, with fungi and nematodes, 2026.

, treatise on structure and function by

Gunsalus & Stanier, Vol. 5, 332.

Bacteriology and Immunity, Topley & Wilson's Principles of, 5th edition of textbook on, 606. Bacterium herbicola, Erwinia lathyri Xanthomonas trifolii synonyms of, 7,

radiciperda on clover and lucerne, 2178. Banana (Musa spp.), Aspergillus on, control, 2210.

- black leaf streak in Fiji, 191, 1180, 2567; comparison of, with Mycosphaerella musicola, 1180; M. 'fijiensis' suggested as name for, 1180; symptoms of, 191.

, Botryodiplodia theobromae on, in India, 192a; association of, with storage rots, 192a;

control, 2210.

-bunchy top virus on banana, in India, 508; Samoa, 1476; Tonga, 969e; incidence of, 508.

-, Clitocybe tabescens on, in Kenya, 2697a.

- Colletotrichum musae on, in India, 1913; *Mauritius, 3232e; Queensland, 1355j; control, 1355j, 2210; effect of sugar content on, 1913; variation in, 1913.
- -, Deightoniella torulosa on, in India, association of, with storage rots, 192a.

- diseases, 1829a.

- -, fungi on, in India, list of, 192a.
 - -, Fusarium on, control, 2210.

- [Banana, Fusarium] oxysporum on, in India, 192a; association of, with storage rots, 192a.
- f.sp. cubense on, not recorded in Samoa, 1476; phenolics in, 633; production of 3-indole-acetic acid by, 1910; relationship of phenol oxidases to vascular browning by, 190; of peroxidases to vascular browning by, 509; var. reaction to, 1911.

*-, - roseum on, in India, 1472.

-, Gloeosporium musarum on, in India, 192a; association of, with storage rots, 192a: control, 1389.

-, Glomerella cingulata on, ascospores of, 1758e. -, Glomerella variation in

-, Marasmiellus on, in Samoa, 1476.

-, Mucor on, control, 2210.

—, Mycosphaerella on, in Fiji, 1351d. —, — 'fijiensis' on, in Fiji, 1180, 2567; Tonga and W. Samoa, 2567.

and w. Sanioa, 2507.

— musicola on, in Brazil, 3234f; Guinea, 1912; Honduras, 1179; Jamaica, 964d; Samoa, 1476; control, 1179, 1383, 2566, 3234f; effect of emulsifiers on formation of conidia in, 1178; factors affecting production of ascospores and fructifications of, 1179; physiologic races of, spread of, study of ascospore state of, 1912.

-, storage disorders of, in India, fungi associ-

ated with, 192a.

Barbarea vulgaris, Fusarium, Penicillium, and Trichoderma in rhizosphere of, antagonism of antibiotic substances in tissues to, 639. Barberry (Berberis), eradication of, 401d.

, Puccinia brachypodii on, in India, spore

forms of, 2518.

- graminis on, 3020a; in Germany, 1755b; Italy, 401h; Mediterranean region, 401a; Spain, 401i, 401l; Yugoslavia, 401e; association of, with P. graminis on Bromus, 401i; comparison of physiologic races of, with P. graminis on wheat, 401h; eradication of, 1755b; genetics of, 1495; physiologic races of, 401e; study on ff.sp., 401a.

-, role of, in evolutionary cycle of Puccinia

graminis on wheat, 401c.

- Bark beetles transmitting Ceratocystis ulmi on elm, 1271.
- Bailey (Hordeum), Alternaria on, in U.S.S.R., 1056.
- -, aster yellows virus on, 3294; comparison of, with barley yellow dwarf virus on barley, 397f; effect of, on, 2111; transmission of, by vectors, 2111.

celery str. on, transmission of, by vectors, 2111.

- pullulans on, Pullularia –, Aureobasidium pullulans should be retained as name for, symptoms of, 2116.
- -, boron deficiency in, in Tasmania, 356.
- -, Bromus mosaic virus on, in S. Africa, 3293; related to Lolium streak virus, 2517.
- -, Cercosporella herpotrichoides on, leaflet on, 3311.
- -, Cochliobolus sativus on, in Canada, 573; Sweden, distribution of, 2762; effect of guttation fluid on, 1850; of, on sugar content, 2115; genetics of, var. reaction to, 3317.
- -, Corticium solani on, factors affecting, 101. -, Cylindrocarpon radicicola on, stimulation of, in roots, 1418.

[Barley] diseases in Argentina, 3017; Poland, 2112; U.S.A., 1521h, 1836; Victoria, 86; control, spread and symptoms of, 1836; tests for resistance to, 3017; var, reaction to, 104.

-, effect of phytoncides from, on development of fungi, 966b; of toxin from Leptosphaerulina briosiana on, 2831; of, on Streptomyces scabies on potato when used as cover crop. 1758b.

enanismo in Colombia, genetics of and var. reaction to, 1521e.

, Erysiphe on, germination of cleistothecia

of, 2329f.

- graminis on, in Hungary, 422; Israel, 1521c; Poland, 2112; carbohydrate and N metabolism in leaves of, 107; control, 677, 2354, 2357; effect of on enzyme activity, 2461; on respiration, 1058, 2460; evaluation of resistance to, 91; factors affecting, 3030b; function of host and pathogen genetic systems in elucidating development of, 1521a; fungitoxicity of 2,4- and 2,6-dinitrophenols to, 2040; genetics of, 420, 1521d, 2329g, 3319; growth of, on coleoptile and young leaves, 1059; inhibition of, 677; nucleotide composition of RNA in, 676; physiologic races of, 421, 422, 1521c, 2329g, 3319; relationship between dimensions and infecting capacity of oidia of, 3320; structure of haustoria and relationship of, to epidermal cell, 397i; transmission of, to wheat, 1520; var. reaction to, 420, 677, 2329g, 2459, 3030b.
- -, factors affecting germination of, 1485. — false mosaic virus, antiserum against, 1849. —, Fusarium on, in U.S.S.R., 1056.

- oxysporum on, stimulation of, in roots, 1418.
- Gibberella zeae on, in China, 1055; S. Korea, effect of, on yield and factors affecting, 679; spread of, 105.

*--, Griphosphaeria nivalis on, 3297.

- -, Helminthosporium pedicellatum on, Trichometasphaeria pedicellatum perfect state of, 3318.
- -, Lolium streak virus on, estimation of, 1595; electron microscopy and purification of, 152; related to Bromus mosaic virus, 2517; transmission of, by vectors, 152.

- microflora in storage, 2463.

- , Mortierella on, stimulation of, in roots, 1418.
- moulds in N. Ireland, control of, 2948a.
- Ophiobolus graminis on, in Denmark, 596e; Norway, 429; *Yugoslavia, 3312; damage caused by ff.sp. of, 429.
- -, ozone toxicity in, symptoms of, 1487.
- -, Penicillium lilacinum on, stimulation of, in roots, 1418.
- , Podosporiella verticillata on, in N.S. Wales, *2332b, 2438.
- -, Puccinia on, in Argentina, tests for resistance to, 3017.
- graminis on, 3020a; in Canada, 2764; from wheat infecting, 2113.
- , hordei on, in Poland, 2112; U.S.A., 3316; breeding against, 2329j; genetics of, 397k, 2459; physiologic races of, 3316; var. reaction to, 397k, 423, 2329j, 2459.

- recondita on, nutrient mobilization by, 2096; wild grasses as reservoirs for, 409.

[Barley, Puccinia] striiformis on, in England, 2329j; India, 424; Japan, 109; Netherlands, 1521g; U.S.A., 3307; U.S.S.R., 1056; genetics of, 673; germination of uredospores of, 3306; physiologic races of, 109, 424, 673, 9656, 2320; 2306, pressure production of the company of th of, 3306; physiologic races of, 100, 100, 673, 965c, 2329j, 3306; race nurseries in breeding resistance to, 1521g; var. reaction to, 673, 3307; wild grasses as reservoirs for, 409.

-, Pyrenophora graminea on, in Poland, 2112; control, 674, 678; effect of, on yield, 425; var. reaction to, 678.

- teres on, in Canada, 2462; Poland, 2112, 2427; effect of, on yield, 426; factors affecting,

426; var. reaction to, 426, 2462.

Rhynchosporium secalis on, in England, 2329k, 2946a; effect of herbicides on sporulation of, 1527; incidence and severity of, 2329k.

-, rice black-streaked dwarf virus on, in Japan, 2480g.

Sclerospora macrospora on, 2085; in U.S.A., 398.

-, Septoria passerinii on, factors affecting, 1528.

- stripe mosaic virus not transmitted by dodder, 397h; serological diagnosis of, 1057;

trol, 108; effect of heat treatment on, 3315; of, on yield, 108; identification of, 108;

of, by seed and pollen, 2437.

on grasses, 1124.

-, Trichoderma viride on, stimulation of, in roots, 1418.

-, uptake of fungicides from treated seeds of, 13.

-, Uredinales and Ustilaginales on, in U.S.A., 1521h.

Ustilago hordei on, control, 674, 1061, 3295a; effect of phytoncides, on germination of, 675; factors affecting, 1526; histology of, 674; inheritance of pathogenicity in, 397j.

-- × U. nigra on, in Argentina and

Uruguay, 1060.
,—nigra on, in Argentina and Uruguay, 1060; inheritance of pathogenicity in,

-- × U. hordei on, in Argentina and

Uruguay, 1060. -, — nuda on, in England, 2946b; Poland, 2756; breeding against, 1521f; control, 1522, 1523, 1755a, 2453, 2946c; determination of, 1525; distribution of, 2756; effect of distance from source on spore dispersal, 2114a; of seed selection on infection by, 2114c; of seedling competition on, 110; of temp. on development of, 2772; evaluation of resistance to, 91; factors affecting, 1062, 2114a, 2772; forecasting outbreaks of, 2756; inoculation of, 1524, 2454; serological relationship of, with other smuts on Gramineae, 1033; var. reaction to, 1523, 2114a, 2459, 2772.

-, Verticillium dahliae on, 1429. - virus diseases in U.S.A., 1521h. —, wheat streak mosaic virus on, 3018.

- yellow dwarf virus, carrot motley dwarf and parsnip mottle viruses (?) related to, 947; predominant strs. of, 3321; sources of resistance to, 1521b; thermal inactivation of, 3323; transmission of, by vectors, 3321, 3323. [Barley yellow dwarf virus] on barley in S. Africa, 3293; comparison of, with aster yellows virus on barley, 397f; electron microscopy of, 397g; genetics of, 111; purification of, 397g; severity of symptoms of, 2947b; transmission of, by dodder, 397h; vectors, 663; var. reaction to, 111, 2327e, 2947b.

2327e, 29470.

— — — on Bromus inermis, 1529.

— — on cereals, 662, 1529, 1837a.

— Esstuca pratensis, 2774. --- on Festuca pratensis,

-- on grasses, 1124, 1837a. --- on Lolium multiflorum, 1529.

---- on L. perenne, 151, 2947c. — — on oats, see Oats.

--- on wheat, see Wheat ——— strs. on oats, 1531, 2464. Barratt and Horsfall experimental error rating system, statistical evaluation of, 324c.

*Bartalinia robillardoides on Ficus bengalensis,

1832.

Basidiomycete, low temp., formation of stromalike structures by, 349a; utilization of N compounds by, 349b.

Basidiomycetes, criteria for classification of, 1.

—, genetics of, 1009, 2743.

— in soil, 1419, 3167.

—, insects on carpophores of, control, 2400. -, list of, in Lithuania, 2063; in U.S.S.R., 2066.

- on forest trees in Canada, 544.

— on fruit trees, 1137, 1138a, b. —, spore discharge in, 1409, 1410, 2045, 3266. *Bauhinia racemosa, Xanthomonas bauhiniae on, in India, symptoms of, 2497.

Bayer 4268T, see Methyl arsine sulphide. 47531 against *Bremia lactucae* on lettuce, 2692c; as seed treatment for pea, 1320.

5114 against Botrytis cinerea on strawberry, 2209.

— versus captan, dyrene, and thiram, 2209. Bean, broad (Vicia faba), Ascochyta on, in

Chile, 1031.

-fabae on, in U.S.S.R., 928, 1325, 1728, 2928; control, 928, 1325, 1728, 2928, 2929, 3248; effect of on yield, 928; factors affecting, 928, 1325; var. reaction to, 928,

-, --, bean yellow mosaic virus on, aphid transmission of, 927.

-, --, Botrytis on, control, 617.

control, 1728, control, 01.

control, 1728, control, 1728; control, 1728; control, 1728, 2287; factors affecting, 318e; incidence of, 2287; symptoms of, 318e, 2287.

-, —, fabae on, in U.S.S.R., 1325, 2928; control, 020, 1325, 2028;

control, 929, 1325, 2928; factors affecting, 318e, 1325; symptoms of, 318e; var. reaction to, 929.

-, Cercospora zonata on, in Mauritius, 3232e.

, -, clover yellow mosaic virus on, distribu-

tion in root tips of, 1025.
-, -, diseases in U.S.S.R., control, 2929. Erwinia atroseptica on, in U.S.S.R., 1325.

Erysiphe cichoracearum on, in U.S.S.R., 2928.

, -, Evesham stain virus on, in England,

symptoms of, 3213.

-, Fusarium on, in U.S.S.R., 930, 1728, 2928; resemblance of, to F. avenaceum, F. culmorum, F. oxysporum, and F. solani, 930; symptomless host of, 1728.

[Bean, broad, Fusarium] avenaceum and F. | culmorum on, in U.S.S.R., 1325.

-, - orthoceras on, in U.S.S.R., symptomless host of, 1728.

-, —, — oxysporum on, in U.S.S.R., 1325.

-, -, - f.sp. callistephi on, 1109.
-, -, - solani on, in U.S.S.R., 2002.
-, -, Glomerella cingulata on, phytoalexins

from, 30.

-, Macrosporium commune on, in U.S.S.R., -, —, mosaic virus on broad bean in U.S.S.R., 1325.

-, --, -- on Leguminosae, 3228d.

- of, 383; transmission of, by vectors, 912a, b, 2282.
- -, --, -- virus on, microscopic study of, resembling red clover vein mosaic virus, 291.

*—, —, Peronospora viciae on, in Italy, 390. —, —, Pleospora herbarum on, in U.S.S.R., 2928.

*--, --, red clover mottle virus on, in Netherlands, distinction of, from English type str., relationship of to cowpea mosaic virus,

-, -, red spot on, in U.S.S.R., 1728.

298; U.S.S.R., 1325, 2928; control, 1325, 2287, 2928; factors affecting, 1325; incidence and symptoms of, 2287.

—, —, watermelon mosaic virus on, 571. —, —, yellows in U.S.S.R., 1325. Bean, French and runner (*Phaseolus* spp.), adaptation and sensitization of leaves of, to

., Agrobacterium tumefaciens on, effect of UV light on, 3241; induction of leaf tumours

by, 2339.

-, Alternaria on, in Brazil, 918.

- *—, tenuissima on, in India, 646.
- —, Ascochyta on, in Brazil, 918.
- —, ash ringspot virus can infect, 1759f. - bacterial blights, var. reaction to, 2932.
- -, beet curly top virus on, in Mexico, 2659; U.S.A., 2660; symptoms of, 2659.
- -, boron deficiency in, in Argentina, 2389; Tasmania, 356; symptoms of, 2389.
- -, Botrytis cinerea on, inhibition of, by rhizosphere isolates of Penicillium janthinellum, 1421.
- -, Cercospora canescens on, in Brazil, 918; *India, 1473; Mexico, symptoms of, 2659.
- *—, vanderysti on, in Brazil, 918, 2661. -, Chaetoseptoria wellmanii on, in Mexico, symptoms of, 2659.
- —, clover yellow mosaic virus on, effect of Uromyces appendiculatus on, 1821.
- -, Cochliobolus sativus on, in Canada, *88, 573.
- -, Colletotrichum atramentarium on, in Romania, 1725.
- -, lindemuthianum on, in Brazil, 918; Jamaica, 1353e; Mexico, 2659; Romania, 1725; Uganda, 967a; Yugoslavia, 2930; breeding against, 2662; control, 1726, 2287, 2659, 2930; incidence of, 2287; inoculation with, 2931; overwintering of, 2930; physiologic races of, 2932; strs. of, 2930; symptoms of, 2287, 2659; var. reaction to, 1725, 2662, 2932.

[Bean] common mosaic virus on bean in India, 2023g; Jamaica, 1353e; Mexico, 2659; Romania, 1725; control, 2659; cowpea virus on Vigna related to, 966h; identification of, 1451; symptoms of, 2659; var. reaction to, 1725, 2932.

——— on Leguminosae, 3228d. ———— Fla str. on bean, 1321.

—, Corticium praticola on, virulence of, 1806b. —, — solani on, in Brazil, 918; Mexico, 2659; basidiospore infection by, 2933; control, 2659; effect of cellulase on, 1323; symptoms of, 2659; virulence of, 1806b.

-, Corynebacterium flaccumfaciens on, in Mexico, 2659; C.M.I. description of, 1768; control, 2659; factors affecting, 2292; inoculation of, 2292; N nutrition of, 2293a, b; symptoms of and var. reaction to, 2659.

-var. aurantiacum on, detection of, physiology of, 2294; var. reaction to, 921.

-, Daphne odora virus disease on, effect of

Uromyces appendiculatus on, 1821.
- diseases in Brazil, 918; Mexico, 2659; incidence and symptoms of, 2287.

double yellow mosaic virus on *Phaseolus lunatus*, 1452.

-, effect of aldehyde irradiation on, 1778; of

irradiated car exhaust on, 1777; of toxin from Leptosphaerulina briosiana on, 2831. Erwinia carotovora on, virulence of, 2964.
 Erysiphe polygoni on, in Brazil, 918;

Mexico, 2659; control and symptoms of, 2659; translocated effect of fungus on, 2289.

—, fungi associated with roots of, 2664.
—, Fusarium on, in Brazil, 918; Romania, 1725.

- avenaceum on, inhibition of, by Penicillium janthinellum, 1421.

- oxysporum associated with roots of, 2664.

-, — — f.sp. callistephi on, 1109.

,——f.sp. phaseoli on, in England, 919; Mexico, 2659; U.S.A., 919; control, 2659, 2692h; pathogenicity of, 919; symptoms of, 2659; var. reaction to, 2692h.

- solani f.sp. phaseoli on, dissemination of, 294; effect of actinomycetes and bacteria on, 1324; of soil amendments on, 2001a, b;

resistance to, 557c.

-, — f.sp. robiniae can infect, 1972.

gummosis, micronutrients in relation to,

-, Helicobasidium purpureum on, host specialization of strs. of, 2760.

, Isariopsis griseola on, in Brazil, 918; Jamaica, 1353e; Mexico, 2659; Romania, 1725; Uganda, 967a; control and symptoms of, 2659; var. reaction to, 1725.

-leaf roll virus on bean; nomenclature of in relation to the name 'pea leaf roll virus',

-, lemon latent virus on, effect of *Uromyces* appendiculatus on, 1821.

-, lucerne mosaic virus on, in Germany, 473; effect of on respiration, 572; identical with bean yellow dot virus, 473; symptoms of, 572; systemic resistance induced in, 1757e;

var. reaction to, 572. Macrophomina phaseoli on, 3264; in Brazil, 918; *Yugoslavia, aetiology, pathogenicity, and symptoms of, 2935.

*[Bean], Mycosphaerella phaseolicola on, in U.S.S.R., 89.

-, Oidium on, in Jamaica, 1353e.

, passion fruit woodiness virus can infect, absence of field symptoms of, in Queensland,

-, pea early browning virus on, 382.

leaf roll virus on, in England, Germany, and Netherlands, incidence, nomenclature, and symptoms of, 2297.

peach yellow bud mosaic virus on, effect of

Uromyces appendiculatus on, 1821.

-, Phyllosticta phaseolina on, in Brazil, 918. -, Phymatotrichum omnivorum on, in Mexico, symptoms of, 2659.

—, phytoalexin from, 2331e.

-, phytoncidal activity in, 966b.

- pod mottle virus, radish mosaic virus sero-

logically related to, 557r.
——— on bean, technique for purifying,

2698o.

- str., serological relationship of to radish mosaic virus, 1309.

, potato stem mottle virus str. on, 2698e; effect of *Uromyces appendiculatus* on, 1821. -, *Pseudomonas* and *P. mors-prunorum* in, technique for tracing movements of, 1346k.

,—phaseolicola on, in Mexico, 2659; U.K., 2693d, 3211; C.M.I. description of, 1768; control, 923, 2287, 2659; enzyme changes induced by, 557e; incidence of, 2287; inheritance of resistance to 574; interactions of ance of resistance to, 574; interactions of peroxidases and catalases of, 922; physiologic races of, 574, 3211; serological detection of, 2295; symptoms of, 2287, 2659; technique for analysing virulence of, 2964; for isolation of, 26991; var. reaction to, 574, 923, 2659.

-, — savastanoi on, control, 1186. -, — solanacearum on, in Mauritius, 3232c. - syringae, technique for analysing virulence of, 2964; for tracing movement of, 1346k.

- -, Pythium aphanidermatum can infect, 557m. debaryanum on, in Mexico, symptoms of, 2659.
- *-, Ramularia deusta on, in Kenya, 2697a. -, raspberry ring spot virus on, transmission of, by nematodes and sap, 772.

*- red node virus [tobacco streak virus str.]

on bean in U.S.A., 3209. Rhizoctonia microsclerotia on, in Brazil, 918; Mexico, symptoms of, 2659.

-, Sclerotinia fructicola on, production of

phaseolin by, 29.

- sclerotiorum on, in Austria, 3014; Brazil, 918; Mexico, 2659; Queensland, 1355h; Romania, 1725; control, 1355h, 2287, 2290, 2659, 2934; incidence of, 2287; symptoms of, 2287, 2659; var. reaction to, 1725.

-, Sclerotium rolfsii on, in Brazil, 918; Mexico, control, 2659; production of oxalic acid and polygalacturonase by, 1793; symptoms of,

- southern mosaic virus on bean, effect of on respiration, 572; inactivation of, by UV light, 2753; symptoms of, 572; systemic resistance induced in, 1757e; transmission of by vectors, 1322; var. reaction to, 572.
- on cowpea, 1757e; cowpea chlorotic mottle virus serologically distinct from, 300. Sphaerotheca fuliginea on, in Queensland, 1355g.

[Bean], tobacco mosaic virus on, control, 2717; effect of heat on, 1756j; of UV irradiation on, 1461; fluorescent metabolites in leaves of, 2000; inhibition of by blasticidin S, 2076; interference between strs. of, 2422; susceptibility to, in relation to age, 2288; to ectodesmata, 378; systemic resistance induced in, 1757e; variations in, induced by heat, 658.

green and yellow str. on, effect of, 1464.

- strs. U1 and U2 on, factors affecting, 462; variations in, induced by heat, 658.

- str. VM on, factors affecting, 1462. ,——— sweet potato str. on, effect of Uromyces appendiculatus on, 1821.

- necrosis virus on, fluorescent metabolites in leaves of, 2000; systemic resistance induced in, 1757e.

- rattle [potato stem mottle virus str.] on, 2698e; effect of Uromyces appendiculatus on,

1821.

- ringspot virus on, symptoms of, 1465. —, — streak virus str. on, in U.S.A., 3209.

-, Uromyces appendiculatus on, in Brazil, 918; Jamaica, 1353e; Mexico, 2659; Romania, 1725; Uganda, 967a; age-correlated changes in susceptibility to, 2288; breeding against, 2662; C.M.I. description of, 2739; control, 617, 920, 2287, 2359, 2659; effect of fungicides on, 17; of heat on, 1756j; of temp. and humidity on uredospore viability, 2995; of, on growth, 1756f; on protein content, 557f; on multiplication of viruses in, 1821; on P distribution in, 1727; on respiration of, 295; on translocation in, 2663; enzyme and protein changes caused by, 296; exchange of P between host and, 32; factors affecting spore germination of, 1412; fluorescent metabolites in leaves of, 2000; incidence of, 2287; new race of, 2951e; photosynthesis in, 35; self-inhibitors in, 2699a; symptoms of, 2287, 2659, translocated effect of fungus on, 2289; var. reaction to, 295, 1725, 2662, 2951e.

-, Verticillium dahliae on, 1429. -, watermelon mosaic virus on, 571.

-, white clover mosaic virus on, in Netherlands, symptoms of, 384.

-, Xanthomonas beticola on, technique for analysing virulence of, 2964.

-, — phaseoli on, in Australia, 924; Brazil, 918; Jamaica, 1353e; Mexico, 2659; Romania, 1725; Uganda, 967a; antagonism of rhizosphere micro-organisms 2665: to, C.M.I. description of, 1768; control, 297, 924, 2659; genetics of, 3212; host range and mode of transmission of, 924; symptoms of, 924, 2659; technique for analysing virulence of, 2964; var. reaction to, 1725, 2659.

var. fuscans on, in Australia, 924; Canada, 2296; C.M.I. description of, 1768; host range, symptoms, and transmission of,

924.

- yellow blotchy mottle in U.S.A., 3209.

dot virus, lucerne mosaic virus identical with, 473.

- mosaic virus, cowpea chlorotic mottle virus serologically distinct from, 300; nuclear inclusions as indicators of crossprotection, 1822; purification of, by zone electrophoresis, 371; technique for producing

low molecular weight preparations of, 657; transmission of, by vectors, 1823.

[Bean yellow mosaic virus] on bean in Mexico, symptoms of, 2659; transmission of, by vectors, 926.

on clover, 156, 1454, 1893, 2173.

– on Gomphrena globosa, 2079. --- on Leguminosae, 3228d.

--- on lupin, 3083. --- on pea, see Pea

Beauveria bassiana, cultural study on, 610. -, intraspecies characteristics of, 1376.

— —, longevity of conidia of, 2968. —— on Carpocapsa pomonella, 611. —— on insects, 2950o.

---, use of, to control Leptinotarsa decemlineata, 2969.

Beech (Fagus) decay, pattern of, 3169.

dieback in U.S.A., 2887.

fungi on, decomposing cupules of, 546.heart rot in Yugoslavia, 3164.

 mycorrhiza, anatomy of, 23; carbohydrate physiology in relation to, 3258a, b, c; effect of cations on P absorption by, 1781; hostparasite relations of, 3258c.
-forest soils, fungi in, factors affecting distri-

bution of, 1797.

Beet (Beta vulgaris), Alternaria tenuis and bacteria on, in Hungary, 3202.

— black leg in Sweden, 1314; U.S.S.R., 911.

-- root, control, 2950n.

-, boron deficiency in, in France, 2737; Tasmania, 356; symptoms of, 2737.

- brown rot in U.S.S.R., 3201. -, Capsicum virus on, 2317.

-, Cercospora beticola on, 1995; geographical distribution of, 1313d; in Bulgaria, 286; Germany, 908, 1755f, i; India, 1318; Japan, 1994d; Poland, 2756, 3247; Romania, 1317; U.S.S.R., 3201; control, 566d, 1313a, 1318, 1994d, 3201; distribution of, 2756; effect of light on sporulation of, 557b; of mineral nutrition on resistance to, 567; of N and K on, 1317; of spray timing on, 1994d; factors affecting, 286, 1994c, 3201; forecasting outbreaks of, 2756; penetration by, 1994e; relationship between the production of yellow Cercospora substance and aggressiveness of, 285; study on races of, 568; var. reaction to, 567, 1313d, 1317, 1994c; warning service for, 1755f.

—, Corticium praticola on, virulence of, 1806b. - solani on, control, 1994a; virulence of,

1806b.

cucumber mosaic virus str. on, restricted to parenchyma tissue, 3011.

- curly top virus on bean, 2659, 2660.

---- on tobacco, 1024.

- damping off in the Irish Republic, 3.

- diseases in Switzerland, 2426; manual on, 1993; symptoms of and transmission of, by seed, 2426.
- 'Docking disorder', factors affecting, 3203; ?viruses causing, 1312.
- -, effect of excreted substance from leaves of, on decomposition of zineb, 1391.
- -, Erysiphe polygoni on, in U.S.S.R., 1315; control, 1315, 2278; factors affecting, 1315; study on, 2329a; var. reaction to, 1315.

Fusarium on, in Hungary, 3202; Sweden,

1314.

[Beet, Fusarium] argillaceum on, in U.S.S.R., ? identical with F, sp. causing heart rot, 1316.

, Helicobasidium purpureum on, factors affecting, 2429; host specialization of strs. of,

2760.

-leaf curl virus, multiplication of, in Piesma quadrata, 3199b; transmission of, by injec-

tion method, 3199a; by vectors, 3200.
———on beet in Poland, 1468, 2756, 3247; distribution and forecasting outbreaks of, 2756; transmission of, by vectors, 905.

on Chenopodium quinoa, 3200. -, magnesium deficiency in, 2327n.

- mild yellowing virus on beet in England, 2275, 2329d; economic importance of, 2329d effect of, on sugar yield, 2327q; incidence of, 2329d; study on, 2329a.

on weeds, 2275.

-mosaic virus on beet in Germany, 965j; Poland, 3247; effect of, on beet yellows virus, 284; transmission of, by vectors, 965j.

on Chenopodium amaranticolor, 906, on Tetragonia expansa, 906, 3011.

- Moscow str. on beet, serodiagnosis of, 907.

-, pea early browning virus on, in England, 382.

-, Pellicularia on, control, 1994b.

Peronospora on, importance of oospores in

r, Peronospara on, importance of oospores in dissemination and infection by, 1756a.
r, — farinosa on, 1313c, 1995, 2085; in England and Netherlands, 287; Poland, 3247; Sweden, 287, 910; U.S.S.R., 566, 1997, 2279, 2280, 3201; boron deficiency confused with, 287; control, 566b, 910, 1997, 2279, 3201; effect of, on, 287; on yield, 1997; factors affecting, 566b, 910, 1997; infection of, 2327p; overwintering of, 2280; study on, 2329a; var. reaction to, 287. 2329a; var. reaction to, 287.

, Phoma on, and phosphorus deficiency in,

in Sweden, 1314.

-, Phytophthora drechsleri on, growth rate and pathogenicity of isolates of, 2431.

, *Pleospora bjoerlingii* on, 1995; in Denmark, 596e; Hungary, 3202; Irish Republic, 3, 1313b; Sweden, 1314; control, 3, 1313b, 1314, 3202.

-, Polymyxa betae on, cytology, life cycle and nuclear division of, distinct from P. graminis,

hosts of, 2925.

-, potato stem mottle str. on, 1312.

- -, Pseudoperonospora on, importance of oospores in dissemination and infection by, 1756a.
- pseudo-yellows virus on beet, hosts of, transmission of, by vectors, 2277.
 -, Pythium on, in Denmark, 596e; Sweden, 1314.
- -, debaryanum on, in Hungary, 3202.
- irregulare on, effect of toxin from on, 288.
- Rhizoctonia on, in Hungary, 3202; Sweden, 1314.
- -, Rhizopus betavorus on, symptoms of, 569.
 - -ringspot virus, transmission of, by seed, 317g.
- + lettuce ringspot virus on lettuce, 317g.
- storage rot in U.S.S.R., 3201.
- -, tobacco rattle virus [potato stem mottle str.] and tomato black ring virus on, in

England, ?causing 'Docking disorder', transmission of, by vectors, 1312

[Beet], Uromyces betae on, in U.S.S.R., 566a. virus diseases in Germany, warning service against vectors of, 1755f.

western yellows virus on beet, transmission of, by vectors, 2924.
yellow-net mild yellows virus and yellow-net

virus on beet, effect of, on, 2327n.

- stunt virus on beet in U.S.A., distinction from other yellows viruses, hosts of, transmission of by vectors, 1757c.

on lettuce and Sonchus oleraceus,

1757c.

- yellows virus, in England, 2275; Germany, 965j; citrus tristeza virus particles resembling, 1346h; in hosts of, 2275; resemblance of to viruses from Anthriscus sylvestris, apple,

2756, 3247; U.S.S.R., 566c; control, 284, 566c; distribution of, 2756; effect of beet mosaic virus on, 284; of different modes of vector inoculation on symptoms and yield reduction by, 909; of, on sugars, 2327n; on yield of sugar, 2327q; factors affecting, 284; forecasting outbreaks of, 2756; severity of, 3198; incidence of, 2329d; inhibition of, by leaf sap of different vars, 2276; serodiagnosis of, 907; study on, 2329a; tolerance of, 565; transmission of, by vectors, 566c, 2924; var. reaction to, 565.

- E str. and Rs str. on beet in Germany,

virulence of, 908.

Begonia, Oidium begoniae on, control, 2162.

, Xanthomonas begoniae on, in Belgium, biology and control, 1882.

Bemisia transmitting tobacco leaf curl virus,

1675, 2878. -myricae not transmitting mulberry dwarf [mulberry mosaic virus], 2248.

tabaci not transmitting tomato 'condensed

top', 3157.

- transmitting jute mosaic virus strs., 145; tobacco leaf curl virus, 2318; tomato yellow

leaf curl virus, 841.
Bentonite for detecting Xanthomonas vesica-

toria in Capsicum, 587.

Benzene against Peronospora tabacina tobacco, 2601.

compounds, effect of on Valsa cincta on

plum, 2550.

hexachloride against timber blue stain, 1986, 2917.

- in combination against Tilletia foetida on wheat, 667; timber blue stain, 2917; as seed treatment for maize, 689, 2125.

2-(4' thiazolyl) benzimidazol, mode of action

of, 2358.

Benzol against Peronospora tabacina, 1355b. 6-benzylaminopurine, effect of on growth and light emission of *Armillaria mellea* and *Panus stipticus*, 1397h.

9-9 benzylbromate against Oidium chrysanthemi on Chrysanthemum, 982.

Berberis, see Barberry.

Bercema ferbam 50 against Puccinia asparagi on Asparagus, 2941.

Bermuda grass, see Cynodon dactylon. Berry plants, diseases of, manual on, 770. Beta, beet mild yellowing virus on, 2275. [Beta], virus 3 [beet leaf curl virus] in Poland, forecasting occurrence of, 1468.

-macrocarpa, beet yellow stunt virus on.

1757c.

vulgaris, see Beet. Betel, see Piper betle. Betula, see Birch.

B.G. sodium arsenate against Podosphaera leucotricha on apple, 1144.

BHC, see Benzene hexachloride. Biatorella difformis on pine, 554.

Biatoridina pinastri conidial state of Biatorella difformis, 554.

Bifusella faullii on Coniferae, 263.

Bilberry, see Vaccinium.

Binapacryl against Podosphaera leucotricha, 169. — versus dinocap, 169. Biological control, 605.

Biomycin against cabbage black leg, Peronospora parasitica on cabbage, 559; as bulb dip for hyacinth, Narcissus, and tulip, 3062.

-, effect of, on Corynebacterium fascians on strawberry, 9; on flower development in hyacinth, Narcissus, and tulip, 3062. , penetration and translocation of, in tomato, 246.

Biotin, effect of on growth of Fusarium oxysporum f.sp. cumini, 1192; on growth and light emission of Armillaria mellea and Panus stipticus, 1397h.

Biphenyl against *Penicillium digitatum* on lemon, 2496.

Birch (Betula) decay, pattern in, 3169. - dieback in U.S.A., 2887.

-, Fomes annosus on, in Finland, 2258.
-, fungi on, in U.S.S.R., 845; forming mycorrhiza in Switzerland, 625.
-, — imperfecti on, in U.S.S.R., 3165.

-line pattern virus on birch in Canada, transmission of, by grafting, 1679a.

mycorrhiza, Cenococcum graniforme forming, types of, 2367.

, Nectria galligena on, in Canada, resemblance of symptoms of to dieback, 2621 , Penicillium in rhizosphere of, in U.S.S.R., 2245.

-, Polyporus tomentosus and P. t. var. circinatus on, 1680.

Streptomyces fuscus in rhizosphere of, in U.S.S.R., 2245.

Birds transmitting tobacco mosaic virus on

tomato, 1953b. Bis(methylmercuric) sulphate, details of, 614.

Bkh-6, -10, -13, -14, as seed treatment for cotton, composition of, 714.

Black currant, see Currant.

Blasticidin against Dothistroma pini on pine, 3230a.

- S against *Pyricularia oryzae* on rice, 3343c. , effect of on carbohydrate metabolism of Pyricularia oryzae, 440.

inhibition of tobacco mosaic virus by, 2076.

Blastocladiella emersonii, zoospore of, 2021. Blitox against Phytophthora arecae on areca palm, toxicity of to areca palm, 2695d.

Blueberry, see Vaccinium.

Blumeriella jaapii, hosts of, 2189.

— on cherry, see Cherry.
— on fruit trees, 2529.

Boletus elegans and B. granulatus on Coniferae forming mycorrhiza, 24. - luteus, antibiotic produced by, 28b.

[Boletus luteus] on pine forming mycorrhiza,

- scaber not inhibited by Calluna antibiotic, 624. on Coniferae forming mycorrhiza, 24.

Books, infection of, by fungi in the air, 2720. -, micro-organisms on, resistance of materials to, 2719.

Borate compounds against Fomes annosus on pine stumps, 876.

Borax against *Lophodermium pinastri* on pine, 1295; timber blue stain, 1986.

- as seed treatment for wheat, and soil disinfectant, 1518.

- in combination against timber blue stain,

2917.

Bordeaux mixture, effect of, on *Phyllosticta* mali on apple, 1148; on *Venturia inaequalis*, 3092; of residues of, on quality of wine, 2020.

—— injury to fruit trees, 1136.——, mode of action of, 2713.

- —, toxicity of, to olive, 194; to peach, 763. — versus captan, 941, 1704; copper organic compound, 2326; dithiocarbamates, 616b; ferbam, 2236f; fuclasin, 566d; kuprocin, 961; phygon, 566d; quaternary ammonium bactericide, 233 1704, 2236f. 2330a; thiram, 2236f; zineb, 941,

Boric acid, against Curvularia on areca palm, 2580b; tomato blossom end rot, 1268; as seed treatment for apple, 3094; clover,

155b; larch, 870.
—, effect of on Phytophthora infestans on

-—, resistance of *Pyricularia oryzae* to, 130a, b, f.

- in combination against Phytophthora

infestans on tomato, 843.

Boron against Erysiphe polygoni on beet, 1315; vine chlorosis, 1344; as seed treatment for beet, 2950n.

- deficiency, confusion of, with *Peronospora* farinosa on beet, 287.

- in apple, *161c, 2389; bean, 2389; beet, 2737; cacao, 1835; celery, 2389, 2737; citrus, 706, 2389; fig, 2389; forage crops, 356; lucerne, 2737; maize, 2389; olive, 2845; rose, 1590; swede, 2737; tobacco, 1240; tomato, 2389; turnip, 2737; Vaccinium angustifolium, 1624; vine, *161c, 2389; walnut, 2389.

-, effect of on Crotalaria mosaic virus on C. juncea, 2159; growth of Ustilago nuda, 2104; physiological processes in wheat, 665; Phytophthora infestans on potato, 2231; Plasmodiophora brassicae on cabbage, 1992; resistance of beet to Cercospora beticola, 567; of wheat to Puccinia recondita, 2093; virus diseases and yield of potato, 1926. nutrition in carnation, 460.

- toxicity in Hevea rubber, 225.

in combination, effect of, on Botrytis cinerea on strawberry, 506.

Borreria articularis mosaic, virus, 3124a.

- levis viruses in Jamaica, transmission of, by sap, 1353f.

Botran against diseases of bean, broad bean, rose, and tomato, 617; Sclerotium cepivorum on onion, 2671.

versus tetrachloroisophthalonitrile, 617.

-50W against Sclerotinia sclerotiorum on bean, 2290.

-75W, see DCNA. Botrilex, see Quintozene. Botryodiplodia theobromae, carbohydrate requirements of, 3116.

- on Achras sapota, 192b. -- on banana, 192a, 2210.

 — on groundnut, 3217 --- on *Hevea* rubber, 1223.

*--- on Mimusops elangi, 1832.

- — on sisal, 2158.

Botryosphaeria, association of, with laurel black canker, 1273.

- beriginiana on pecan, 2954e.

- corticis on Vaccinium corymbosum, 2561.

– *melanops* on oak, 1006. - obtusa on vine, 1006.

- quercuum on oak, *- ribis on vine, 599b. - stevensii on vine, 1006.

Botrytis allii, arabanases in, 2725.

— — on garlic, 2307. — — on onion, 943a, b, 2306. — anthophila on clover, 2176, 2826.

- cinerea, comparison of enzyme activity of.

with some entomopathogenic fungi, 2950o.

—, effect of gamma irradiation on, 1787; of sodium fluoride on growth of, 2377; of 1-substituted pyridines on, 982.

- in the air, 325a. in soil, 2055.

—, inhibition of, by Mo, 2929.

--- , nitrogen-fixing capacity of, 2986.

—— on bean, 1421.

— — on broad bean, 318e, (?)1728, 2287.

– — on cabbage in storage, 561.

— — on carnation and Chrysanthemum, 1118.

— — on Coniferae, 869.

— on Cryptomeria japonica, 1279. - on cucumber, 2313.

— on Digitalis lanata, 2574.

— on Eucalyptus globulus, (?)552. — on flax, 142, 3370. -- on forest trees, 869.

- - on hop, 1917.

— on onion, 943a, b. — on orchid, 1890.

— on ornamentals, 1882, 2160.

-- on pea, 1346n.

— — on pear, 160, 2836. — on radish, 1421.

--- on safflower, 516.

— — on Schinus molle, (?)552. — on strawberry, see Strawberry.
— on sunflower, 517.

- — on tomato, 840, 1252, 1346i, 2613.

— on vine (grapes), see Vine.
—, production of pectolytic enzymes by,

3403. -, toxicity of Aspergillus niger infected

orange pulp to, 703.

——, Trichothecium roseum on, 620. *——f.sp. convallaria on lily-of-the-valley

1119. - f.sp. dianthi on carnation, 458.

- fabae, arabanases in, 2725.

- — on broad bean, 318e, 929, 1325, 2928.

*— narcissicola on Narcissus, 13541.

- paeoniae, distinct from B. cinerea f.sp. convallaria, 1119.

- tulipae, arabanases in, 2725.

--- B. cinerea f.sp. convallaria related to, 1119.

— on tulip, 2515, 2516.

Bottle gourd, see Lagenaria siceraria.

*Bougainvillea, Cercospora bougainvilleae on, in U.S.A., symptoms of, 2955h.

*-, Phyllosticta bougainvillicola on, in India, 63.

. Pseudomonas solanacearum on, P. stizolobii

formerly ascribed to, 724. -, - stizolobii on, formerly ascribed to P.

solanacearum, symptoms of, 724.
Box (Buxus), Macrophoma candollei and
Phytophthora nicotianae var. parasitica on, symptoms of, 1884.

, Pseudonectria rousseliana on, Chaetodochium buxi imperfect state of, 457; symptoms of,

1884.

sun scald and winter injury, symptoms of, 1884.

Brachiaria mutica, Pyricularia grisea f.sp.

brachiariae on, 2133. -, - oryzae on, in the Philippines, host

range and symptoms of, 2785. (?) Brachycaudus helichrysi transmitting Amomum subulatum mosaic virus, 386q; bean yellow mosaic virus, 926.

*Brachycombe iberidifolia, Sclerotinia sclero-tiorum on, in India, over-summering of, 1582.

Brachypodium sylvaticum, Puccinia brachypodii on, 2518.

*Brachysporium spiciferum suggested as name for Helminthosporium spiciferum var. Nicot,

Brassica, aster yellows virus on, in Italy, 3228d.

- alba, see Mustard.

- juncea, see Mustard, Chinese. — napella, see Rape, Chinese. — napobrassica, see Swede.

- napus, see Turnip rape. - var. oleifera, see Rape.

- nigra, see Mustard.

- oleracea, Alternaria brassicicola on, aldolase

activity in and pathogenicity to, 1789.

-, see also Broccoli, Brussels sprouts, Cabbage, Cauliflower.

- pekinensis, see Cabbage, Chinese.

- rapa, see Turnip.

Brassicol, see Quintozene.

- super as seed treatment for wheat, 2100. Bremia lactucae on lettuce, 2310, 2692c.

Brestan against Colletotrichum lindemuthianum on bean, 2930; Mycosphaerella on ground-nut, 3232d; Peronospora parasitica on flax, 1634.

-, toxicity of, to groundnut, 3232d.

- 60 against Dothistroma pini on pine, 3230a; Hemileia vastatrix on coffee, 3230b.

Brevicoryne brassicae transmitting Chinese cabbage mosaic virus, 898.

Briza maxima and B. minor, Podosporiella verticillata on, in N.S. Wales, symptoms of,

-minor, Puccinia graminis on, in India, as source of infection for oats, 2465.

Broccoli (Brassica oleracea), Gloeosporium concentricum on, in Irish Republic, 2649. —, Peronospora parasitica on, control, 280.

-, Plasmodiophora brassicae on, control, 276. Bromus mosaic virus, hosts of, 3293.

on barley, 2517.

Podosporiella verticillata on, in N.S. Wales,

, Puccinia graminis on, in Spain, 401i; Yugoslavia, 401j; barberry associated with, 401i.

*[Bromus], Sclerospora macrospora and Xanthomonas translucens f.sp. cerealis on, in Canada, 88.

catharticus, Ramularia pusilla on, in N.Z., distinct from Ramulaspora holci-lanata, 731.

-inermis, barley yellow dwarf virus on, in Czechoslovakia, reservoir for, 1529.

—, Ophiobolus graminis on, in Norway,

-—, Ophiobolus graminis on, in damage caused by ff.sp. of, 429.

-, Sclerospora macrospora on, in U.S.A., 398.

-, wheat striate mosaic virus on, in U.S.A., overwintering of, 2761.

japonicus, Agropyron mosaic virus can infect, 1125.

- sterilis, Puccinia graminis on, 3020a. -tectorum, Septoria bromi on, in U.S.S.R., 414. Broom corn, see Sorghum bicolor var. technicum. Brunchorstia pinea on pine, 247, 1981.

Brunfelsia americana, substance inhibiting Gibberella fujikuroi from, 1392.

Brussels sprouts (Brassica oleracea), Gloeosporium concentricum on, in Irish Republic, 2649.

-, Leptosphaeria maculans on, in England, ascogenous state of Phoma lingam, 65.

Buckwheat (Fagopyrum esculentum) diseases in U.S.S.R., review of, 2950d.

Buddleia davidii, Moniliopsis, Mortierella alpina, M. renispora, and Rhizoctonia on, non-formation of mycorrhiza by, 623.

Bulb diseases, 5th revised edition of bulletin

on, 1105.

Bulbiformin against Fusarium udum on pigeon pea, 2044. Bulbosan against Glomerella cingulata, 983.

Buller Memorial Library, 2701. Burgundy mixture against seedling blackleg of

vegetables and as soil disinfectant, 558. in combination against Valsa sordida on poplar, 2630.

Buxus, see Box.

Byssochlamys fulva, effect of 2-methyl-1,4naphthoquinone on growth and spore germination of, 2726.

on tinned strawberry, 1629. - nivea, physiologic studies on, 2722.

Cabbage (Brassica oleracea) black leg. control.

559.

- ringspot virus, comparison of, with turnip mosaic virus Daikon mosaic str., 896. on Chinese mustard, Lepidium ruderale, and radish, 1722.

-, boron deficiency in, in Tasmania, 356.

---, Botrytis cinerea on stored, control, 561. -, cauliflower mosaic virus on, breeding against, 2650.

Corticium praticola and C. solani on, virulence of, 1806b.

effect of toxin from Pythium irregulare on,

-, Erysiphe polygoni on, in U.S.A., 1991. -, Fusarium on, pathogenicity of, 2827.

-, — oxysporum ff.sp. on, cross-protection conferred by, 324a.

-f.sp. conglutinans on, breeding against, 2650.

, Gloeosporium concentricum on, in Irish Republic, 2649.

Leptosphaeria maculans on, in Netherlands, 2694; control, 279.

*[Cabbage], Leptosphaerulina brassicae on. in India, 1813.

mosaic virus on sunflower, 1821.

-, Peronospora parasitica on, control, 559,

560; factors affecting, 560.

, Plasmodiophora brassicae on, in Irish Republic, 3; U.S.S.R., 902, 2950l; control, 276, 562, 902, 2692b, 2923, 2950l, r; effect of B and H₂O₂ on infection by, 1992; host-parasite nuclear relations in, 557a; method for inoculating, 277; review of, 3195.

—, Pseudomonas cichorii on, 2940; in U.S.A., 1311: (2) P. marchicold different from 2054b.

1311; (?)P. maculicola different from, 2954b;

symptoms of, 1311.

-, (?)— maculicola on, differentiation of,

from P. cichorii, 2954b.

*—, Sclerotinia minor on, in Italy, 278, 390; morphology and symptoms of, 278. morphology and symptoms of, -, storage disorders of, control, 561.

- tipburn, calcium distribution and nutrition in relation to resistance to, 3197; factors affecting, 2651.

turnip mosaic virus on, in Yugoslavia, 563;

breeding against, 2650.

—, Verticillium dahliae on, 1429.

- virus B [cauliflower mosaic virus str.] on cauliflower, 2403.

Xanthomonas campestris on, resistance to, -, *Xan* 3196.

Cabbage, Chinese (Brassica pekinensis), bacteria on, cabbage maggot in relation to, causing soft rot, 904.

-, -, - on stored, factors affecting, 2273.

-, -, cucumber mosaic virus str. on, 2269. -, -, mosaic virus on Chinese cabbage in China, oversummering of, and transmission on, in China, 903.

-, tobacco mosaic virus on, causing Kwuting disease, 2272; effect of on amino acid and amide content of, 2655.

-, -, 'tszyane' virus, str. of cucumber mosaic virus, transmission of, by vectors,

2269.

-, turnip mosaic virus on, effect of on amino acid and amide content, 2655.

- -, --, turnip mosaic virus kwuting str. on, in relation to development of Myzus persicae,
- -, turnip yellow mosaic virus on, assay

for, 6g. Cacao (Theobroma cacao), boron deficiency in, 1835.

, calcium deficiency in, effect of N on, 1481b;

effect of, on, 1835.

, Calonectria rigidiuscula on, in Caroline Islands, 3290; C. and S. America, 1484; Costa Rica, 1758c; Ghana, 1484; Jamaica, 1353b; Samoa, 1476; C.M.I. description of, 56; heterothallism in, 1484; Hypomyces solani associated with, 1758c; loss of gallinducing capacity in, 3289.

, Ceratocystis paradoxa on, in Costa Rica,

brown jay in relation to, 386a.

-, copper deficiency in and deficiency diseases of, 1835.

- dieback in Samoa, associated with Calo-nectria rigidiuscula, 1476.

- diseases, 1829a; world survey of, 3288. -, Fomes lignosus on, in Nigeria, 2432e.

, - noxius on, in Papua and New Guinea, symptoms of, 1483.

[Cacao], fungi on prepared beans of, con-

-, Fusarium oxysporum, F. roseum, F. solani, and Gibberella fujikuroi on, in Costa Rica, 1758c.

-, iron deficiency in, 1835.

-, magnesium deficiency in, effects of N on, 1481b.

—, manganese deficiency in, 1835. —, Marasmius perniciosus on, Theobroma grandiflorum as source of inoculum for, 3291. -, molybdenum deficiency in, 1835.

-, phosphorus deficiency in, 1835; effect of N

on, 1481b.

Islands, 3290; Fernando Po, 1833; Ghana, 393, 1834, 2435; Ivory Coast, 395; Nigeria, 2432d; Samoa, 1476; control, 395, 1833, 1834, 3290; effect of pruning and spacing on, 2435; effect of, on yield, 395, 1833; factors affecting, 395; physiologic races of, 3290; polyphenoloxidase activity in relation to resistance to, 2434; soil as reservoir for, 1834; symptoms of, 3290; technique for producing zoospores of, 2432d; var. reaction to, 393, 1476.

str. on, in Jamaica, symptoms of, 1353b.

potassium deficiency in, 1835; in Ghana, 2436; effect of N on, 1481b.

- root rots in Fernando Po, 1833.

-swollen shoot virus on cacao in Ghana, 393; Nigeria, 2432a, b; breeding against, 2432b; control, 393; effect of shading on, 1482; effect of, on growth and nutrient content, 1481a; longevity of preparations of, 2432a; properties of, 394; var. reaction to, 2432b.

virus diseases in Nigeria, 2432a, c; transmission of, alkaloids affecting, 2432a; by

vectors, 2432c.

- yellow mosaic virus on cacao in Sierra Leone, properties of, relations of, to other viruses, and transmission of, mechanically, 2433.
- -, Solanum dulcamara mottle and potato Andean latent viruses resembling, 2327c.

Cactaceae, ?virus disease causing transformations in, 2499.

Cactus protein spindles in Caryophyllaceae and Chenopodiaceae, 385.

Cadminate against Sclerotinia homoeocarpa on turf, 3076b.

injury to mulberry, 1181.

Caeoma deformans on Thuja standishii and Thujopsis dolabrata, 1280.

Cajanus cajan, see Pigeon pea.

Calamagrostis, Dilophospora alopecuri on, in U.S.S.R., Anguina graminophila in relation to, 1596.

Calcium deficiency in cacao, 1481b, 1835; citrus, 706; orange, 3360; Vaccinium angustifolium, 1624; in relation to Fusarium oxysporum f.sp. lycopersici on tomato, 1962. -, distribution of, in relation to B deficiency

in olive, 2845.

-, effect of on blossom end rot of tomato, 2618; cabbage tipburn, 2651; Colletotrichum atramentarium on tomato, 2884; Corticium fuciforme on Festuca rubra, 2819; Phyto-phthora infestans on potato, 1209; Pseudomonas solanacearum on tomato, 2886;

Sclerotium rolfsii on Capsicum, 2 Thielaviopsis basicola on tomato, 2884. 2320:

[Calcium] arsenite against Sclerotinia laxa on cherry, 3110.

-chloride against apple bitter pit and York spot, 3405.

cyanamide, effect of on Plasmodiophora brassicae on cabbage, 902.

nitrate against apple bitter pit, 2545.

- polysulphide against Taphrina deformans on peach, 763.

sulphate against blossom-end rot of tomato. 2618.

*Calendula officinalis, Entyloma polysporum on, in Canada, 88.

, Sphaerotheca fuliginea on, in Queensland, 1355g.

Callistephus chinensis, see Aster.

Calluna antibiotic inhibiting mycorrhizal hymenomycetes and growth of trees, 624.

- vulgaris, Fomes annosus on, in Finland, 2258. -, technique for isolation of fungi from roots of, 2733.

Calomel, see Mercurous chloride.

Calonectria nivalis see Griphosphaeria nivalis.

- rigidiuscula on cacao, see Cacao.

— on coffee, 56.

on pimento, 1353d.

*Calotropis gigantea, Curvularia pallescens on, in India, 1832.

*Camellia, Cercospora theae on, in U.S.A.,

2955a.

*—, Pestalotia guepini on, in U.K., 2693d. *—, Phyllosticta camelliae on, in U.K., 2693e. -, Phytophthora cinnamomi on, control, 2806.

oleosa, Colletotrichum camelliae on, in China, Guignardia camelliae perithecial China, state of, 1584.

- sasanqua, Guignardia camelliae on, control, 2500.

sinensis, see Tea.

Campanula virus on Campanula, relationship of, to cucumber mosaic virus and tomato 'aspermy' virus, symptoms of, and transmission of, by vectors, 2022c.

on cucumber and tobacco, 2022c. Canavalia ensiformis, cowpea virus can infect,

Candicidin as seed treatment for cotton, constituent of Bkh preparations, 714.

, toxicity of, to fungi, 981. Candida albicans, morphology and morpho-

genesis of, 2021.

Cannabis sativa, see Hemp.

Cannaceae, Pyricularia oryzae on, in Philippines, host range and symptoms of, 2785.

Cantaloupe (Cucumis melo var. cantaloupina), Cladosporium cucumerinum on, in U.S.A., effect of substrate on spore production by, 585.

- disease in France, ?squash mosaic virus causing, transmission of, 321.

-, Erysiphe cichoracearum and Fusarium oxysporum f.sp. melonis on, in France, 321.

, Glomerella cingulata var. orbiculare on, races of, 310.

, tobacco ringspot virus on, symptoms oi, 1465.

Cantharellus cibarius on Coniferae forming mycorrhiza, 24.

Capnodiaceae, review of characteristics and distribution of, 2059.

Capsella, Peronospora parasitica f.sp. capsellae on, in China, 903.

bursa-pastoris as indicator for beet mild

yellowing virus, 2329d.

Capsicum, Colletotrichum capsici on, carbo-hydrate metabolism and the host-parasite relationship in, 3261c.

-, Corticium solani on, in Hungary, 392. , cucumber mosaic virus on, in France, 321;

Italy, 3228d; Romania, control, 2011. -, Fusarium solani, and F. s. ff.sp. martii and minus on, in India, 1831.

-, Gibberella fujikuroi on, in Israel, 2428. -, Leveillula taurica on, in Romania, 2942

, lucerne mosaic virus on, in Italy, 3228d; Romania, 2011.

- mosaic virus on Chenopodium amaranticolor, 1458.

on Solanum nigrum, 2012. on tobacco, 1759c.

-, Peronospora tabacina on, 1674. —, Phytophthora capsici on, in France, 321.

potato spindle tuber virus on, symptomless host of, 799.

- virus Y on, in U.S.A., properties of, 955. -, Pseudomonas syringae on, spread of and symptoms of, 957.

-, Pythium debaryanum on, in Hungary, 392. -, reaction to virus inoculations, 2648.

Sclerotinia sclerotiorum on, in Austria, 3014. , Sclerotium rolfsii on, effect of Ca on resist-

ance to, 2320. stolbur virus on, in Bulgaria, 586, 2078;

Romania, 2011; booklet on, 2078.

-, tobacco etch virus on, 2319; in U.S.A., 955; physiological changes induced by, 557t, 2698m; properties of, 955; symptoms of,

-leaf curl virus on, transmission of, by vectors and grafting, 2318.

– mosaic virus on, in France, 321;

Romania, 2011. --- Samsun latent str. on, in U.S.A.,

differentiation, and symptoms of, 1334.

, tomato spotted wilt virus on, in Victoria, symptoms of, 1354q.

virus on Capsicum in India, hosts and properties of, 2317.

-diseases in Jamaica, transmission of, by

sap, 1353f. Xanthomonas vesicatoria on, 2698j; control, 958, 2699b; detection of, 587; factors affecting, 958; isolates of, 3243; serology of, 2321;

taxonomy of, 2038. Captan, adaptation of Venturia inaequalis to,

against Alternaria porri on onion, 941; A. solani on tomato, 617; Ascochyta tarda on coffee, 1560d; Botrytis on broad bean, 617; B. cinerea on strawberry, 506; B. fabae on broad bean, 929; B. tulipae on tulip, 2515; Cladosporium fulvum on tomato, 2241; coffee crinkle leaf, 1560d; Colletotrichum lagenarium on tomato, 617; Corticium solani on potato, 5; Cylindrosporium on mulberry, 1181; Didymella lycopersici on tomato, 1257 Diplocarpon rosae on rose, 617; Dothistroma pini on pine, 1704; Fusarium on pea, 1320; F. roseum on Strelitzia reginae, 3074; F. roseum on Strelitzia reginae, Glomerella cingulata, 983; on coffee, 3230c;

Hendersonia rubi on almond, 2195a: Lophodermium pinastri on pine, 891; Mycosphaerella musicola on banana, 2566; Peronospora destructor on onion, 941; Pezicula alba on apple, 484, 1154, 1354d; P. malicorticis on apple, 1154; Phyllosticta rabiei on Cicer arietinum, 2303; Phytophthora cinnamomi on Camellia, 2806; P. infestans on tomato, 617; Podosphaera leucotricha, 2537; Pseudoperono-spora humuli on hop, 3118; Pseudopeziza ribis on currant, 3111; Puccinia graminis on wheat, 2091; Pythium on pea, 1320; Rhacodiella vitis on vine, 3226; Sclerotinia fructicola on peach, 1355i; Septoria chrysanthemella on Chrysanthemum, 3069; Stemphylium solani on tomato, 617; Stigmina carpophila on almond, 2195a, b; tomato diseases, 843; Uromyces appendiculatus on bean, 617; Venturia inaequalis, 169, 483, 1136, 2536, 2537, 3011; V. pirina, 1354e; as seed treatment for cotton, 3366; groundnut, 581, 937; pea, 1320; pine, 1703, 2905, 2906; tobacco, 965a; wheat, 1837c.

[Captan], degradation of, by UV light, 618.

, effect of, on Agrobacterium tumefaciens on cherry, 2198; on breakdown of aesculin, chitin, glucose, and tannin in soil, 2384; on Corticium solani on cotton, 453; on sulphur content of Saccharomyces pastorianus, 18; on Uncinula necator on vine, 12; on Venturia inaequalis, 3092.

-, role of R-radical in fungitoxicity of, 2978. —, technique for evaluation of, 2712.

toxicity of, to apple, 169; tobacco, 965a; tomato, 1257.

versus Bayer 5114, 2209; Bordeaux, 941, 1704; dodine acetate, 483; folpet, 484; glyodin, 1354d; tetrachloroisophthalonitrile,

617; zineb, 3111.

- combination against crinkle-leaf of coffee, 1564; Erysiphe graminis on oats, 2468; Podosphaera leucotricha on apple, 751, Venturia inaequalis, 751; Verticillium on cotton, 713; as seed treatment for flax, 3370.
- -, effect of, on Botrytis cinerea on strawberry, 506; on fruit set and yield of apple, 1617.

- B.5114 against Botrytis cinerea on straw-

berry, 2330e.

Caraway (Carum carvi), Centrospora acerina on, in Netherlands, symptoms of, 1348a. Carbamates, effect of, on Valsa cincta on plum,

Carbathene in combination against Colletotrichum lagenarium on melon, 2676.

Carbathion against cucumber diseases, 2950m; Plasmodiophora brassicae on cabbage, 29501; as soil disinfectant, 491, 2055, 2923, 3221.

Carbin [?carbam] against Verticillium on cotton, 713.

Carbolineum against Didymella applanata on raspberry, apple, 1146. 1909; Physalospora obtusa on

Carbon bisulphide as soil disinfectant, 2626.

-compounds, effect of on fungi in sugarcane rhizosphere, 2868a; germination of chlamy-dospores of Fusarium solani f.sp. phaseoli, 2291; growth and sporulation of Pestalotiopsis glandicola on tea, 1791.

-dioxide, effect of, on black spot on potato, 1659; growth of Fusarium oxysporum f.sp.

tracheiphilum, 2698n; Pythium aphanidermatum and P. polytylum on Chrysanthemum, 2808.

Carboxymethyl-cellulose, problems of viscometric determination of activity of, 2372.

Cardboard, fungi on, 20.

Carex, Puccinia karelica ssp. laurentina on, in Canada and U.S.A., 2060.

Carica candamarcensis and C. candicans, papaw mosaic virus on, resistance to, 777a.

cauliflora, Phytophthora palmivora on, 777b.

papaya, see Papaw.

*Carissa congesta, Xanthomonas carissa on, symptoms of, 2163.

Carnation (Dianthus caryophyllus), Alternaria dianthi and Ascochyta dianthi on, in Yugoslavia, 458

-, boron imbalance in, symptoms of, 460.

-, Botrytis on, effect of on production of ethylene by, 726.

—, — cinerea on, control, 1118. —, — f.sp. dianthi and Didymellina dianthi on, in Yugoslavia, 458.

- etched ring virus on carnation in (?)Den-

mark, 596d; viruses associated with, 317d.

—, Fusarium on, 2160; in Denmark, 964b.

—, — culmorum on, in Yugoslavia, Heterodera marioni associated with, 459.

- oxysporum ff.sp. on, cross-protection conferred by, 324a.

- f.sp. dianthi on, in Yugoslavia, 458.

- roseum f.sp. cerealis on, effect of nutrient media on conidia of, 2054.

latent virus on carnation, carnation virus in Japan related to, 3376; serological relationship of, with chrysanthemum virus B, 317d.

on Dianthus, 3375. -, magnesium imbalance in, symptoms of, 460. mottle virus, technique for purification of,

- + carnation ring spot + carnation streak viruses on carnation, control, 1110.

-, nitrogen imbalance in, symptoms of, 460. , Pectobacterium parthenii var. dianthicola on, in Denmark, Norway, and Sweden, 964b.

-, phosphorus imbalance in, symptoms of, 460.

-, Phyllosticta on, in Yugoslavia, 458.

-, Phytophthora nicotianae var. parasitica on, pathogenicity of, to tomato, 2616.

—, potassium imbalance in, symptoms of, 460. , Pseudomonas caryophylli on, in *Argentina, 1886; Denmark, 964b; imported from Germany, Holland, and Sweden, 1113; *France, introduced from Denmark, 1113; Norway and Sweden, 964b; control, 964b; non-occurrence of, in Netherlands, 964a; symptoms of, 1886.

*--, Puccinia arenariae on, in Norway, 3000. - ring spot+carnation mottle viruses on

carnation, control, 1110.

-, Septoria dianthi on, in Yugoslavia, 458.

- streak+carnation mottle viruses on carnation, control, 1110.

-, Uromyces dianthi on, in Chile, 1031; Yugoslavia, 458; control, 2160.

y Verticillium cinerescens on, in Denmark, 964b; Netherlands, 964a; U.S.A., 3066; C nutrition and aetiology of, 3068; control, 964a, 3067; effect of N on development of, 725; of temp. on germination and growth of, 1885; factors affecting, 317q.

[Carnation] virus in Japan, relationship of, to carnation latent virus, 3376.

-, new, not associated with etched ring

symptoms, 317d.

virus diseases, elimination of, by apical

meristem culture, 1020, 1111.

-, Zygophila jamaicensis on, in Denmark, 1112. Carnegiea gigantea, fungi in rhizosphere of, antibiotic activity of, 2387.

-, Fusarium oxysporum on, 1585.

-, - solani on, effect of phenols on, 1585. Carpocapsa pomonella, Beauveria bassiana on,

in Austria, 611.

Carrot (Daucus carota), Alternaria dauci on, 948; in Italy, 3228g; control, 306, 1331; technique for detecting, 1331; effect of barriers on spread of, 504.

beet pseudo-yellows virus on, in U.S.A.,

- -, Cercospora carotae on, in Italy, 306, 3228g. -, clover proliferation virus on, 2825.
- Fusarium oxysporum f.sp. cumini can infect, 1191.
- Geotrichum candidum on, symptoms of, 950.

-, Helicobasidium purpureum on, host speciali-

zation of strs. of, 2760.

- -motley dwarf disease caused by carrot red leaf+carrot mottle viruses, transmission of, by vectors, 1346e.
- virus on carrot, effect of, relationship of, to other viruses, 947.

- mottle virus a component of carrot motley dwarf, 1346e.

-, parsnip mosaic virus on, 1352a.

- Phoma anethi on, distinct from P. rostrupii, 2950j.
- rostrupii on, distinct from P. anethi, 2950j; factors affecting, 949.

-, Phytophthora on, 2943.

- red leaf virus a component of carrot motley dwarf, 1346e.
- on Anthriscus sylvestris, 1346e. -, Stemphylium radicinum on, 948, 949, 2692g. stolbur virus on, in Bulgaria, booklet on, 2078.

—, *Uromyces graminis* on, in Italy, 390. - 'weary carrot' in Netherlands, soil exhaustion causing, 2694.

Carthamus tinctorius, see Safflower.

Carum carvi, see Caraway.

Carya pecan, see Pecan.

Caryocin, constituent of Bkh 10, 714.

Caryophyllaceae, cactus protein spindles in, 385.

Cassava (Manihot utilissima) brown streak, distinct from cassava mosaic virus, 312.

- -mosaic virus on cassava, effect of heat treatment on, non-transmission of, by Cuscuta, 2951c
- viruses, in Africa and Brazil, distinct, 312. vein mosaic virus on cassava in Brazil, 312.

-, Verticillium alboatrum on, 2954d. Cassia, Fusarium oxysporum on, 386c.

 occidentalis, Cercospora cassiae-occidentalis and C. singaporensis on, in Singapore, 1437.

-tora, Fusarium oxysporum and F. o. f.sp. medicaginis on, pathogenicity of, 2830.

Castanea, see Chestnut.

Castilleja coccinea, Peridermium harknessii on. 2910.

Castor, see Ricinus communis.

Casuarina, actinomycetes on root nodules of, isolation and properties of, 26.

*Catharinia mira on apple, 2531.

Cations, organic, effect of adsorption by plant tissue on use as fungicides, 984.

Cattleya blossom brown necrotic streak virus, similarity of, to Cymbidium mosaic virus, 1122.

-, Cercospora odontoglossi on, in U.S.A., resemblance of, to mite injury,

virus on Crambe abyssinica, 1600.

Cauliflower (Brassica oleracea), Alternaria brassicae on, in Italy, 3228i. -, cabbage virus B [cauliflower mosaic virus

str.] on, transmission of, by vectors, 2403.

—, Corticium solani on, 1720, 2652. —, damping-off of, 1720.

- leaf scorch, association of, with ammonium sulphate, 1720.

-, Leptosphaeria maculans on, 1720.

*—, Leptosphaerulina brassicae on, in India, 1813.

- mosaic virus on cabbage, 2650.

on cauliflower, 1720, 2403; in France, 901. + turnip mosaic virus on turnip, 2921.

 –, Mycosphaerella brassicicola on, 1720. Peronospora parasitica on, 1720; in Italy,

-, *Peroi* 3228i. , Plasmodiophora brassicae on, 276, 1720,

2923. -, Pseudomonas maculicola on, in Czecho-slovakia and geographical distribution of, 1721.

- soft rot, control, 281.

whiptail' in Italy, 3228i. , Xanthomonas campestris on, control, 2653. Cavariella aegopodii, Aphidius on, in Victoria, introduced from U.S.A., 1354r.

transmitting bean yellow mosaic virus, 926; carrot motley dwarf virus, 947; (?)carrot red leaf virus, 1346e; parsnip mottle virus,

Ceanothus, actinomycetes on root nodules of, isolation and properties of, 26.

Cedar (Cedrus), Fomes annosus on, in U.S.S.R. Mianthemum and wild apple trees associated with, 874.

-, fungi on, in U.S.S.R., 845.

-, Japanese, see Cryptomeria japonica.

Celeriac, see Celery.

Celery (Apium graveolens), Arabis mosaic virus on, in U.K., properties and symptoms of, 2938.

, boron deficiency in, in Argentina, 2389; France, 2737; symptoms of, 2389.

-, Cephalosporium apii on, in England, pathogenicity and symptoms of, 1333.

- , cucumber mosaic virus on, in U.K., 2938: Italy, 3228d; properties and symptoms of, 2938.
- -, lucerne mosaic virus on, in U.K., properties and symptoms of, 2938.

-, parsnip mosaic virus on, in India, transmission of, by vectors, 1352a.

- , Pseudomonas cichorii on, in U.S.A., 1311, 2940; differentiation of, from P. apii, and hosts of, 2940.
- ring spot virus on celery in U.K., properties of, similarity of, to Conium maculatum virus, and symptoms of, 2938.

[Celery], Septoria on, in Italy, 3228h; control, 2692f, 3228h; effect of temp. on viability of, 2692f; spore germination and viability in, 1332.

- apii on, in Germany, 965e; (?)identical h S. apii-graveolentis, 951, 965e; S. with S. apii-graveolentis, 951, apiicola suggested as name for, 951.

- apii-graveolentis on, 1719; not distinct from S. apii, S. apiicola suggested as name for, 951.

, stolbur virus on, in Bulgaria, booklet on, 2078.

, tobacco necrosis virus on, in U.K., properties and symptoms of, 2938.

— ring spot virus and tomato aspermy virus on, non-occurrence of, in U.K., 2938. yellow net virus on celery in U.K., properties and symptoms of, 2938.

spot virus on celery in U.K. and U.S.A.,

2938.

- vein virus on celery, properties of, 2939. on Nicotiana clevelandii, 2939.

Cellocidin, effect of, on Xanthomonas oryzae on rice, 3349.

Cellulose, effect of, on Fusarium solani f.sp. phaseoli on bean, 2001b.

Cenangium ferruginosum associated with pine

dieback in Hungary, 2255.

- populneum on aspen, 2629b.

- singulare on aspen, 259.

Cenococcum graniforme, antagonism of antibiotic produced by and its differentiation from that of *Boletus luteus*, 28b; antibiotic in extracts from mycorrhiza of, 28a; distribution and mycorrhizal hosts of, 27.

- in soil, 28a.

- on aspen forming mycorrhiza, 28a.
- on birch forming mycorrhiza, 2367.

- on pine forming mycorrhiza, 28a, 2366. on spruce forming mycorrhiza, 2367.

Centrospora acerina on caraway, 1348a. Cephaleuros mycoidea on pepper, black, 600c.

parasiticus on tea, 3142.

Cephaloascus fragrans on timber, 2261b. Cephalosporium acremonium, association of, with Phytophthora cinnamomi on avocado pear, 775.

- apii on celery, 1333.

- gramineum on oats, 1535.

on straw debris, antibiotic production by, 416.

on wheat, 2327i.

-longisporum, effect of C source on fat and sterol synthesis by, 1397f.

- sacchari on sugarcane, 969g, 1666, 3140. --, production of enzymes by, 1667; (?) synergism between Glomerella tucumanensis

and, 820a. methylheptenone coerulescens, Ceratocystis

secreted by, 627. on Acer saccharum, 848.

-- on timber, 1303.

- dryocoetidis on Abies lasiocarpa, 1699, 2901.

*— europhioides on Coniferae, 3181. - fagacearum on oak, see Oak.

- fimbriata on aspen, 9681, 3176.

- — on pimento, 1353d. - on sweet potato, 386x, 817, 1661, 2996g.

-, resemblance of Nectria-like canker on aspen to, 259.

*- huntii on Coniferae, 3181.

- ips on pine, 884, 1706.

*[Ceratocystis], major on timber, 2261a.

megalobrunnea on oak, 1695.

- minor on pine, 884, 1706. on timber, 1303

- montia on pine, 884,

- paradoxa, adaptation of, to fungicides, 1386; effect of pentaerythritol derivatives on. 2979; electron microscope studies on, 1444.

--- on cacao, 386a.

*— on oil palm, 2333b. — on pineapple, 779, 2215.

— on sugarcane, 1663, 3140.

— piceae on timber, 2265. - pilifera on pine, 884.

on timber, 1303, 2265. -- schrenkiana on pine, 884.

— tremulo-aurea on aspen, 1695. - ulmi, adenosine triphosphate-binding substance produced by, 1272.

- in brood galleries of Hylurgopinus rufipes.

251.

-, inhibition of, by Bacillus secreticus, 342.

on elm, see Elm.

Ceratoma trifurcata transmitting Arkansas cowpea mosaic virus, 557q, 1322; bean southern mosaic virus, 1322.

Ceratosphaeria pruni on plum, 2549.

Cercidium microphyllum, fungi in rhizosphere of, antibiotic activity of, 2387.

Cercospora in India, 1473; Japan, 3276.

*—apii f.sp. clerodendri on Clerodendron thomsoniae, 2955a.

aranetae on Cyamopsis psoraloides, 3216.

- beticola on beet, see Beet.

-, technique for preparing antibiotic fraction from, 1996.

- biformis on Passiflora, 2955a.

*— bougainvilleae on Bougainvillea, 2955h. - canescens on bean, 918, *1473, 2659. - carotae on carrot, 306, 3228g.

*- (?)carthami on safflower, 2082.

- cassiae-occidentalis on Cassia occidentalis, 1437.

- chrysanthemicola on Chrysanthemum, 1437.

— citri-griseae on citrus, 694. — coffeicola on coffee, 598c, 967b, 1476. — concors on potato, 2589.

crotalaricola on Crotalaria striata, 1437, daturicola on Datura stramonium, 1920.

delonicis on Delonix regia, 1437. dendrobii on Dendrobium, 2955b.

- depressa ff.sp. anethi on dill, angelicae on Angelica, and foeniculi on Foeniculum vulgare, 2950i.

dioscoreae on Dioscorea bulbifera, 969d.

- elaeidis on oil palm, 3126.

- gigantea on citrus, 694.

- globosae on Gomphrena globosa, 1437.

grandissima on Dahlia, 1473.

guizotiae and C. guizoticola on Guizotia abyssinica, 515

*- handelii on Rhododendron, 2953. - herpotrichoides on cereals, 2950h. *— jujubae on Zizyphus jujuba, 868.

koepkei on sugarcane, 969d, 1664b, *1947, 3139e.

· longipes on sugarcane, 2593a.

lythracearum on Lagerstroemia indica, 1473.

- medicaginis on lucerne, 2523.

odontoglossi on Cattleya, 2955e.

oryzae on rice, 1549.

*— papaveri on opium poppy, 2084a.

- *[Cercospora] papayae on papaw, 2214.
- plumeriae on Plumeria acutifolia, 3386.

— pudicae on Mimosa pudica, 1437. - punicae on pomegranate, 1473.

- rhapisicola on Rhapis flabelliformis, 2817. - rhizophorae on Rhizophora mangle, 863.
 - ricinella on Ricinus communis, 3121.

*— sawadae on guava, 3232e.

- sesamicola on Sesame, 1350d. - singaporensis on Cassia occidentalis, 1437.

— sojina on soybean, 2928.

*- solani-melongenae on eggplant, 1351b.

*— sorghi on maize, 2023h. —— on sorghum, 127, 969a.

- theae on Camellia and tea, 2955a.

- timorense on sweet potato, 969a.

- unicolor on laurel, 854.
- vaginae on sugarcane, 1228. *-- vanderysti on bean, 918, 2661.

- zebrina on clover, 733. *— zonata on broad bean, 3232e.

Cercosporella brassicae on turnip, 2657.

- herpotrichoides on barley, 3311. -- on wheat, see Wheat.

-, sporulation by, 1759d; on artificial media, 92b; stroma development by, 1759d.

- persicae on apricot, 391.

- theae on tea, 830. Cereals, Bacillus on, antagonism of, to fungi

and resemblance of, to *B. cereus*, 2698a.

-, barley yellow dwarf virus on, in Czecho-slovakia, 1529; N.S. Wales, 662; New Zealand, 1837a; Queensland, Tasmania, and Victoria, 662; control, 1837a; effect of on yield, and transmission of, by vectors, 662., Cercospora herpotrichoides on, cultural characteristics of, 2950h.

-, Corticium solani on, factors affecting persistence, and survival of sclerotia of, 1034.

diseases, 1829a; in Switzerland, symptoms and transmission of, by seed, 2426. -, Erysiphe graminis on, in U.S.S.R., Septoria

associated with, 414.

-, fungi in rhizosphere of, in U.S.S.R., estimation of, 53.

-, — on, in Poland, 2427; colonisation of roots by, 2997.

-, Fusarium avenaceum, F. culmorum, Gibberella fujikuroi, and G. f. var. subglutinans on, C.M.I. description of, 56.

, Penicillium in rhizosphere of, in U.S.S.R., estimation of, 53.

janthinellum in rhizosphere of, inhibition

of fungi by, 1421.

-, Puccinia on, in Italy, 388a, b; Turkey, 3019; migration of uredospores of, 3019; seed treatment against, 1032.

—, — *agropyri* on, 3020b.

- —, coronata on, variation in, 397a.
- -, graminis on, in Germany, 1755b; diurnal periodicity in, and uredospore release by, 1839.
- -recondita on, in U.S.S.R., 414; diurnal periodicity in, 1839; Septoria associated with, 414; uredospore release by, 1839.
- striiformis on, in U.S.S.R., 414; germination of uredospores of, at low temp., 1756m; Septoria associated with, 414.
- -, Sclerospora macrospora on, in U.S.A., 398.
- Trichoderma in rhizosphere of, in U.S.S.R., -, *Ti* 53.

Cerenox as seed treatment for wheat, 1837b. in combination against fungi on beet, 1314.

Ceresan against Aspergillus niger on groundnut, 1328; Corticium solani on potato, 1645e; fungi on tobacco, 2881; Fusarium, 478; as seed treatment for barley, 1061; bean, 2930; cauliflower, 2652; cotton, 711, 3056; rice, 2488.

-100 against Fusarium oxysporum f.sp. gladioli on Gladiolus, 727, 2811. - 100

- L against F. oxysporum f.sp. gladioli on Gladiolus, 2811.

- M as seed treatment for cotton, 3366. N.I. against fungi on Gladiolus, 1887.

- wet against Fomes noxius on Hevea rubber, 224.

Cerosipha thalictri transmitting lucerne and turnip mosaic viruses, 965j.

Cerotelium fici on fig, 1914.

*Chaenomeles japonica, Gymnosporangium confusum on, in Romania, distribution of, 2501. Chaetodochium buxi, imperfect state of Pseudo-

nectria rousseliana, 457.

Chaetomium, manganese requirements of, 6a.

- elatum on timber, 2261a.

- globosum, inhibition of Pythium graminicola by, 2386.
- on timber, 1714, 1715, 2261a. - olivaceum on mushroom, 2679.
- orientum on timber, 2264. piluliferum in soil, 2730. *- seminudum in soil, 2868a. thermophile on oil palm, 524.

Chaetoseptoria wellmanii on bean, 2659.

Chalk against Botrytis cinerea on cabbage, 561. Chamaecyparis lawsoniana, Arabis mosaic virus on, transmission of, by vectors, 1819. - pisifera witches' broom in Japan, 1280.

var. plumosa, Arabis mosaic virus on,

resistance to, 1819.

Chamaedorea, Gliocladium vermoeseni on, in U.S.A., 2954d. - seifrizii, Gliocladium vermoeseni on, U.S.A., *525, 2954d; host range of, 525.

Chelating agents, effect of, on transmission of tobacco necrosis virus by Olpidium brassicae, 324p.

Chemicals, British and their manufacturers, Directory of, 2708.

- used in crop protection, list of, 3244.

Chenopodiaceae, cactus protein spindles in. 385.

, effect of toxin from Pythium irregulare on, 288.

-, Polymyxa betae on, 2925.

- Chenopodium as indicator for almond calico virus, cherry rugose mosaic virus, and Prunus [peach] ringspot virus, 1756x; vine infectious degeneration virus, 1337; watermelon mosaic virus, 2311.
- -, tobacco mosaic virus on, specific reaction to, 1827.
- album as indicator for pea enation mosaic virus, 289, 2283.
- -, lucerne mosaic virus str. on, in Germany, 473.
- -amaranticolor, apple chlorotic leaf spot virus can infect, 480.
- -, apple latent virus can infect, 2183.

-, Arabis mosaic virus on, electron microscopy of, 1023.

[Chenopodium amaranticolor] as indicator for bean yellow mosaic virus, 927; celery yellow vein virus, 2939; cucumber mosaic virus, 2950g; lilac ring spot virus, 1883; Matthiola virus 1, 1120; pea Wisconsin streak virus, 290.

-, beet mosaic virus on, purification of, 906. -, Capsicum mosaic virus on, inhibition of,

by growth regulators, 1458.

-, - virus on, 2317.

---, Passiflora foetida virus can infect, 2754. ---, pea early browning virus on, 382.

--, potato Andean latent virus can infect, 2327c.

—, potato viruses X and Y on, inhibition of, by chemicals, 2584.

---, tobacco rattle virus str. can infect, 2698e.

--, - stunt virus can infect, 380.

- --, suppression of virus infection in, by factor from tobacco mosaic virus-infected Nicotiana glutinosa, 2418.
- -, Vicia sativa virus can infect, 2698f. - capitatum, beet yellow stunt virus on, 1757c.

- foetidum, plum pox virus on, 175. - foliosum as indicator for beet yellows virus,

- 909. - hybridum, tobacco mosaic virus on, reaction
- to, 1827. - murale not susceptible to beet leaf curl
- virus, 3199b. *— —, Peronospora farinosa on, in India, 1442. - - and C. polyspermum, tobacco mosaic

virus on, reaction to, 1827. quinoa, Agropyron mosaic virus can infect,

1125. - —, apple latent virus can infect, 2183.

- — as indicator for apple chlorotic leaf spot virus, 745, 1143, 2330i; carnation latent virus, 3375; Cucumis virus 1 [cucumber mosaic virus], 2950g; raspberry virus, 1170; red currant spoon leaf virus, 2220; tomato black ring virus, 3223; vine fanleaf virus, 386z; vine viruses, 2590.

-, beet leaf curl virus on, 3200.

-, potato Andean latent virus can infect, 2327c.

- and C. rubrum, tobacco mosaic virus on,

reaction to, 1827.

Cherry (Prunus avium and P. cerasus), Agrobacterium tumefaciens on, effect of captan, dichlone, and terramycin on, 2198; factors affecting, 2705.

-, almond calico virus on, 1756x.

- as indicator for Prunus [peach] ringspot virus, 1162, 1163.

- bacteriosis control, 2194.

-, Blumeriella jaapii on, in Hungary, 1165; *Moldavia, 3412; Netherlands, *1165, 1348a; Poland, 2189; *Portugal, 1166; control, 769, 3412; imperfect state of, 1166; perfect state of, 1165, 2189; spread of, 2189; symptoms and world occurrence of, 1166; var. reaction to, 2189.

- decay, pattern of, 3169.

- Eckelrade disease, serological differentiation of, from red currant spoon leaf virus and Scottish raspberry ring spot virus, 2201.
- 'flat limb' in Italy, resemblance of, to 'flat limb' of apple, ? virus origin of, 498.
- -, fluorine injury to, 2983b.
- -, fungi on, in U.S.S.R., 1138a.

[Cherry], Fusarium on, in U.S.A., 2197.

-leaf roll virus on tobacco, 496; rhubarb virus 6 serologically related to, 2692d.

little cherry virus on cherry in England and N. America, review of, 1164.

mottle leaf virus on cherry in Bulgaria, 3108; transmission of, by vectors, 597b.

*--, Naemospora aurea on, in U.S.S.R., 2530. - necrotic ring spot virus [peach ring spot virus str.] on cherry, in Bulgaria, 3108; purification of, 1022; symptoms of, 3108.

rusty mottle virus on cherry, resemblance of Pseudomonas and Xanthomonas symptoms

to, 2841.

-, not a host of plum pox virus, 176.

-, [peach] necrotic ringspot virus on, 1756x; in Bulgaria, 3108; Czechoslovakia, 1902; U.S.A., 767; caused by same virus as cherry sour yellows and prune dwarf, 183; differentiation of, from prune dwarf virus, 495; hosts of, 1902; serological detection of, 495; spread of, 767; strs. of, 1161; symptoms of, 255, 3108; transmission of, by pollen, 183; variation in, 768.

-ringspot virus on, 768, 1161, 2527, 3108. Pfeffinger disease [cherry rasp leaf virus] in

Germany, 1755d.

-, phytoncides from, 341.

-, [plum] line-pattern virus on, in Czechoslovakia, 1902; causing necrosis of, 177; hosts of, 1902.

, — pox virus+[peach] ring spot virus on, in Hungary, 175.

- -, prune dwarf virus on, differentiation of, serologically and otherwise, from [peach] necrotic ring spot virus, 495; symptoms of, 2558; variation in, 768.
- effect of, 2528.
- -, Pseudomonas on, symptoms resembling cherry necrotic rusty mottle virus, 2841.
- -, mors-prunorum on, in Greece, 184; Irish Republic, 320a; Netherlands and U.K., 2199; description, isolation, and symptoms of, 184; pathogenicity of, 2330a; production of bacteriocin by, 2328c.

- syringae on, in Netherlands and U.K., 2199; production of bacteriocin by, 2328c. , raspberry ring spot virus+cherry virus on,

2560.

- + prune dwarf virus on, effect of, 2528.

- rasp leaf virus in Germany, 1755d.

- ring mottle [cherry mottle leaf] virus on cherry in Bulgaria, incidence and symptoms of, 3108.
- -rugose mosaic virus, hosts of, 1756x; str. of peach ringspot virus, 1756x.
- on cherry in Bulgaria, incidence, and symptoms of, 3108.
- Sclerotinia laxa on, in Greece, 3110; *Victoria, 2190.

- 'short stem' virus, 2196.

- sickle leaf virus on cherry in Bulgaria, incidence and symptoms of, 3108.

- Stecklenberg disease [peach ringspot virus str.] in Bulgaria, 2527, 3108; Romania, 3109; symptoms of, 2527, 3108; transmission of, 2527.

-, strawberry latent ring spot virus on, 773.

[Cherry] 'tatter leaf' [?peach ring spot] virus on cherry in India, 2023f.

-, tomato black ring virus on, str. of and transmission of, 2560.

-, Verticillium alboatrum on, in U.S.S.R., symptoms of, 491.

virus, distinct from peach ringspot virus, hosts and vectors of, 1756w.

-, resembling beet yellows virus, transmis-

sion of, by sap, 1346f. + raspberry ring spot virus on cherry,

2560. - diseases, indicators for, 2526.

-, Xanthomonas on, symptoms resembling cherry necrotic rusty mottle virus, 2841.

- (sour) yellows, peach necrotic ring spot+ prune dwarf viruses causing, 2558.

— virus on cherry in U.S.A.,

caused by same virus as peach necrotic ring spot and prune dwarf, 183; spread of, 767; synonymy of, 182; transmission of, by pollen, 183, 2559; to plum, 183.

Cherry-plum, see Prunus cerasifera.

*Chestnut (Castanea), Cryptodiaporthe etrusca

on, in Italy, symptoms of, 247.

Spain, 846; U.S.A., 2890; U.S.S.R., 850; control, 846; disinfection of, 2891; factors affecting, 850; geographical distribution of, 846; hosts of, 846, 2890; not transmitted by bees, 2891; specific reaction to, and symptoms of, 2890.

-, Phomopsis castanea on, in Italy, symptoms

-, Phytophthora cambivora and P. cinnamomi on, in Spain, geographical distribution and hosts of, 846.

—, Verticillium alboatrum on, in U.S.S.R., symptoms of, 491.
Chick pea, see Cicer arietinum.

Chilli, see Capsicum. China aster, see Aster.

Chinozin against fungi on tobacco, 2881.

Chirita lavandulacea, Glomerella cingulata on, in Scotland, symptoms of, 3285.

Chitin as soil treatment, 282

-, effect of captan on breakdown of, in soil, 2384; on Fusarium oxysporum f.sp. pisi, 1998; F. solani f.sp. phaseoli on bean, 2001a. - toxicity to radish, 282.

- in combination, effect of, on Fusarium solani f.sp. phaseoli on bean, 2001a.

Chives (Allium schoenoprasum), Sclerotium cepivorum on, in Norway, 305.
Chloramphenicol, effect of, on Xanthomonas oryzae on rice, 3349.

—, resistance of mutants of Xanthomonas

campestris to, 2965.

Chloranil against Cercosporella brassicae and Colletotrichum higginsianum on turnip, 2657. - ineffective against Peronospora parasitica on

broccoli, 280.

injury to pine, 2906. Chlorella pyrenoidosa, (?) as test organism for

biochemical studies of pathogenesis, 1786. Chloride, effect of on susceptibility of potato to Phytophthora infestans, 1209.

- toxicity in citron, lemon, and orange, 137. Chloromycetin, popular account of, 2043.

Chloronaphthalene against Erysiphe graminis on barley and Peronospora tabacina on tobacco, 2357.

4-o-chlorophenylazo-3-methyl isoxazol-5-one against Podosphaera leucotricha, 169.

5-chloro-4-phenyl-1,2 dithiol-3-one, technique for evaluation of, 2712.
Chloropicrin against brown root rot of tomato,

3171; as soil disinfectant, 784h, 1259.

effect of, on tobacco mosaic virus on tomato, 3156.

— versus nabam, 3171.

- in combination as soil disinfectant, 1259.

Chloroscypha chamaecyparidis, C. cryptomeriae, and C. thujopsidis on Coniferae, 3179.

Chlortetracycline against Pseudomonas savastanoi on bean, 1186.

Choanephora cucurbitarum on cowpea, 2304.

--- on pea, 3232c

Chromobacterium, effect of high partial pressures of oxygen on, 2379.

Chrysalidocarpus lutescens, Gliocladium ver-moeseni on, in U.S.A., 525, 2954d; host range of, 525.

Chrysanthemum, Alternaria on, in U.S.A., 2502.

, bacteria on, effect of temp. on, in storage, 2809.

-, Botrytis cinerea on, control, 1118.

-, Cercospora chrysanthemicola on, in Singapore, 1437.

Deuterophoma on, in Victoria, intercepted from U.S.A., 13541.

Fusarium oxysporum on, distinct from aster Fusarium, identical with race 1 of cowpea Fusarium, 386c.

f.sp. tracheiphilum and other ff.sp. on, 3377.

- ' green flower', control, 317e.

-, Itersonilia perplexans on, control, 317m; factors affecting, 317b, 2165.

-leaf mottling viruses, control, 317e.

-, Oidium chrysanthemi on, control, 982, 2160. Phoma on, effect of temp. on, in storage, -, *Pho*i 2809.

Pseudomonas cichorii on, 2940; in U.S.A., -, *Psei* 1311.

*—, Puccinia horiana on, in Germany, 1115; N.Z., 3378; Sweden, 2504; var. reaction to, 2807.

Pythium on, in U.S.A., effect of temp. on, 2808.

Septoria chrysanthemella on, in Belgium, 1882; Romania, 3069; biology of, 1882; control, 1882, 2160, 3069; var. reaction to. 3069.

, sodium injury to, in U.S.A., symptoms of, 386e.

-, Stemphylium on, in U.S.A., 2502.

storage disorders, 2809.

-, tomato aspermy virus on, in Victoria, intercepted from England, 1354s.

Verticillium alboatrum on, factors affecting, 1116.

-virus B on Chrysanthemum in Victoria, intercepted from England, 1354s; effect of heat treatment on control by meristem culture, 1114; serological relationship with carnation latent virus, 317d.

,D not controlled by heat treatment, 3171.

*— cinerariifolium, Alternaria tenuissima on, 3120.

-, Mycosphaerella ligulicola on, in Tanganyika, 599c.

[Chrysanthemum] indicum, Puccinia horiana on, in Germany, introduced from S. Africa, 2503.

maximum, Alternaria chrysanthemi on, in *U.S.A., 2955a; Latin diagnosis to validate name, 2614.

, Phyllosticta chrysanthemi on, in Chile, 1031.

Chrysomyxa arctostaphyli on spruce, 553.

- ledi var. rhododendri and C. piperiana, chemical stimulation of germination of uredospores of, 1756t.

Chytrids transmitting viruses, 1346d.

Ciborinia foliicola on Salix, 1679c.

Cicada? transmitting apple witches' broom virus, 1604.

Cicer arietinum, Ascochyta rabiei on, in Greece, 299.

-, Phyllosticta rabiei on, in India, 939, 940; Spain, control, 2303; factors affecting, and var. reaction to, 940, 2303.

—, Uromyces ciceris-arietini on, in Mexico,

spread of, 1758f.

Cichorium endivia, see Endive.

Cicinnobolus cesatii on Podosphaera leucotricha, 3097.

Ciferri, R., obituary and publications of, 2338. Cineraria (Senecio cruentus), Phytophthora drechsleri on, 461.

Circulifer tenellus transmitting [beet] curly top

virus, 1024.

Citrange (Citrus sinensis × Poncirus trifoliata) stunting (' premature dwarfing ') in Argentina, virus unrelated to exocortis causing, 3353.

Citron (Citrus medica) as indicator for citrus exocortis virus, 1756q.

-, chloride toxicity in, symptoms of, 137.

-, citrus exocortis virus on, transmission of, by dodder, 2141.

Citrullus vulgaris, see Watermelon.

- var. fistulosus, Geotrichum candidum on, in India, 1472.

Citrus (including all Citrus hosts. q.v. also), Alternaria citri on, control, 2792.

, Aspergillus niger on, antifungal activity of, 703.

— 'big button' in Syria, symptoms of, 694.

- 'blind pocket' psorosis virus on citrus in Sardinia, transmission of, by grafting, 2492.

-, boron deficiency in, in Argentina, symptoms of, 2389.

- bud union crease in Venezuela, 2489.

- cachexia (xyloporosis virus) on citrus in U.S.A., 3047.

-, calcium deficiency in, symptoms of, 3360. -, Cercospora citri-griseae and C. gigantea on,

in Syria, 694.

-, chloride toxicity in, symptoms of, 137.

-chlorosis in Greece, 2840; U.S.A., 1558; association of, with Mn deficiency, 2840. - 'concave gum' psorosis virus on citrus,

- —, Corticium areolatum on, in Surinam, 601. - crinkly leaf psorosis virus on citrus in Sardinia, transmission of, by grafting and sap, 2492.
- on cowpea, 2492.
- decay, control, 2794.
- deficiency diseases, 3361.

[Citrus], Deuterophoma tracheiphila on, in *Italy, 135; Syria, 694; effect of temp, on development of, 700, 2493.

—, Diaporthe citri on, control, 446, 1095.

diseases, 1829a; in Argentina, 2490, 3353; Brazil, 1094; Venezuela, 2489; legislation against, in France, 21a.

-disorder on Valencia stock in U.S.A., 699. -, Elsinoe fawcettii on, in Argentina, 3358;

Venezuela, 2489.

- exocortis virus on citron, 1756q, 2141. - - on citrus in Argentina, 2490, 3353; Brazil, 2140; Colombia, 1551; U.S.A., 3047; control, 2490; detection of, 1872, 2789; effect of N on, 444; rapid indexing of, 1089.

- — on orange, 2490, 2789, 3048. - — on *Poncirus trifoliata*, 3353.

---, (?) transmission of to Petunia, 2141. fovea disease in Venezuela, ?related to xyloporosis virus, 2489.

-, Gloeosporium limetticola on, in Syria, 694. —, Glomerella cingulata on, in Guinea, 3357.
— 'greening disease', 3355a; in S. Africa, symptoms of, 1559.

-, Guignardia on, confusion between 2 spp. of, geographical distribution and hosts of,

701.

Rhodesia, 701; S. Africa, 1556a; U.S.A., intercepted from Korea, 344a; from Ryukyu Islands, 2985; control, 1874, 2332d, 2495; epiphytology of, 1874; factors affecting, 1556a; similarity of symptoms of, to *Dia*porthe citri, 1874. gummosis in the Philippines, 695.

impietratura disease in Cyprus, ?caused by virus, transmission of, by budding to grape-

fruit and orange, 1873; 3231a. infectious variegation psorosis virus on citrus in Sardinia, citrus crinkly leaf virus associated with, transmission of, by grafting and sap, 2492.

————— on cowpea, 2492.
—, iron deficiency in, in U.S.A., 1558.
—, juvenile spot on, in Syria, symptoms ot, 694.

Macrophoma on, in India, intercepted from Republic of Guinea, resemblance of, to M. paraphysata, 702.

-, mineral deficiencies in, book on, 706. -, Mycosphaerella on, in Venezuela, 2489.

-, non-infectious variegation in, 447.

—, Oidium tingitaninum on, in Philippines, 695.
— oleocellosis, control, 3362.

-, Penicillium digitatum on, in U.S.A., 704; control, 1095, 2793, 3359; effect of gamma radiation on, 160; of orange pulp infected

with Aspergillus niger on, 703.
-, — italicum on, in U.S.A., 704; control, 1389, 2793; effect of gamma radiation on,

160.

-, Physoderma citri on, 3050.

Phytophthora citrophthora on, in Queensland, 1355k; C.M.I. description of, 1004; detection of extent of infection, 2791; effect of different rootstocks on susceptibility to, 1875; factors affecting, 2142.

- hibernalis on, C.M.I. description of, 1004.

nicotianae var. parasitica on, in Jamaica, 1353a; Venezuela, 2489; control, 1353a; detection of extent of infection, 2791; effect of different rootstocks on susceptibility to, 1875; factors affecting, 2142; resistance to, 2494.

propagating material, legislation [Citrus] against, in British Solomon Islands, 1351c. -, Pseudomonas syringae on, differentiation of

strs. of, from *P. syringae* on pear, 2330c; distribution and ecology of, 3051.

- psorosis virus on citrus in Argentina, 2490, (?)3353; Colombia, 1551; Sardinia, 2492; Syria, 694; U.S.A., 3047; control, 2490; detection of, 2789; (?)related to grapefruit virus, 3353; types of, 2492.

--- on lime, 2140.

——— on orange, 1553, 2789. ——— A on citrus in Greece, 134. ———— on orange, 134, 695, 2492. ——— B on orange, 2492.

- root rots in Syria, 694. - rumple and decay, factors affecting, symptoms of, 3363.

- seedling yellows virus on citrus in Philip-

pines, 695.

-, Septoria citri on, 2398.

- -, depressa, epidemiology and symptoms of, 2143.
- shell-bark virus on citrus in Argentina, 2490. - stem pitting virus on citrus in Argentina, 2490; Brazil, 3234a.

— — on orange, 3234a.

- stubborn disease virus on citrus in Syria, 694; U.S.A., 1554, 3354; indexing for, review, and symptoms of, 1554; transmission of, ?by seed, 698.

- stunting (' premature dwarfing ') in Argentina, 3353.

- tristeza virus on citrus in Argentina, 2490; Colombia, 2790; Ecuador, 2140; Israel, 2491; Peru, 2140; Philippines, 695; Venezuela, 2489; U.S.A., 3047; association of orange virus disease with, 3049; citrus vein phloem degeneration virus distinct from, 3356; control, 2490; detection of, 2789; effect of on yield, 2490; non-transmission of, by vectors, 2491; resemblance of particles of, to beet yellows and raspberry bushy dwarf viruses, 1346h; studies on, 1090; transmission of by vectors, 2790; var. and specific reaction to, 2490.
- — on grapefruit, 1090, 1756p.
- ——— on lemon, 1090, 1756p, 2489, 2490.
- — on lime, 1552, 1756p, 2140, 2490, 2790.
- — on orange, 1756p, 2140, 2490, 2789.

— — on Poncirus trifoliata, 2490.

- mild and severe str. on Citrus mitis. 2023e.
- variegation virus on citrus, components of, 2954a.

--- on cowpea, 445, 2954a.

- vein-phloem degeneration virus on citrus in Java, (?) causing citrus chlorosis, distinction of, from tristeza and xyloporosis viruses, symptoms of, and transmission of, by grafting, 3356.

- virus in Argentina, (?) related to citrus psorosis virus, 3353.

- diseases, 696; in U.S.A., 3047; evaluation of methods of obtaining disease-free stock, 3047.
- water-spot in Greece, 138; factors affecting, 705.

[Citrus], Xanthomonas citri on, in Japan, 1096; Philippines, 695; intercepted from China, Indo-China, and Ryukyu Islands, 2985; from Vietnam, 344b; antagonism of actinomycetes to, 136a; classification, factors affecting, overwintering of, and *Phyllocnistis citrella* associated with, 1096; strs. of, 136b; survival of, on fallen leaves, 136a; var. reaction to, 1096.

- xyloporosis virus on citrus in Algeria, 964f; Argentina, 2490; Colombia, 1551; Ecuador, 2140; Italy, 964e; Philippines, 695; Syria, 694; Venezuela, 2489; citrus vein-phloem degeneration virus distinct from, 3356; control, 2490; detection of, 2789; non-trans-mission of, by insects, 1093; var. reaction to, 2489.

- on clementine, 697.

- on lime, 2490. on orange, 695, 2789, 3048.

- yellow shoot virus on citrus, criticism of paper on, 1091; effect of heat treatment on, 1092.
- aurantifolia, see Lime.
 - aurantium, see Orange.

- limonia, see Lemon.

 medica, see Citron.
 mitis, (?) citrus tristeza virus mild and severe str. on, in India, 2023e.

- nobilis, see Orange.

- paradisi, see Grapefruit. - pennivesiculata, Cu and Mo deficiency in, 3361.
- poonensis, see Orange.
- reticulata, see Clementine.

- sinensis, see Orange.

- tankan, see Orange. trifoliata, see Poncirus trifoliata.

Cladosporium brevi-compactum var. tabacinum

in maize rhizosphere, 1864. - *cladosporioides* on maize, 2783. - cucumerinum, arabanases in, 2725.

- on cantaloupe, 585.
 on cucumber, 557s, 585, 2313.
 on Cucurbita moschata and pumpkin, 2673.
- on squash, *2010, 2673. — *epiphyllum* in soil, 54.

-fulvum, methods for differentiating races of, and for detecting on symptomless host, 1676.

- griseo-olivaceum in maize rhizosphere, 1864.

- herbarum in the air, 325a, b.

*--- on vine, 1472.

- linicola in maize rhizosphere, 1864.

- miyakei on rice, 1081.

- -resinae ff.sp. avellanum and resinae in kerosene fuel, 1398.
- tranzschelii in maize rhizosphere, 1864.
- vigna, symptoms of C. on cowpea resembling, 3233.
- Clasterosporium carpophilum, see Stigmina carpophila. Claviceps, identification of, by means of honey-
- dew state, 67. - paspali on Paspalum scrobiculatum, 969d.
- purpurea, inhibition of, by patulin, 2362; of tobacco mosaic virus on Nicotiana glutinosa by, 2077a, b.
- on grasses, 1536.
- -- on rye, see Rye.
- --, physiological study on, 1396d.

[Claviceps purpurea], technique for analysing carbohydrates produced by, 1035.

Claytonia perfoliata, beet yellow stunt virus on,

1757c.

* Cleistachne sorghoides, Sphacelotheca reiliana on, in Rhodesia, 598a.

Clematis, Puccinia agropyri on, European form

of, 401b.

Clementine (Citrus reticulata), 'blind pocket' psorosis and 'concave gum' psorosis viruses on, in Sardinia, transmission of, by grafting, 2492.

, citrus crinkly leaf psorosis virus on, associated with citrus infectious variegation psorosis virus, in Sardinia, transmission of, by grafting and sap, 2492.

- xyloporosis virus on, in Morocco,

symptoms of, 697.

Clerit against Fusarium on potato, 1354i. *Clerodendron thomsoniae, Cercospora apii f.sp. clerodendri on, in U.S.A., 2955a.

Clitocybe, spore discharge mechanism in, 1410.

- tabescens on banana, 2697a. on trees, deciduous, 846.

Clover (Trifolium), Aphanomyces on, suscepti-

bility to, 474.

- , Arabis mosaic virus on, in U.K., strawberry latent ringspot virus associated with, 2327b.
- -, Ascochyta trifolii on, in U.S.S.R., 155b. -, association of, with survival of Sclerotinia

trifoliorum in soil, 319b.

- bacterial disease in N.S. Wales, 733. -, Bacterium radiciperda on, in U.S.S.R., 2178.

, bean yellow mosaic virus on, in Finland, 156; U.S.A., 2172; effect of, on reproduction of Acyrthosiphon pisum, 1454; on yield, 156; inducing hypersensitive reaction to *Erysiphe* polygoni, 1893; similarity of symptoms of, to pea mosaic virus on clover, 156; transmission of, by vectors, 156; var. reaction to,

- big vein virus, clover wound tumour virus preferred as name for, 1452.

-, inter-relationships between insects

and, 1456.

Botrytis anthophila on, in Czechoslovakia, 2826; aetiology, diagnosis, and symptoms of, 2176.

-, Cercospora zebrina and Colletotrichum trifolii on, in N.S. Wales, 733.

-, Corticium solani on, infection in and penetration of, by, 157; pathogenicity of, 2828.

-, Corynebacterium insidiosum on, in U.S.S.R., 2178.

—, Curvisporium ribaldii on, 66.

-, Cymadothea trifolii on, in Canada, 2823.

[Datura] rugose leaf curl virus on, in

N.S. Wales, 733.

- diseases in N.S. Wales, 733; N.Z., 3271; U.S.S.R., 155a, 2177; effect of sowing methods on, 2177.

-, effect of phytoncides from, on fungi, 966b; of rimocidin on, 1805.

, Erysiphe communis f.sp. trifolii on, in U.S.S.R., control, 155b.

- polygoni on, in (?)N.S. Wales, 733; hypersensitive reaction to, induced by bean yellow mosaic virus, 1893.

-, fungi on, virulence of, 474.

[Clover], Fusarium in rhizosphere of, antagonism of antibiotic substances in tissues to, 639.

-, — on, in U.S.S.R., 2178. -, — oxysporum on, factors affecting, 736; pathogenicity of, 2827.

- f.sp. callistephi on, 1109.

- roseum and F. solani on, factors affecting, 736; pathogenicity of, 2827.

-, Geotrichum on, antagonism of bacterium and streptomycete to, 737; antagonism of, to Sclerotium rolfsii on clover, 737.

*-, groundnut rosette virus can infect, 2327a. Kabatiella caulivora on, in N.S. Wales, 733; U.S.S.R., 155a; transmission of, by seed, 155a.

, lucerne mosaic virus on, in Japan, 528; U.S.A., 2173.

- mosaic virus, inactivation of, 1022.

—— and Mycosphaerella carinthiaca on clover in N.S. Wales, 733.

-, nitrogen deficiency in, in Uruguay, absence of Rhizobium causing, 472.

-, Ophiobolus graminis on, spread and survival of, 2440.

-, pea common mosaic virus on, in U.S.A., 2173.

-enation mosaic virus on, as source of infection for sweet pea, 1891.

-, — mosaic virus on, in Finland, 156; as source of infection for sweet pea, 1891; resembling bean yellow mosaic virus, 156; transmission of, by vectors, 156, 1891.

, Penicillium in rhizosphere of, antagonism of antibiotic substances in tissues to, 639.

-, Phoma medicaginis on, taxonomy of, 3395. - phyllody virus [strawberry green petal virus] on clover, 734; assessment of, by simulated sward technique, 151; effect of, on yield, 151, 2947a.

-proliferation virus on clover in Canada, different from aster yellows and clover phyllody viruses, host range and symptoms of, transmission of, by vectors, 2825.

-, Pseudopeziza medicaginis and P. meliloti on,

breeding against, 741.

- trifolii on, in Canada, 2823; N.S. Wales, 733, *2082; U.S.S.R., 155b, 1130; breeding against, 741; control, 155b, 1130; morphology, phylogeny, and specialization of, 282 physiology of, 2520; symptoms of, *2824. red leaf virus on clover in U.K., 2327b.

, -, mottle virus, distinct from Ononis and turnip yellow mosaic virus groups, serologically related to cowpea and squash mosaic viruses, 2327d.

-, -, - on broad bean, 2174.

-, - str. on clover in Netherlands, distinct from English type str., relationship of to cowpea mosaic virus, 2174.

-, —, vein mosaic virus on clover in Canada 2953; U.K., 2327b; U.S.A., 2173; resembling pea virus, 291; review of, 1892.

, --- on Gomphrena globosa and Vicia sativa, 2079.

Rhizoctonia leguminicola on hay, alkaloid salivation factor from, 1132.

, Sclerotinia trifoliorum on, in Canada, 2823; N.S. Wales, 733; growth in and penetration of, by, 158.

[Clover], Sclerotium rolfsii on, antagonism of Geotrichum and Trichoderma viride to, 737; relationship of, to 'summer dieback', symptoms of, 1894.

*—, Sphaerulina subglacialis on, in U.S.S.R., 89. - trifolii and Stagonospora recedens on, in

N.S. Wales, 733.

-, Stemphylium sarciniforme on, in N.S. Wales, 733; specific reaction to, 471.

-, strawberry green petal virus on, in U.S.S.R., 735; review of, 1892; technique for preparing antisera against, 735.

-, see also Clover phyllody virus. - stunt virus on clover in N.S. Wales, 733;

review of, 1892.

, summer die-back, relationship of Sclerotium rolfsii blight, symptoms of, 1894. -, Trichoderma viride on, antagonistic relationships with other organisms, 737.

-, Uromyces fallens and U. nerviphilus on, in

N.S. Wales, 733.

—, — striatus on, C.M.I. description of, 2739. —, — trifolii on, in N.S. Wales, 733; effect of light on germination of, 1131; host-parasite relationship of, 3394; photophosphorylation and starch metabolism in relation to, 2376, 3394.

-repentis on, in N.S. Wales, 733. -, Verticillium alboatrum on, in Canada, hosts

of, 738.

dahliae on, in Canada, 738; development of, 2950a.

-virescence in N.S. Wales, similarity of symptoms of, to tomato big bud virus on lucerne, 733.

virus diseases on clover, effect of on nodulation, 734; on yield, 386i; inactivation of, 317j; production of tumours by, 383; relationship of to other viruses, 734; symptoms of, transmission of by vectors, 472.—diseases in N.S. Wales, 733; U.S.A.,

2173.

-, watermelon mosaic virus on, 571.

–, white, mosaic virus on bean, 384.

— on clover in Japan, 2175; U.K. 2327b; control, 1892; fungi associated with, 386j; review of, 1892; similarity of symptoms of, to clover yellow mosaic virus, 386j.

- -, -, on pea, 384. -, -, preferred as name for pea wilt virus, 1452.
- Wisconsin pea streak virus on, in U.S.A., 2173.
- wound tumour virus preferred as name for clover big vein virus, 1452. - yellow mosaic virus on bean, 1821.

- on broad bean, 1025.

— on clover, symptoms of, 386j. — on pea, 1756h, 3204.

—— preferred as name for pea mottle virus, 1452.

-, technique for preparing protein fragments of, 657.

C.M.I. descriptions of pathogenic fungi and bacteria, set 3, 56; set 4, 1004; set 5, 1768; set 6, 2739.

Cobalt, as seed treatment for barley, 678.

, effect of, on actinomycetes, 1566; on Verticillium dahliae on cotton, 1567.

- in combination as seed treatment for barley. 677.
- sulphate as seed treatment for barley, 674.

COBH as seed treatment for tobacco, 965a; wheat, 1837c.

-, toxicity of, to tobacco, 965a.

- in combination against damping-off of beet, 3; as seed treatment for wheat, 1837c. Coccinia indica, Alternaria tenuis, Fusarium,

and Rhizopus stolonifer on, in India, 1472. Cochliobolus, bridging interspecific incompata-

bility in, 3004. carbonum, compatability with C. heterostro-

phus, 367. - on apple and cowpea, 749.

— — on maize, see Maize. — — on pear, 749.

- on potato, 386r. - on Prunus tomentosa and soybean, 749.

- heterostrophus, compatability with C. carbonum, 367.

on apple, 749.

— on maize, 969a, 1862, 2469. — miyabeanus, C and N nutrition of, 2135. - —, factors affecting spore dispersal of, 2487.

- —, induced saltations in, 2136.

— on rice, see Rice.

- sativus, antagonism of Bacillus from cereals to, 2698a.

- -, conidiospore types in, 1441.

-, effect of sodium fluoride on growth of, 2377.

– in soil, 1424.

- —, mechanism of pathogenicity in, 632.

- — on Agrostis palustris, 1850.

— on barley, see Barley.
— on bean, *88, 573.
— on oats, 573, 2762.

- — on Panicum miliaceum, 129.

— on *Poa pratensis*, 730. — on rye, 2110.

-- on wheat, see Wheat.

- victoriae, antagonism of Bacillus from cereals to, 2698a; disease-induced antibiotic activity of, 397m; inhibition of fungi by, 397m.

on oats, 1534.

-, production of victorin by, 3971.

-, (?) virus disease not related to mushroom virus, 317k.

Cocksfoot, see Dactylis glomerata.

Cocoa, see Cacao.

Coconut (Cocos nucifera) 'bristle top' disease in Guam, 'Chinese coconuts' symptoms in Jamaica similar to, 2578.

- bronze-leaf wilt in the Caribbean, 2578. - cadang-cadang disease in Philippines, 522, 2578; diagnostic symptoms of, 3123; recovery of transplanted trees, 522; symptoms

of, 3124b; transmission of by vectors, 3124a., 'Chinese coconuts' in Jamaica, similarity of symptoms of to 'bristle top' disease in Guam, 2578.

-, Corticium solani on, in India, 520.

— diseases, losses by, 1829a; survey of, 2578.

-, Helminthosporium incurvatum on, in New Caledonia, 969d.

- Kerala wilt in India, 2578.

-leaf scorch disease in Ceylon, symptoms of, 2333a, 2578.

-lethal yellowing, 2955f; in the Caribbean, 2578; Jamaica, 1639, 1640, 2579; breeding against, 2579; coconut diseases in W. Africa identical with, 2578; review of, 1639; spread of, 1639, 1640; (?) transmission of by vectors, 1640; var. reaction to, 3125.

- [Coconut] little leaf in Jamaica and Trinidad, 2578.
- -, Macrophomina phaseoli on, in India, 520.

-, Malaysian wilt, 2578.

-, Mycomicrothelia palmarum, Mycosphaerella palmicola, and Phaeosphaeria palmarum on, in India, 359.

-, Phytophthora palmivora on, 519.

- -, Pleospora bataanensis on, in India, 359. - root diseases, effect of, on microsporogenesis in, 521.
- 'tinangaja' disease in Guam and Philippines, 2578.
- 'unknown disease' in Jamaica, 1353c.

- wilt virus on coconut in India, transmission of by soil, 1352d.

on cowpea, 1352d.

- Coffee (Coffea), Ascochyta tarda on, in Kenya, 1560d, 3055; Uganda, 967b; control, 1560d;
- factors affecting, 3055.
 'black bean' in Hawaii and Kenya, 2797. -, Calonectria rigidiuscula on, C.M.I. descrip-

tion of, 56.

-, Cercospora on, 448, 3052.

- coffeicola on, in Rhodesia, 598c; Samoa, 1476; Uganda, 967b.
- -, copper toxicity in, causing 'Kondli' disease, 448, 3052.
- crinkle leaf in Kenya, 1560d, 1564.
- dieback, occurrence and symptoms of, 449.

- disease losses, 1829a.

-, Elgon die-back in Kenya, 2796.

- *--, Fusarium orthosporioides on, in Tanganyika, 599b.
- -oxysporum and F. semitectum on, in Kenya, 708.
- stilboides on, in Kenya, 708; C.M.I. description of, 56.
- , Gibberella xylarioides on, C.M.I. description of, 56.
- non of, 56.

 -, Glomerella cingulata on, in Burundi, 967b; Cameroons, 709; Congo, 709, 967b; Kenya, 709, 967b, 1560d, 2796, 3055; Rwanda, 967b; Tanganyika, 599a, 709; Uganda, 709, 967b; control, 709, 1560d, 2144; factors affecting, 709; spread of, 3054; imperfect state of, 3230c; relationship of, to Ascochyta tarda infection, 3055; spread of, from Kenya, 500a 599a.
- Helicobasidium compactum on, in El Salvador, 710.
- —, Hemileia coffeicola on, in N. Nigeria, 1350b.
- ,— vastatrix on, in Ethiopia, 2795; Kenya, 1560a, c, 2145, 2796; *N. Nigeria, 1350b; Tanganyika, 707, 1561, 1562; Uganda, 967b; abnormal development of uredia in, 3053; control, 707, 967b, 1560a, c, 1561, 1562, 2145, 2795, 3230b; physiologic races of, 1563; Verticillium hemileiae associated with, 1795.
- 'Kondli' disease, Cu toxicity causing, 448,
- leaf fall in Kenya, 1560a, b.

- 'Lyamungu dieback' in Tanganyika, starch reserves in relation to, 450.

- phthiriosis in Madagascar, attributed to parasitic complex, (?) Polyporus associated with, 2146.
- *--, Phyllosticta coffeicola on, in India, 63.

- [Coffee], Xyleborus compactus on, in the Ivory Coast, relationship of, with Ambrosiella xylebori, 2345.
 - -, zinc deficiency in, amino acids in relation to, 1565.
- Coix lacryma-jobi diseases, information on, 2127.
- Colchicine, resistance of Fusarium oxysporum to, 991.
- Coleosporium in U.S.S.R., 3229b.

eupatorii on pine, 2256.

- melampyri on Melampyrum nemorosum and pine, 885.
- -, Ramularia coleosporii parasitizing, 885. Colimycin methane-sulphonate, inhibition of Phytophthora cactorum by, 638. Colletotrichella xylostei, Guignardia xylostei

perfect state of, 1439.

Colletotrichum agaves on sisal, 723.

- atramentarium, inhibition of, by fungi, 2981. -—, not causing 'rubbery tuber wilt' of potato, 1650.
- on bean, 1725.
- on potato, see Potato.
- on Solanaceae, 365. on tomato, see Tomato.
- cajani on pigeon pea, 2084b.
- camelliae on Camellia oleosa, 1584.
- capsici, detection of ethylenebis (thiocarbamyl) disulphide in cells of, 985.
- -—, effect of ethylene bis (thiocarbamyl) fungicides on, 2977.
- on Capsicum, 3261c. *--- on coriander, 1919.
- *--- on Plumeria rubra f.sp. acutifolia, 646.
- *— on radish, 1472.
- — on Scindapsus pictus, 993.
- -f.sp. cyamopsicola on Cyamopsis psoraloides, 3215b.
- *— circinans on onion, 1351b.
- coffeanum, see Glomerella cingulata.
- --- corchori on jute, 146, 3373.
- corchorum, fungus on jute different from, 2695c.
- crassipes on Amaryllis, 1587.
- dematium on Solanaceae, 365.
- f.sp. truncata, Alternaria cucumerina symptoms distinct from, 3215a.
- cent compounds in tissue infected by, 832.
- —— on lucerne, 88. exoticum on Murraya exotica, 2084b.
- *— fuscum on Digitalis lanata, 2574.
- on Rochea coccinea, 965n.
- *— gardeniarum on Gardenia, 2084b.
- graminicola, in vitro interactions between other fungi and, 3239.
- on maize, 1078, 1858, 2118.
- hibisci on Hibiscus cannabinus, 601.
- higginsianum on turnip, 2657.
- indicum on cotton, 1576.
- lagenarium, mechanism of pathogenicity in, 632.
- on cucumber, 17, 2313.
- on melon, 953, 2312, 2676.
 - on watermelon, 954, 2954f.
- lindemuthianum, arabanases in, 2725.
- -, effect of sodium fluoride on growth of, 2377.
- on bean, see Bean.
- linicola, nitrogen-fixing capacity of, 2986.

[Colletotrichum linicola] on flax, see Flax. - maculans, not infecting Solanaceae, 365.

* medicaginis on lucerne, 2084b.

- musae on banana, 1355j, 1913, 2210, (?)3232e.

— (?)necator on pepper, black, 600c.

- papayae, inhibition of, by extracts from Anagallis arvensis, 2718.

— — on papaw, 192a. — phomoides on tomato, see Tomato.

- tabacum on tobacco, 2607.

— trifolii on clover, 733. — — on lucerne, 2182a, b, 2829. - — on Ornithopus sativus, 1599.

*— truncatum on soybean, 2953. Colocasia esculenta, Phytophthora colocasiae on, factors affecting sporulation of, 2014.

Compositae, Aspergillus flavus in rhizosphere of, 1798.

-, Puccinia and Uromyces on, in U.S.S.R., 2065.

Conferences, Congresses, Symposia, etc. [See also Reports.] American Phytopathological Society, 324, 386, 397, 543, 557; (Caribbean, 1758; N.E., 1759; Pacific, 1756; Potomac, 6, 2699; Southern, 2698); American Potato Association, 784; Biology of infection, London, 318; Brassica crops at Scottish Horticultural Research Institute, 3194; Brazil Botanical Society, 600, 3234; Canadian Phytopathological Society, 968a; (3rd) Edinburgh Botanical Society, 319; Electron microscopy, 2021; European association for Potato Research, Pisa, 1645; Fruit tree virologists, Tasmania, 2526; History of Botany, 2958; Hop diseases, England, 196; Indian Phytopathological Society, 2696; (46th) Indian Science Congress, Delhi. 3261; (47th) Indian Science Congress, Bombay, 2996; (49th) Indian Science Congress, Cuttack, 3260; Insects in relation to plant diseases, 597; (1st) International Barley Genetics, Wageningen, 1521; (10th) International Botanical, Edinburgh, 1, 55; (15th) International Horticultural, France, 964; (16th) International Horticultural, Belgium, 1754; (5th) International Pesticide, London, 613, 615; (16th) International on Phytopharmacy and Phytiatry, 1347; International pharmacy and Phytiatry, 134/; International Rice Research Institute, Laguna, 2131; International Soil, New Zealand, 2057; Memorial to M. S. Voronin and A. A. Yachevski, 2956; Microbiology, Tashkent, 966, 3267; Mushroom Growing, Gleneagles, 2019; Netherlands, 2016; (2nd) Peronospora, U.S.S.R., 2236; Phytosanitary Problems in Glasshouses and under Plastics, 2949; Plant Diseases, Wageningen, 2022; Plant Diseases Diseases, Wageningen, 2022; Plant Disease Losses, Massachusetts, 1829; Plant Phenolic Group of N. America, 633; (1st) Polish Genetic, 2119; Potato degeneration diseases in Far East, 3129; Puccinia graminis on wheat, Rome, 401; Recent Advances in plant diseases and pest control, 1018; Regional Root diseases of *Hevea* rubber, Kuala Lumpur, 1222; (19th) Society Industrial Microbiology, U.S.A., 1396; (20th) Society Industrial Microbiology, U.S.A., 1397; Soil micro-organisms and plant roots, Prague, 2997; Students, U.S.S.R., 2950; Sugar Beet Technological Co-operation, Japan, 1994; (4th) Sugarcane Congress, Mauritius, 1663; Tea Research Institute, Ceylon, 3146; Vegetable diseases, Venice, 3228; Young Scientists, Moldavia, 3229.

Coniferae, antibiotic in seedlings of, 28a.

-, Bifusella faullii on, control, 263.

—, Botrytis cinerea on, symptoms of, 869.

-, cankers on, 844.

-, Cantharellus cibarius on, forming mycorrhiza, 24.

-, Ceratocystis europhioides and C. huntii on,

in U.S.A., 3181.

-, Chloroscypha chamaecyparidis, C. crypto-meriae, and C. thujopsidis on, differentiation between, 3179.

, Dimerium balsamicola and Epipolaeum spp. on needles of, 3180.

-, Fomes annosus on, in U.S.A., 2634; detection of, 2289; review of, 2634.

-, Hypodermella mirabilis on, control, 263. -, Leptosphaeria faullii on, biological control of Bifusella faullii and Hypodermella mira-

bilis by, 263.

-, Mucor in rhizosphere of, in U.S.S.R., 2245. -, mycorrhiza of, in Malaya, 3255; Boletus spp., Cantharellus cibarius, and Paxillus involutus forming, 24; effect of, on, 24, 2388; -, Paxillus involutus on, forming mycorrhiza, 24.

-, Phytophthora cinnamomi on, in N.Z., variation in growth and sporulation in, 2048b.

Pucciniastrum vaccinii can infect, 2742. Coniophora puteana, inhibition of, by griseofulvin and janthinellin, 1395.

on Phragmites communis, 2646.

on timber, see Timber.

Conium maculatum virus, similarity of, to celery ring spot virus, 2938.

Convolvulus, Erysiphe polygoni on, control, 2355.

Copper against Alternaria longipes on tobacco, 1249; Botrytis cinerea on vine, 315, 1338; Cercosporella brassicae and Colletotrichum higginsianum on turnip, 2657; Dothistroma pini, 2257, 3230a; Guignardia citricarpa on citrus, 1874; Hemileia vastatrix, 3230b; Mycosphaerella musicola, 2566; Pellicularia on beet, 1994b; Penicillium on vine, 315; Plasmopara viticola, 315, 1338; Pleiochaeta setosa on Cytisus × racemosus, 1117; Pseudomonas on cherry, 2841; Pseudopeziza ribis on currant, 2202; P. tracheiphila and Uncinula necator on vine, 1338; Xanthomonas on cherry, 2841.

deficiency in cacao, 1835; citrus, 706, 3361;

wheat, 2458.

, effect of, on actinomycetes, 1566; antagonism of actinomycetes to Verticillium dahliae on cotton, 3267f; concentration of Crotalaria mosaic virus in C. juncea, 2159; growth of Macrophomina phaseoli, 43a; Ustilago nuda, 2104; mycorrhiza of potato, 1925; Phyllosticta mali on apple, 1148; Phytophthora infestans on potato, 2231; resistance of beet to Cercospora beticola, 567; virus diseases and yield of potato, 1926.

injury to coffee, 448; pear, 1354e; potato,

2860; turnip, 2657; vine, 594.

in combination against crinkle-leaf coffee, 1564; Peronospora parasitica cabbage, 560; as seed treatment for maize. 2125.

[Copper] -A against Cercospora bougainvilleae on Bougainvillea, 2955h.

- arsenate as timber preservative, 1988.

- carbonate as seed treatment for wheat, 1508. -chloride against Pezicula alba and P. malicorticis on apple, 1154; Septoria populi, 2250. -chromium arsenate as timber preservative,

complex of quinoline against Sphaerotheca pannosa on rose, 982.

- compounds, adaptation of Sclerotium rolfsii

to, 340.

- against Cephaleuros parasiticus on tea. 3142; coffee leaf fall, 1560a, b; Glomerella cingulata on coffee, 709, 1560d; Helicobasidium compactum on coffee, 710; Henileia vastatrix, 707, 1560a, c, 1561, 1562; as timber preservative, 3191.
—, effect of, on Verticillium dahliae on

cotton, 1567,

dithion against Colletotrichum lindemuthia-

num on bean, 2930.

-fluoborate as timber preservative, 3191. -lonacol against Corticium areolatum on orange, 601.

- omadine in combination against Xanthomonas vesicatoria on Capsicum, 958.

- organic compound versus Bordeaux mixture, against Plasmopara viticola, 2326.

- oxide against Hemileia vastatrix, 967b, 2145; Phytophthora infestans on tomato, 3160.

- oxychloride, adaptation of Venturia inae-

qualis strs. to, 746.

- against Alternaria solani on potato, 805; Cercospora beticola, 3201; Elsinoe fawcettii on lemon, 3358; Exobasidium vexans on tea, 1233b; Glomerella cingulata on orange, 3357; Hemileia vastatrix, 707, 1562; Leptosphaeria maculans on cabbage, 2694; Mycosphaerella musicola, 2566; Peronospora farinosa on beet, 566b; P. tabacina, 1244; Phytophthora arecae, 2695d; P. infestans on potato, 805, 3134; P. palmivora on cacao, 1833; Pseudo-monas phaseolicola on bean, 923; P. tabaci, 1244.
- -, effect of on poplar leaf epidermal tissues, 12; Uncinula necator, 12; Venturia inaequalis, 3092.

- — injury to areca palm, 2695d; olive, 194. - —, weathering of, 1562.

— in combination, adaptation of Venturia

inaequalis str. to, 746.

- against Alternaria longipes on tobacco, 1249; Colletotrichum lagenarium on melon, 2676; Exobasidium vexans on tea, 1233b; Glomerella cingulata on orange, 3357; Phyllosticta rabiei on Cicer arietinum, 2303; Plasmopara viticola, 2041; Phytophthora infestans, 2041.

- —, injury to jute, 2695c.

- -25 against Lophodermium pinastri on pine, 891.
- -quinoline compound against Sphaerotheca pannosa on rose, 982.
- -sulphate, adaptation of Ceratocystis paradoxa to, 1386.
- against Alternaria consortiale on cucumber, 1757d; A. solani on potato, 805; Diehliomyces microsporus on mushroom, 1744;

Mycosphaerella on banana, 1351d; Peronospora parasitica on broccoli, 280; Phyto-phthora on pepper, black, 4; P. infestans on potato, 805; on tomato, 1960; Pseudomonas lachrymans on cucumber, 1757d; Rhacodiella vitis, 3226; Sclerotium rolfsii on Vanda, 2167; Septoria populi, 2250; as seed treatment for clover, 155b; larch, 870; pine, 1702; wheat, 1508; as soil disinfectant, 891, 952, 2627; as timber preservative, 3193.

[Copper sulphate], assay of, with Venturia inae-

qualis spores on glass slides, 1384.

, effect of on fungi in soil, 221; Phytophthora infestans on potato, 803; residues of, on quality of wine, 2020; on sporangial production in *Phytophthora cinnamomi*, 2699c; of spray gallonage and leaf character on deposition and retention of, 324i.

, resistance of Pyricularia oryzae to,

130a, b, c, d, e, g.

in combination against Corticium salmonicolor on Hevea rubber, 1224; Pseudomonas cichorii on cabbage, 2954b; tomato diseases, 843; Venturia inaequalis, 3091.

trichlorophenolate against Xanthomonas malvacearum on cotton, 1578, 3058.

- versus phytobacteriomycin, 720.

-zineb, alone and in combination, against Elsinoe fawcettii on lemon, 3358.

Coppesan against Corticium invisum on tea, 3142; Exobasidium vexans, 3143.

Copprapid against Cercospora beticola, 1994d. Coprantol against Phytophthora palmivora on Hevea rubber, 1225.

Coprinus in mushroom beds, 589.

Corchorus capsularis and C. olitorius, see Jute. Cordia rothii, Uromyces setariae-italicae on, heteroecism of, 128.

*Coriander (Coriandrum sativum), Colletotrichum capsici on, in India, symptoms of, 1919. -, inflorescence blight and fruit decay of,

association of bacteria and insects with, 2573. -, Protomyces macrosporus on, in India, 1635; artificial culture and chlamydospore germina-

tion of, 1190; pathogenicity of, 1635. , Xanthomonas translucens on, 2573. *Cornus alba, Apioporthe corni on, in Canada,

-florida, Glomerella cingulata on, in U.S.A., symptoms of, 2505. Corrosive sublimate, see Mercuric chloride.

Corticium areolatum on orange, 601.

— fuciforme on Festuca rubra, 2819. on turf, 2, 2819, 3077.

- galactinum on forest trees, 544.

- invisum on tea, 3142

— praticola, hosts of, 1806b. — in soil, 1806a, 2058.

, mechanism of variation in, 1011.

- salmonicolor on Hevea rubber, 1224.

- sasakii in Fiji, 969a.

- solani, antagonism of fungi in rhizosphere of Carnegiea gigantea and Cercidium micro-phyllum to, 2387.
- as test fungus, 2712.

—, basidiospore repetition in, 1012.
—, cytochemical changes in, induced by products of *Trichoderma viride*, 3267g.

, effect of age on growth and metabolism of,2373; of light and dark on sporulation of, 38; of tomato root exudates on, 1258; of, on Pythium graminicola, 2386.

[Corticium solani], factors affecting translocation of P₃₂ by isolates of, 324j.

-, formation of infection cushions by,

1356a, 1759b.

-, hosts of, 1356a, 1806b.

- in soil, see Soil.

-, mechanism of variation in, 1011.

— on barley, 101. — on bean, 918, 1323, 2659, 2933. — on beet, 1994a.

— on Capsicum, 392. — — on cauliflower, 1720, 2652.

— — on cereals, 1034. — — on clover, 157, 2828. — on coconut, 520.

- — on cotton, see Cotton.

— on Cruciferae, 392.

— on *Cryptomeria japonica*, 1279. — on cucumber, 2313, 2950m, 3221.

— — on flax, 2698d. — on grasses, 1034.

- — on groundnut, 936, 938. — — on Guizotia abyssinica, 515. - — on Hibiscus cannabinus, 601
- *— on *Impatiens balsamina*, 1588.
 on lucerne, 157, 2521, 2828.

— on pea, 292. — on pine, 1289.

- on potato, see Potato.

*— — on Rauwolfia serpentina, 198.

— on rye, 101. — on tea, 830.

– on Tephrosia vogelii, *518, 3122.

- — on tomato, see Tomato. - — on wheat, 101, 1354h.

--, relationship between growth rate and branching of mycelium of, 1785.

--, specificity and virulence in, 2648.

-, technique for studying hyphal specialization in, 654.

-, toxicity of amphotericin B, candicidin, and levorin to, 987; of mercury to, 1387.

—, translocation of P₃₂ in, 2727.

—, uptake of glucose-6-T and glycine-2-T by, 37.

Cortinellus shiitake on timber, 1745. Corynebacterium fascians on pea, 1999.

- on Pelargonium, 1123.

— on strawberry and sweet pea, 9.

- flaccumfaciens, heat killed suspensions of,

against Pseudomonas tabaci on tobacco, 2240.

- on bean, see Bean.

-- var. aurantiacum on bean, 921, 2294.

— insidiosum on clover, 2178. — — on lucerne, 1895, 2178, *2329e, 3082.

- -, relationship between Ditylenchus dipsaci and, 597a.
- -michiganense, effect of nupharin on, 621; of potato extracts on, 1645m.
 — on tomato, 246, 1266, 2693c, 3161.

- rathayi on Dactylis glomerata, 2172.

- sepedonicum on potato, see Potato. -, relationship between insects and, 597a.

-, serological method for diagnosing, 651. Corynespora cassiicola on cucumber, 2313.

*— — on Justicia gendarussa, 1889.

-- on sesame, 200.

Coryneum beijerinckii, see Stigmina carpophila. - cardinale on Cupressus sempervirens, 264. Cosan against Microsphaera alphitoides on oak, 1276.

Costelytra zealandica, Metarrhizium anisopliae on, 2343.

Cotton (Gossypium), Abutilon mosaic virus on,

host range of, 451. Abyan root rot in Aden, Corticium solani

causing, 2147. , Alternaria on, in U.S.A., 1881; U.S.S.R.

1574; associated with boll rot, site of infection of, 1881.

-, - macrospora on, 452. - anthocyanosis on cotton, host range of, 451.

-, Aspergillus flavus on, 452 - boll rot, fungi associated with, 1881.

-, Cladosporium on, in Brazil, 1575. Colletotrichum indicum on, geographical distribution of, 1576.

—, Corticium praticola on, virulence of, 1806b. —, — solani on, 2147; in Brazil, 1575; Iran, 454, 711; Israel, 453; Venezuela, 2798; associated with Verticillium dahliae, 454; causing Abyan root rot, 2147; control, 140, 453, 711, 2798, 3366; nuclear condition and division in vegetative hyphae of, 324d; physiologic races of, 3365; symptoms of, 2798; var. reaction to, 3365; virulence of,

1806b. , Diplodia gossypina on, in U.S.A., associated

with boll rot, 1881.

- disorder causing leaf distortion in E. Africa not due to virus, 2951d.

, Erysiphe malachrae on, in Peru, renamed Salmonia malachrae, 139.

-, Fusarium on, in Brazil, 1575; U.S.A., 1881; associated with boll rot, 1881. -, — equiseti on, in Israel, 2428.

-, — oxysporum f.sp. medicaginis on, pathogenicity of, 2830.

f.sp. vasinfectum on, in U.S.A.,* 1880; carbohydrate metabolism and, 3261b, C.M.I. description of, 56; relationship of, to inorganic nutrition of host, 2996c; reversion

in strs. of, 1098; var. reaction to, 2148.
-, — semitectum, F. solani, and Gibberella fujikuroi on, in Israel, 2428.

Julikarot of, in Israel, 2428.

U.S.A., 1881; U.S.S.R., 1576; Venezuela, 2798; control, 1576, 2798; symptoms of, 2798; virulence of, 1576.

'Israhan wilt', in Iran, 711.

- leaf crumple and leaf curl viruses on cotton, 451; differentiation of Wissadula amplissima mosaic virus from, 1027; host range of, 451. roll virus on cotton, host range of, 451.

—, Macrophomina phaseoli on, 3264.

- mottle virus, hosts of, 451; incidence and importance of, 1097; symptoms of resembling 'vein mosaic' in Brazil, 1097.

-, Myrothecium roridum on, factors affecting pathogenicity of, 3367.

-, Oidiopsis gossypii on, in Peru, (?) imperfect state of Leveillula sp., 139.

Phakopsora gossypii on, in Fiji, 969a; New Caledonia, 969d.

-, (?)Phytophthora boehmeriae on, in China, 1029.

, Pseudomonas syringae on, inhibition of Geotrichum candidum by, 1756s; virulence of, in relation to toxin production, 1756s.

[Cotton] psyllosis virus on cotton, host range of, 451.

*--, Ramularia gossypii on, in India, 1099.

-, Rhizopus on, effect of, on, 6d. - arrhizus and R. stolonifer on, effect of,

on, 1577. -, rhizosphere fungi of, effect of crop rotation on, 452.

- Salmonia malachrae on, in Peru, 139.

- short nodes and small leaf viruses on cotton, host range of, 451.

-, technique for monitoring moisture content of, 2071.

—, Thielaviopsis basicola on, in U.S.S.R., 2800. -, tobacco streak virus on, host range of, 451.

- vein mosaic in U.S.A., cotton mottle virus symptoms resembling, 1097.

- veinal mosaic virus on cotton, host range of,

451.

-, Verticillium on, in Iran, 1100; U.S.S.R., (?)714, 1574; control, 713, 714, 1574; factors affecting, 1102, 1574; genetics of, 1571; identification and isolation of, 2149; ribonucleic acid content in, 1101; var. reaction to, 712, 1101, 1571.

-, — alboatrum on, effect of tracheal fluids on development of, 386b; method of assaying severity of, 3057.

-, — dahliae on, in Iran, 454, 711; U.S.S.R., 1570, 1573, 1879; control, 454, 455, 1566, 1568, 1569, 2153, 2950c; Corticium solani associated with, 454; development of, 2150, 2950a, 3263; effect of crop rotation on, 1878, 2152; of micro-elements on antagonism of actinomycetes to, 3267f; of γ radiation on seeds of, 1572; of, on microflora of rhizosphere, 966a; factors affecting, 1567, 2152; foci of infection for, 2950c; grafting as a method of studying immunity from, 1877; nutrient requirement of, 2799; overwintering of, 1573; previously ascribed to V. alboatrum, 454; relationship between soil protista and, 1879; tannin content of leaves and, 141; role of roots in resistance to, 2151; technique for growing microsclerotia of, 1876.

virescence virus on cotton in Cameroon, Ghana, Mali, and Upper Volta; symptoms of, and transmission of by grafting and

vectors, 3364.

- virus diseases, host range of, 451.

-, Wissadula amplissima mosaic virus on, differentiation of, from cotton leaf curl virus in Africa and cotton leaf crumple in U.S.A., 1027.

-, Xanthomonas malvacearum on, in N. Nigeria, 719a, 1350c, 2801; Queensland, 1355c; Sudan, 718; Thailand, 1579; Uganda, 1580; U.S.S.R., 1578; Venezuela, 2798; antagonism of soil actinomycetes to, 3267d; breeding against, 3369; classification of isolates of, 716a; control, 452, 719a, b, 720, 1350c, 1566, 1578, 2798, 2801, 3058, 3368; effect of on growth and yield, 3368; factors affecting, 1579; genetics of, 717, 2154, 3369; geographical distribution of groups of, 716b; status of resistance to 319a; specific reaction nature of resistance to, 319a; specific reaction to, 718; survival and infectivity of, in plant debris and soil, 1581; survival on seed in relation to dissemination, 456; symptoms of, 2798; types of, 1579, 1580; virulence of, 1580.

[Cotton] textiles, Aspergillus spp. on, decomposition by, 343.

*Cowpea (Vigna unguiculata), Ascochyta on, in N.S. Wales, symptoms of, 3233.

-, ash ringspot virus can infect, 1759f.

-, cherry virus can infect, 1756w.

- chlorotic mottle virus on cowpea, resistance to, 3214; specific infectivity period of, 2666. - on Vigna, 300.

Choanephora cucurbitarum on, in U.S.A., 2304.

-, citrus infectious variegation psorosis virus on, 2492.

- variegation virus on, components in,

2954a; properties of, 445.

*-, Cladosporium on, in N.S. Wales, resemblance of symptoms of, to C. vigna, 3233. -, Cochliobolus carbonum on, hypersensitive

reaction to, 749. -, coconut wilt virus can infect, transmission

of, by soil, 1352d.

-, Erwinia amylovora on, 1372; symptoms of, 324g.

, Fusarium oxysporum on, identical with F. oxysporum on Chrysanthemum, 386c. lucerne mosaic virus on, resistance induced

by localized infections, 1757e.

mosaic virus on cowpea in U.S.A., 557p; distinct from *Ononis* and turnip yellow mosaic virus groups, 2327d; distinct groups in, 925; inactivation of, 557q; resemblance of, to tobacco mosaic virus, 557p; serologically related to radish mosaic virus, 557r; to red clover mottle and squash mosaic viruses, 2327d; transmission of, by vectors, 557q; mechanically, 557p.

- Arkansas str. on cowpea, transmission

of, by vectors, 1322.

*—, Pleospora pisi on, in Fiji, 1351b.

-, southern bean mosaic virus on, resistance induced by localized infections, 1757e.

-, Sphaerotheca fuliginea on, in Queensland, 1355g.

-, tobacco mosaic virus on, resistance induced by localized infections, 1757e.

- necrosis virus on, fluorescent compounds in leaves of, 2000; resistance induced by localized infections, 1757e.

- rattle virus str. can infect, 2698e.

—, — ringspot virus on, symptoms of, 1465.
— virus on cowpea in Puerto Rico, hosts of,

yellow mosaic virus on cowpea, cowpea chlorotic mottle virus not serologically related to, 300.

Crambe abyssinica, Cattleya virus, turnip mosaic virus, and tobacco mosaic virus strs. on, 1600.

Crataegomespilus dardarii and C. grandiflora, Monilinia mespili on, (?)M. johnsonii identical with, 2506.

Crataegus, Erwinia amylovora on, in England, eradication of, 2187.

-, Gymnosporangium globosum on, life-history and symptoms of, 1977.

-, Leucostoma kunzei can infect, 1284.

, Monilinia johnsonii on, in England, distinct from N. American race, (?)M. mespili identical with, 2506.

-, Monochaetia turgida on, in America, 2514. chlorosarca, Monilinia johnsonii on, in England, 2506.

Creolin, alone and in combination, against

Venturia inaequalis, 1897.

Creosote against Fomes annosus on pine stumps, 876: root diseases of Hevea rubber, 1222e; timber blue stain, 2917; as timber preservative, 273.

, toxicity of, to Fomes annosus and Lentinus

lepideus on timber, 1987. Crepis taraxacifolia, Oidium on, technique for evaluating fungicides against, 1388.

Cresanol for disinfecting potato knives and planters against Corynebacterium sepedonicum, 968h.

Cresol oil as timber preservative, 1990.

Cresylic acid, effect of, on tobacco mosaic virus on tomato, 3156.

Cronartium asclepiadeum on pine, and Vincetoxicum officinale, 266.

- coleosporioides, differentiation of, from C. quercuum, 1980.

comandrae on pine, 2640.

- filamentosum on pine, 2909.

- fusiforme, effect of metabolites on germination of, 2641.

- on pine, 543i, 844, 886, 2908.

---, serological comparison of, with C. quercuum and C. ribicola, 3183.

- himalayense on pine, 1291.

- quercuum, differentiation of, from C. coleosporioides, 1980.

---, serological comparison fusiforme and C. ribicola, 3183. of, with C.

- ribicola on currants, 888, 3111. -- on pine, see Pine.

on Ribes dikuscha and R. procumbens, 888.

-—, serological comparison of, with C. fusiforme and C. quercuum, 3183.

- stalactiforme on pine, 2909, 3185.

- strobilinum on pine, 1292.

*Crossocosmia tibialis, Spicaria fumoso-rosea on, in China, 2344.

Crotalaria curl virus not identical with C.

mosaic virus, 1452.

- mosaic virus, C. curl virus not identical with, 1452.

on C. juncea, 2159.

-phyllody virus, *Crotalaria* smalling virus identical with, *Crotalaria* curl virus included in, 1452.

- smalling virus, identical with Crotalaria

phyllody virus, 1452.

*-- juncea, Alternaria crotalaricola on, India, 83.

-, Crotalaria mosaic virus on, effect of trace elements on, 2159.

-, Dactuliophora tarrii on, in Africa, symptoms of, 362.

*---, Phyllosticta crotalariae on, in India, 63. -, Uromyces decoratus on, formation of

secondary sporidia in, 2068.

- spectabilis, watermelon mosaic virus on, 571. striata, Cercospora crotalaricola on, in Singapore, 1437.

Crown gall, see Agrobacterium tumefaciens. Cruciferae, Aphanomyces raphani on, in U.S.A.,

283. -, Corticium solani on, in Hungary, 392.

factors affecting phytoncidal activity in, 966b.

—, Fusarium on, var. reaction to, 2827.

[Cruciferae], Penicillium janthinellum in rhizosphere of, inhibition of fungi by, 1421.

, Peronospora parasitica on, study on physiological differentiation in, 903.

-, Pythium debaryanum on, in Hungary, 392.

—, Septoria on, 2067.

—, turnip mosaic virus str. on, in China, properties and relationships of, 897. Xanthomonas campestris on, C.M.I. descrip-

tion of, 1768; control, 2654.

Crumenula sororia on pine, 1981.

Cryptodiaporthe etrusca on chestnut, 247.

populea on aspen, 3175. on poplar, see Poplar.

Cryptogamic flora of Kazakhstan, Vol. 4, 644. Cryptolestes minutus in relation to Aspergillus on stored grain, 1486.

Cryptomeria japonica, Botrytis cinerea, Corticium solani, Cylindrocarpon, and Rhacodium therryanum on, factors affecting, 1279.

-witches' broom in Japan, 1280.

Cryptosporella araucariae, pe Fusicoccum araucariae, 389b. — viticola on vine, 2332f. perfect state of

Cryptotaenia japonica, Phyllosticta cryptotaeniae on, in Japan, symptoms of, 2015.

Crystal violet against Mycosphaerella banana, 1351d. Cucumber (*Cucumis sativus*), almond calico

virus on, 1756x. , Alternaria consortiale on, in U.S.A., control,

1757d. -, Arabis mosaic virus on, in Netherlands,

symptoms of, 2022a. - as indicator for lilac ring spot virus, 1883. , beet pseudo-yellows virus on, in U.S.A., 2277.

-, Botrytis cinerea on, in France, symptoms of, 2313.

-, Campanula virus on, 2022c.

—, cherry rugose mosaic virus on, 1756x.

—, — virus (new) can infect, 1756w.

--, Chinese cabbage 'tszyane' virus on, 2269. Cladosporium cucumerinum on, in France, 2313; U.S.A., 585; biochemistry of resistance to, 557s; control, 311; effect of substrate on spore production by, 585; var. reaction to, 557s.

Colletotrichum lagenarium on, in France, 2313; effect of fungicides on, 17; symptoms

of, 2313.

-, Corticium solani on, in France, 2313; control, 2313, 2950m, 3221; symptoms of,

-, Corynespora cassiicola on, in France, symptoms of, 2313.

-, Cucumis virus 2A [cucumber green mottle mosaic virus str.] on, effect of, on enzyme activity, 1739.

-, Cymbidium mosaic virus can infect, 464.

diseases, control, 2675, 3221.

-, Erwinia tracheiphila on, pathogenicity and viability of, 2315.

-, Erysiphe cichoracearum on, in France, 2313: control, 317n, 2313, 2355; effect of fungicides on germination of, 17.

—, fungi in rhizosphere of, effect of, on, 2997. Fusarium on, in Austria, 3014; France, 2313.

-arthrosporoides on, resistance of root hairs to penetration by, 2430.

[Cucumber, Fusarium] culmorum on, control, 2950m, 3221.

-, — oxysporum on, control, 3221; pathogenicity and toxicity of, 2314.

-, — f.sp. cucumerinum on, symptoms of, 2313. in France,

-, — roseum on, in France, 2313; India, 1472. -, — solani on, in France, 2313; control, 2313, 2950m, 3221; resistance of root hairs to penetration by, 2430.

-, Glomerella cingulata var. orbiculare on. comparison of races of, with those on canta-

loupe and watermelon, 310.

green mottle mosaic virus str. on cucumber.

-, Lagenaria siceraria mosaic virus on, in Jordan, transmission of, by vectors, 584. -, metabolism of sodium dimethyl dithio-

carbamate by, 10.

- mosaic virus on *Capsicum*, 321, 2011, 3228d. — on celery, 2938, 3228d. — on cucumber in France, 2313; cacao yellow mosaic virus serologically related to, 2433; control, 583, 2313; cowpea chlorotic mottle virus not serologically related to, 300; factors affecting infectivity of, 1756i, j, 1826; purification of, 369, 371; relationship of Campanula virus to, 2022c; Robinia media virus to, 2022c; Rebinia media virus to, 2022c; resemblance of Gladiolus virus to, 386d; serological differences in strs. of, 317f; transmission of, by vectors, 583, 2648.
- --- on Cucurbitaceae, 1736, 3228d.

---- on currant, 2330j. — — on Datura inoxia, 79.

--- on Impatiens holstani, 1026.

---- on I. sultani, 79. — — on lettuce, 2022a. — — on lupin, 2950g, 3083. — — on melon, 3218.

— — on *Narcissus*, 463. ---- on Nicotiana, benavidesii, and N. benthamiana, 2407.

— — on *N. glutinosa*, 1756i. — — on *N. raimondii*, 2407.

--- on Ocimum basilicum, 3228d.

— on passion fruit, 512. ——— on *Primula*, 2169. ——— on spinach, 3228d.

——— on sunflower, 1821. ——— on tobacco, 2403. ——— on tomato, 3158.

identified as, 2269.
——— on beet, 3011.

_ — — — on radish, 899.

- - Y str., similarity of cucumber mosaic virus on Impatiens holstani to, 1026.

—— on tobacco, 1239.

- ___ yellow str., Campanula and Stellaria media viruses protecting against, 2022c.
- -, Mycosphaerella melonis on, in Brazil, 2677. -, pea early browning virus on, in England, 382.

-, peach ring spot virus on, 1756x.

- -, plum pox virus + [peach] ring spot virus can infect, 175.
- , Pseudomonas lachrymans on, in France, 2313; antagonism of soil actinomycetes and

fungi to, 3267h; control, 952, 1757d, 2313. 3222; factors affecting, 3222; symptoms of, 2313.

[Cucumber, Pseudomonas] savastanoi on, pathogenicity of, 974.

Pseudoperonospora cubensis Mauritius, 3232c.

—, Pythium on, in France, symptoms of, 2313. -, - aphanidermatum can infect, 557m.

—, — debaryanum on, control, 3221.

-, raspberry ring spot virus on, transmission of, by nematodes and sap, 772.

3014; France, 2313; control, 952, 2313, 2950m, 3221; pathogenicity of, 2314; symptoms of, 2313; toxicity of, 2314.

Sphaerotheca fullginea on, in France, 2313; 2316

control, 2313, 2356; symptoms of, 2313; thermal and translocated induction of

endophytic mycelium of, 626. –, Stellaria media virus on, 2022c.

-, tobacco mosaic virus on, effect of tannic acid on, 2750.

—, — ring spot virus on, symptoms of, 1465. -, Verticillium alboatrum on, in France, 2313; control, 2313; morphology of, 3007; pathogenicity of, 2314; resistance of root hairs to penetration by, 2430; toxicity of, 2314.

dahliae and V. tricorpus on, resistance of root hairs to penetration by, 2430.

-, vine infectious degeneration virus can infect, 2323.

- virus 4 on tobacco, 538.

-, watermelon mosaic virus on, 2008.

Cucumis virus 1 [cucumber mosaic virus] on lupin, 2950g.

2A [cucumber green mottle mosaic virus str.] on cucumber, 1739.

Cucumis melo and its vars., see Melon. var. cantaloupina, see Cantaloupe.

- sativus, see Cucumber.

Cucurbit virus B, watermelon mosaic virus symptoms identical with, 2008.

Cucurbita maxima, see Squash.

-moschata, Cladosporium cucumerinum on, var. reaction to, 2673.

— pepo, see Pumpkin, Vegetable marrow.

Cucurbitaceae, cucumber mosaic virus on, in Italy, 3228d; symptoms of, 1736.

- diseases in S. Australia, 1736; in S.E. Asia and Pacific Region, 1737.

-, Erysiphe cichoracearum on, symptoms of, 1736.

Fusarium on, control, 3267e; virulence of, 2648.

- oxysporum, Pseudoperonospora cubensis, and Sclerotinia sclerotiorum on, symptoms of,

-, Sphaerotheca fuliginea on, imperfect state of, 1355g.

vegetable marrow mosaic virus on, in Egypt, 2009.

—, watermelon mosaic virus on, 571. Cucurbitaria staphula on poplar, 1693.

Culture collection, in Sweden, 272.

collections, catalogue of Czechoslovak, 358; Russian, 2961.

Cumin (Cuminum cyminum), Fusarium oxysporum f.sp. cumini on, in India, 1191, 2848. Cupramat against Cylindrosporium on mulberry, 1181.

Cupravit ob 21 against Phytophthora infestans on potato, 1653.

Cupressus, phytoncidal activity in, 966b.

-sempervirens, Coryneum cardinale on, in Greece, 264.

Cupric, see Copper.

Cupricol against Cryptodiaporthe populea on poplar, 1278.

Cuprous, see Copper.

Curcuma longa, see Turmeric.

Curit against Pseudoperonospora humuli on hop, 3118.

Current (Ribes spp.) as indicator for black

currant vein clearing virus, 2330j.

-, black currant reversion virus on, association of *Phytoptus ribis* with, 1907; breeding against, 1626; control, 2562; currant virus in Denmark (?)identical with, 596c; effect of on yield, 771, 2330j; hosts of, 2330j; spread of, 771; symptoms of, 1907, 2330j; transmission of, by vectors, 597b, 771, 1625, 2562; var. reaction to, 771, 1626.

, -, yellows virus on, effect of, on yield, spread of, and var. reaction to, 771.

-, -, certification of, in England, 1601. Cronartium ribicola on, 3111; in U.S.S.R., 888.

, cucumber mosaic virus on, symptoms of, 2330j.

- diseases in U.S.S.R., manual on, 770.

-, Mycosphaerella ribis on, in Austria, 2563; Irish Republic, 320c.

-, Pseudopeziza ribis on, in Irish Republic, 320c; control, 320c, 2202, 3111; var. reaction to, 185, 2202.

-, Puccinia pringsheimiana on, in U.S.S.R., symptoms of, 500.

, raspberry ring spot virus on, causing spoon

leaf, 596c.

-, redcurrant spoon leaf virus on, in Netherlands, control, 2200; differentiation of, from cherry Eckelrade disease, 2201; from raspberry ring spot virus, 2200, 2201; raspberry ring spot virus identical with, 596c; transmission of, by vector, weed hosts in relation to, 2200. -, Sphaerotheca mors-uvae on, control, 3111;

var. reaction to, 185.

-, strawberry latent ring spot virus on, 773. virus in Denmark, 596c; (?)identical with black currant reversion virus, and relation-ship of, to raspberry ring spot virus, 596c.

*Curvisporium ribaldii on clover, 66.

Curvularia, studies on, 66.

- eragrostidis on pineapple, 3114.

*—fallax on Livistona rotundifolia, 1832.

geniculata, antagonism of Bacillus from cereals to, 2698a.

- lunata on Gladiolus and rice, 1478. - maculans on sesame, 1350d.

— pallescens, effect of surfactants on, 324e.
— in soil, 54.

*— — on Calotropis gigantea, 1832.

*— on Poa pratensis, 386f.

*— on wheat, 102.

- *— siddiquii on guava, 1832.
- trifolii on Gladiolus, 13541.
- f.sp. gladioli on Gladiolus, 3381.
- *- verruculosa on vine, 599b.

Cuscuta, see Dodder.

Custard apple (Annona reticulata), Diplodia natalensis and Phoma on, in India, 1472.

Cyamopsis psoraloides, almond calico virus on, 1756x.

-, Alternaria cucumerina on, transmission of, by seed, 3215a.

-, Cercospora aranetae on, in Philippines, symptoms of, 3216.

-, cherry rugose mosaic virus on, 1756x. -, Colletotrichum capsici f.sp. cyamopsicola on, in India, and *C. dematium* f.sp. truncata on, in U.S.A., 3215b.

*—, Leptosphaerulina australis on, in India, 1813.

- —, peach ringspot virus on, 1756x.

Xanthomonas cyamopsidis on, in U.S.A., 2936.

Cyanamide against Fusarium culmorum on carnation, 459.

Cyclamen, Nectria radicicola on, in Belgium, biology and control of, 1882.

root diseases, 964c.

persicum, Thielaviopsis basicola on, population density in relation to virulence of, 2507. Cycloconium oleaginum on olive, 2572.

Cycloheximide, see Actidione. Cydonia oblonga, see Quince.

Cylindrocarpon album in soil, 1427b.

radicicola, effect of pea roots on, 1427b.

in soil, 1427a, b, 3271.

- non-pathogenic to lupin, 1427a.

--- on barley, 1418. --- on bean, 2664. --- on pine, 1299.

on strawberry roots, 1427a. * - tonkinensis on potato, 219.

Cylindrocladium scoparium on rose, 467. *Cylindrosporium olivae on olive, 2844.

pruni-cerasi on fruit trees, 2529 Cymadothea trifolii on clover, 2823.

Cymbidium mosaic virus resembling Cattleya blossom brown necrotic streak virus, 1122. Cynara scolymus, see Artichoke.

Cynodon dactylon, Puccinia cynodontis on, in Mauritius, 3232e.

in

——, Pyrenophora U.S.S.R., 89. tritici-repentis on,

-, Ustilago cynodontis on, gall induction by, 2171.

Cyperus rotundus, Sclerotinia homoeocarpa on, in U.S.A., 470.

Cypress, see Cupressus.

Cyprex, fungicidal activity of, 981.

— -65W against Blumeriella jaapii on cherry, 769.

Cypripedium callosum, Erwinia carotovora on. in Germany, symptoms of, 3379.

*Cytisus × racemosus, Pleiochaeta setosa on, in Germany, symptoms of, 1117.

Cytospora decipiens on timber, 543a. - elaeagni, parasitism of, 1471.

-foetida on aspen, 3175.

-rubescens, effect of sodium fluoride on growth of, 2377.

sacchari on sugarcane, 1229.

Cytovirin against cucumber mosaic virus and potato virus Y on tobacco, 2403.

2-4-D against Eutypa armeniacae on apple, 1354d; as seed treatment for beet, 1315.

-, effect of, on fungi on fruit, 1390; Macrophomina phaseoli, 1788; Ustilago maydis on maize, 1539. [2-4-D] in combination, injury to apple, 1354d; jute, 2695c.

DAC 1683 against Hemileia vastatrix, 3230b. - 2787 against Corticium solani and Stemphy-lium solani on tomato, 2954c; as soil disinfectant, 2692b.

Dactuliophora elongata on Pennisetum typhoides, D. glycines on soybean, D. harrisii on sorghum, D. tarrii on Crotalaria juncea, Phaseolus and Vigna, 362. Dactylella candida and D. gephyropaga in soil,

1756r.

Dactylis, Fusarium and Trichoderma in rhizosphere of, antagonism of antibiotics in tissues to, 639.

- glomerata (Cocksfoot), Corynebacterium rathayi and Epichloe typhina on, in Denmark, 2172.

—, fungi on roots of, 3391.

- —, Mastigosporium rubricosum on, effect of, 151.

- - mottle virus on grasses, 1124.

--, Ophiobolus graminis on, spread and survival of, 2440.

-—, Puccinia striiformis on, effect of, 151.
-— streak virus on Dactylis glomerata,

simulated sward technique for assessing, 151. — on D. maritima and grasses, 1124.

on Lolium perenne, 2947c. - maritima, D. glomerata streak virus on, in

U.K., resistance to, 1124.

Dactynotus ambrosiae transmitting sugarcane

mosaic virus, 227. Dadap, see Erythrina lithosperma.

Daedalea, hyphal morphology of, 2395. -*quercina* on oak, 1275.

Daffodil, see Narcissus.

Dahlia, Cercospora grandissima on, in India, 1473.

*—, Malustela aeria on, in India, 1832.

- mosaic virus on Dahlia, 3380; transmission of, by vectors, 965k

— on Verbesina, 3380.

-, Phyllosticta dahliaecola on, in Chile, 1031. *—, Thielavia terricola on, in India, 1832.
— viruses, elimination of, by apical meristem

culture, 1020.

Dalbulus transmitting maize stunt virus, 3332. - maidis, effect of aster yellows virus on survival of, 1457

Damping-off of beet, 3; cauliflower, 1720; pine, 1702, 2906, 2907; trees, 552.

Damson (Prunus insititia), plum line pattern virus on, 1902.

Daphne odora virus on bean, 1821.

Darluca filum parasitic on Puccinia recondita, 1840.

Dasyscypha flavovirens on pine, 247.

*Date palm (Phoenix dactylifera), Graphiola phoenicis on, in Yugoslavia, biology of, 523. Datura, potato spindle tuber virus on, symptomless host of, 799.

-, - virus X on, diagnosis of, by fluorescent antibodies, 2950q.

- rugose leaf curl virus on clover, 733.

- virus 3 [D. distortion mosaic virus] str. on D. metel, 81; relationship of, with tobacco mottle virus str., 2877. -, watercress white spot virus on, acquired

immunity to, 3283.

*— inoxia, cucumber mosaic virus on, in Venezuela, 79.

[Datura] metel, (?) D. distortion mosaic virus str. on, in India, hosts, symptoms, and transmission of, by sap and vectors, 81.

-, raspberry ring spot virus on, differentiation between English and Scottish strs. and physical properties of, 772.

stramonium, Agrobacterium tumefaciens on, effect of, on weight of, 1375.

- —, Cercospora daturicola on, in India, 1920.

—, potato virus on, causing mosaic and vein-banding, 2228.

-, -- X on, factors affecting, 386u, 3013: premunity in, and strs. of, 1204.

-, Pseudomonas savastanoi on, pathogenicity of, 974.

-, tobacco etch virus on, electron microscopy of, 539.

-, - mosaic virus on, effect of temp. on resistance to, 2233; local lesions formed by, 2876.

- green and yellow strs. on, effect of, 1464.

-, viruses on, suppression, of, by factor from tobacco mosaic virus-infected Nicotiana glutinosa, 2418.

- tatula, potato virus X on, cytopathology of,

324s.

Daucus carota, see Carrot.

Dazomet as soil disinfectant, 1299.

DCNA against Penicillium digitatum on lemon, 3359; Rhizopus stolonifer on peach, 1169, 2554; on sweet potato, 537.

, effect of, on Rhizopus arrhizus, 2051a.

DD against *Poria hypolateritia* on tea, 3146; as soil disinfectant, 1232, 1346c, 2220.

—, effect of, on tobacco mosaic virus on

tomato, 3156.

in combination as soil disinfectant, 1259. DDAB in combination, effect of on apple,

DDT against vectors of aspen heart rot, 1694; of beet yellows virus, 566c; of golden flavescence of vine, 2685.

in combination against vectors of golden

flavescence of vine, 2685.

—, effect of on fruit set and yield of apple, 1617.

Deightoniella torulosa on banana, 192a. Delan against Hemileia vastatrix, 3230b; Pezicula alba and Venturia inaequalis on apple, 484.

Deleadenus attacking Rhododendron mycorrhiza, 622.

Delonix regia, C Singapore, 1437. Cercospora delonicis on, in

Delphacodes pellucida transmitting maize rough dwarf virus, 3034, 3335; oat dwarf tillering virus, 112.

-striatella transmitting maize rough dwarf virus, 3335; rice black-streaked virus, 2480g.

Demeton, alone and in combination against vectors of sugarcane mosaic virus, 226.

Dendrobium, Cercospora dendrobii on, symptoms of, 2955b.

-, Pseudomonas andropogonis on, in Hawaii, 465.

Dendroctonus associated with Ceratocystis on pine, 884.

2-deoxy-D-glucose, inhibition of spore germination of Glomerella cingulata by, 16.

Desmodium distortum and D. gyroides, cowpea virus can infect, 576.

Deuteromycetes, conservation of generic names

Deuterophoma tracheiphila on citrus, 135, 694, 700, 2493.

Dew, effect of, on Pyricularia oryzae on rice, 2699e.

Dexon against root necrosis of soybean, 557k. , effect of on root-rotting of sugarcane, 1664d.

— in combination against damping-off of beet,

Diachea leucopoda on strawberry, 2960.

Dialonectria pruni on plum, 2549.

Dianthus, carnation latent virus on, Chenopodium quinoa as indicator for, 3375.

- barbatus, Alternaria dianthicola on, in Chile, 1031.

caryophyllus, see Carnation.

Diaporthe aristata on timber, 2267.

- citri, effect of extracts from orange on, 1557.

on orange, 446, 1095.

-, similarity of some symptoms of Guignardia citri to, 1874.

kalmiae on Kalmia latifolia, 3384.
perniciosa on apple, 2, 489, 1152, 2948e.
on fruit trees, 2529.

on pear, 489.

- phaseolorum and D. p. vars. caulivora and sojae on soybean, 2003

Dibotryon morbosum on Prunus serotina, 2699j. Dichlone against Colletotrichum lagenarium on melon, 2676; Venturia pirina, 1354e.

, effect of on Agrobacterium tumefaciens on cherry and rosaceous hosts, 2198.

Dichloran against Alternaria porri on onion, 1732; Sclerotinia draytonii on Gladiolus, 2810; S. fructicola on apricot and peach, 1354a; S. sclerotiorum on bean, 1355h, 2934; on tomato, 1265.

p-dichlorobenzene against Peronospora tabacina, 2601.

Dichlorocresoxypentaethylene glycol, growthpromoting activity of, 11.

2,6-dichloro-4-nitroaniline, see DCNA. 1,3-dichloropropene, see Vorlex.

Didecyldimethyl ammonium bromide, see DDAB.

Didymella applanata on raspberry, 501, 1909.

lycopersici on tomato, 1257, *1961. Didymellina dianthi on carnation, 458.

Dieffenbachia, Leptosphaeria (?) culmorum and *Sclerotium rolfsii on, in U.S.A., 2954d.

picta, Glomerella cingulata on, in Denmark, 596a. Diehliomyces microsporus on mushroom, 1744.

Dieldrin against coffee phthiriosis, 2146. Difolatan against Alternaria solani on tomato, 1719; Blumeriella jaapii on cherry, 769; Botrytis cinerea on vine, 2691; Cercosporella brassicae and Colletotrichum higginsianum on turnip, 2657; Fusarium oxysporum f.sp. lycopersici on tomato, 1757a; Peronospora destructor and Sclerotinia squamosa on onion, 1719; Septoria apii-graveolentis on celery, 1719; Venturia inaequalis, 169; Verticillium alboatrum on tomato, 1757a; as soil disinfectant, 1757a, 2692h.

-, degradation of, by UV light, 618.

injury to apple, 169.

Digitalis grandiflora and D. laevigata, Septoria digitalis on, 1636.

[Digitalis] lanata, fungi on, in Czechoslovakia, 2574.

-, Septoria digitalis on, in Czechoslovakia, spread and survival of, 1636.

- lutea, Septoria digitalis on, 1636.

purpurea, Ramularia variabilis Czechoslovakia, 2574.

-, tobacco rattle virus [potato stem mottle virus str.] on, in Netherlands, symptoms of, 1348a.

Digitaria, Puccinia digitariae-vestitae on, 3078. - sanguinalis, Pyricularia grisea on, 2133.

- setigera, Pyricularia grisea f.sp. digitaria setigera on, 2133.

Dihydrostreptomycin against Corynebacterium michiganense on tomato; penetration and translocation of, 246.

-, toxicity of, to olive, 1186.
- sulphate, inhibition of *Phytophthora cacto*rum by, 638.

Dill (Anethum graveolens), Cercospora depressa f.sp. anethi on, 2950j.

Dilophospora alopecuri on Agrostis vulgaris, Calamagrostis, rye, and wheat, 1596.

Dimerium balsamicola on Coniferae needles, 3180.

Dimethylnaphthalene, toxicity of, to *Pseudo-monas savastanoi* and rusts, 1758a.

in combination, toxicity of, to Agrobacterium tumefaciens on tomato, 1758a.

Dimethyl sulphoxide in combination against Xanthomonas pruni on peach, 2699i. 3,5-dimethyl-tetrahydro-1,3,5,2H-thiadiazine-

2-thione, see Mylone. Dinitrobenzol in combination against Podo-

sphaera leucotricha and Venturia inaequalis; toxicity of, to apple, 751

2,4,-dinitro-1-naphthol derivatives *Podosphaera leucotricha*, 170. 2,4-dinitrophenol, effect of on absorption of

leucine and streptomycin by apple, 1616.

-, toxicity of, to Erysiphe graminis on barley and Podosphaera leucotricha and Venturia inaequalis, 2040.

2,4-dinitrophenol derivatives against Podosphaera leucotricha, 170.

2,6-dinitrophenol, toxicity of, to Erysiphe graminis on barley and Podosphaera leucotricha and Venturia inaequalis, 2040.

Dinitrophenyl crotonate against Podosphaera leucotricha, 964h.

Dinitrorhodanebenzene against Phyllactinia suffulta f.sp. moricola on mulberry, 1685.

- in combination against Phacidium infestans on pine, 3186; Streptomyces scabies on potato, 1218.

Dinitrorhodanebenzol against Podosphaera leucotricha, 751; Ustilago maydis on maize, 1539; Venturia inaequalis, 751.

Dinitro-o-sec-butylphenol, see DNOSBP.

4,6-dinitro-o-sec-butylphenol. alkanolanime salts, see DNBP.

Dinocap against Erysiphe cichoracearum on cucumber, 317n; E. graminis on oats, 1854; Podosphaera leucotricha, 169; Sphaerotheca mors-uvae on currants, 3111.

- injury to apple, 169.

versus 'A' product, 317n; versus binapacryl, 169.

- in combination against Erysiphe graminis on oats, 2468.

Dioscorea bulbifera, Cercospora dioscoreae on, in New Caledonia, 969d.

--, Gloeosporium pestis on, in India, 646. Diospyros kaki and D. virginiana, see Persim-

m-dioxanes, toxicity of, to Sclerotinia fructicola. 1759a.

Diphenyl against Diaporthe citri on orange, 446.

Diphenylmethane, toxicity of, to Pseudomonas savastanoi and rusts, 1758a.

- in combination, toxicity of, to Agrobacterium tumefaciens on tomato, 1758a.

Diplocarpon earlianum on strawberry, 386n, *505.

- rosae on rose, 617, 729.

Diplococcium pandani on Pandanus tectorius,

Diplodia gossypina on cotton, 1881.

—— on groundnut, 2006. — laurina on laurel, 854.

— macrospora on maize, 1858, *2082, 3277. — maydis on maize, *121, 1073, 1858, 3277. — on sorghum, 1867.

- —, use of, as test fungus, 2712. — natalensis on avocado pear, 775, 776.

— on custard apple, 1472. *-- on Feronia limonia, 82.

-- on guava, 192a.

— on Lagenaria leucantha, 1472. *-- on Trichosanthes palmata, 82.

— pinea on pine, 389a, 889.

- tumefaciens, Macrophomina tumefaciens transferred to, 258.

*Diplodina eurhododendri on Rhododendron, 2953.

Diquat against timber blue stain, 2917.

Discocainia treleasei proposed as new name for Atropellis treleasei, 1679f

Discula pinicola on timber, 3190.

Disyston against vectors of potato viruses, 1645t; sugarcane mosaic virus, 226.

Dithane against Alternaria solani on potato, 2232; Cercosporella brassicae and Colletotrichum higginsianum on turnip, Curvularia on areca palm, 2580b.

- M-22 against Aspergillus niger on groundnut,

1328; as seed treatment for wheat, 1518.

M45 against Alternaria solani on potato, 2232; Colletotrichum tabacum on tobacco, 2607; Mycosphaerella arachidicola and M. berkeleyii on groundnut, 1355c; M. ribis on currant, 2563; Phytophthora infestans on potato, 1653.

dyrene, maneb, 2232; thiram, versus

zineb, 2607.

- in combination against Mycosphaerella ribis on currant, 2563.

- Z78 against Phytophthora infestans on potato, 1653; Pseudopeziza ribis on currant, 2202.

residues on tobacco, 1952.

Dithianon against Taphrina deformans on

peach, 1354c.

Dithiocarbamates against Glomerella cingulata on coffee, 3230c; phycomycetes on rice, 2698b; Phytophthora infestans on potato, 616b; P. palmivora on cacao, 1833.

-, effect of on Uncinula necator on vine, 12.

- versus Bordeaux mixture, 616b.
- in combination against Puccinia graminis and P. recondita on wheat, 407.

Dithiocarbamic acid, antifungal activity of derivatives of, 338.

Ditylenchus dipsaci, relationship between Corynebacterium insidiosum and, 597a.

DNBP against Puccinia menthae on peppermint, 2849.

DNOC against bacteriosis of stone fruit trees, 2194; Rhacodiella vitis, 3226; Sclerotinia aucupariae on Sorbus sambucifolia, 1591. - in combination against Podosphaera leuco-

tricha, 3095.

DNOPC alone and in combination against Podosphaera leucotricha and Venturia inaequalis, 2537.

DNOSBP against Pseudoperonospora humuli,

Dodder (Cuscuta), Alternaria cuscutacidae on, 604.

not transmitting aster yellows virus str. on Primula, 3073; cassava mosaic, maize streak, and soybean witches' broom viruses, 2951c.

transmitting barley yellow dwarf virus, 397h; citrus exocortis virus, 2141.

virus disease, symptoms of, 3010.

Dodecyl boric acid as timber preservative, 3191. trimethyl ammonium bromide, toxicity of, to Stereum purpureum, 2330.

Dodine against Fusicladium effusum on pecan, 856; Pseudopeziza ribis on currants and gooseberry, 320c; Venturia inaequalis, 484. -, fungicidal activity of, 981.

- injury to currants and gooseberry, 320c; to

pecan, 856.

not controlling Xanthomonas pruni on peach, 2699i.

versus tetrachloroisophthalonitrile, 617. - in combination against Microsphaera alni on pecan, 857.

----, effect of, on fruit set and yield of apple, 1617.

acetate against Podosphaera leucotricha, 2537; Venturia inaequalis, 169, 483, 2537.

- injury to apple, 169.

- versus captan and organo mercury compounds, 483.

Doguadine against Colletotrichum lagenarium on melon, 2676.

Dolichos lablab, see Lablab niger.

enation mosaic virus on Lablab niger, 577. Dopamine in relation to Fusarium oxysporum f.sp. cubense on banana, 190, 509.

Dothichiza pityophila on Pseudotsuga menziesii, 893.

Dothidella ulei on Hevea rubber, 1221, 1943, 3234b.

Dothistroma pini on forest trees, 3166.

on pine, see Pine.

var. linearis on pine, 1705. Douglas fir, see Pseudotsuga menziesii.

Dowicide against Fusarium oxysporum f.sp. gladioli on Gladiolus, 727.

- B against fungi on Gladiolus, 1887.

Drepanopeziza populi-albae, D. populorum, and D. punctiformis on poplar, 2896.

Drisan as seed treatment for wheat, 1837b. Dryocoetes confusus, association of, wi Ceratocystis on Abies, 16791; C. dryocoetidis on A. lasiocarpa, 1699, 2901.

Dyes, use of in biology, book on, 2030.

Dyrene against Alternaria consortiale on cucumber, 1757d; Cylindrosporium on mulberry, 1181; Helminthosporium vagans on Poa pratensis, 3079; tomato diseases, 843 Venturia inaequalis, 3091.

[Dyrene], effect of tomato juice on toxicity of, to Botrytis cinerea on tomato, 1252; of, on chlorophyll content of rice leaves, 3352.

- versus Bayer 5114, 2209; dithane M.45,

2232.

- in combination against Stemphylium solani on tomato, 2954c.

Echallium elaterium not a host of watermelon mosaic virus, 2311.

—, see also Wild Cucumber.

Echinochloa crus-galli, Helminthosporium monoceras on, in Yugoslavia, cultural characteristics of, 3041.

frumentacea diseases, information on, 2127. EDDHA against peach chlorosis, 2840.

-, effect of, on lemon chlorosis, 2840. Eggplant (Solanum melongena), Ascochyta lycopersici on, in India, symptoms of, 391. *-, Cercospora solani-melongenae on, in Fiji, 1351b.

-, Fusarium solani and F. s. ff.sp. martii and minus on, in India, 1831.

-, Peronospora tabacina on, 2085.

-, Phytophthora nicotianae var. parasitica on,

pathogenicity to tomato, 2616.

Pseudomonas solanacearum on, in India, 609; Kenya, 2697a; effect of ratio of virulent to avirulent cells on severity of, 236; physiologic races of, 2697a.

-, stolbur virus on, in Bulgaria, booklet on, 2078.

-, Verticillium alboatrum on, in France, 321. — dahliae on, in N.Z., 3007; control, 3228f; development of, in relation to nutrition, 3263; relationship of Pratylenchus penetrans to, 597a; resistance to, 3229e.

Elaeagnus, actinomycetes on root nodules of, isolation and properties of, 26.

Elaeis guineensis, see Oil Palm.

Elcide 73 against Fusarium oxysporum f.sp. gladioli on Gladiolus, 727.

Elder (Sambucus) ring mosaic in Denmark, transmission of, by budding, 596c.

-, strawberry latent ring spot virus on, 773.

Electron microscopy, interpretation of spore germination by, 2021; in mycology and plant pathology, 2021.

Eleusine coracana diseases, information on, 2127.

Elm (Ulmus), Ceratocystis ulmi on, in Canada, *88, 1679e; N. America and Spain, 251; U.S.A., 2892; U.S.S.R., 2623; Yugoslavia, 3164; chemical analysis of cell wall of, 852; control, 846, 1679e, 1683; factors affecting, 2623; geographical distribution and hosts of, 846; perithecial state of, 251; resistance of, 1681; review of, 851; study on, 853, 2624; transmission of, by root graft, 1683; vectors, 1271, 1682; var. reaction to, 543c, 1271, 2623.

-, fungi in slime flux of, 2625.

- mycorrhiza, endotrophic, anatomy of, 23. -, Ophiostoma roboris on, control, 855.

-, Pichia pastoris, Prototheca ciferri, P. moriformis, P. zopfii, and Trichosporon penicil-latum on, 2625.

Verticillium alboatrum on, var. reaction to, 543c.

virus, ?str. of tomato ring spot virus, 1679a.

Elosal against Uromyces appendiculatus on bean, 920.

Elsinoe fawcettii on citrus, 2489, 3358.

- heveae on Hevea rubber, 3234b.

— veneta on loganberry, 1354g. — on raspberry, 1908. Elymana sulphurella (?)transmitting maize rough dwarf and stripe virus, 3034. Elymus, Puccinia graminis on, 3020a.

Elytroderma deformans on pine, 882, *883. Emericellopsis humicola, inhibition of Pythium graminicola by, 2386.

EMP as seed treatment against damping-off of beet, 3.

Empusa, exclusion of, from Entomophthora, 2342. Emulsogen A and emulsogen I 40, alone and

in combination, effect of, on Mycosphaerella musicola on banana, 1178.

*Endive (Cichorium endivia), Alternaria cichorii on, in Austria, 3014.

Pseudomonas cichorii on, in U.S.A., 1311. (?) Endogone associated with avocado pear mycorrhiza, 2212.

Endothia parasitica on chestnut, see Chestnut. Endria inimica transmitting wheat striate mosaic virus, 1037.

Endrin against vectors of blackcurrant reversion virus, 2562

Entomophthora in Sweden, 2342.

aphidis on Schizolachnus pini-radiatae, 2039. *Entyloma polysporum on Calendula officinalis,

EP-201 as soil fumigant, 968c. Ephelis oryzae on rice, 2787.

Epichloe typhina on Dactylis glomerata, 2172. Epicoccum nigrum, antagonism of, to Alternaria, 3238.

, effect of on Cochliobolus sativus on wheat, 3025.

- — on Guizotia abyssinica, 515.

- — on Zizyphus jujuba, 1915.

Epiphyllum virus disease, transmission of, by sap, 2498.

Epipolaeum abietis, E. pseudotsugae, E. terrieri, and E. tsugae on Coniferae needles, 3180.

Ergot, see Claviceps purpurea. Erica gracilis, Olpidium, Pestalotiopsis, and Phytophthora on, 148.

Erigeron canadensis, aster yellows virus on, transmission of, by vectors, 2404.

Eriobotrya japonica, see Loquat.

Erwinia amylovora, β-glucosidase activity in, 386m, 1900.

inhibition of growth of, by antibiotics and Bacillus subtilis, 978; by yellow bacterium near to E. amylovora, 324f.

- on apple, see Apple.

— on cowpea, *324j, 1372. — on *Crataegus*, 1768, 2187. — on fruit trees, 2532.

- on pear, see Pear. – on Sorbus aria, 2187.

- aroideae, growth and nutrient requirements of, 2966.

-— on cabbage, Chinese, in storage, 2273.
-— on potato, 386v, 2948c.

--, serological method for diagnosing, 651. — atroseptica on broad bean, 1325.

— on cabbage, Chinese, in storage, 2273.

on potato, see Potato. technique for tracing in plant tissue,

1368.

[Erwinia] carotovora, chemical composition of cell walls of, in comparison with Agrobacterium tumefaciens, 8.

, effect of on Armillaria mellea on timber. 318a.

— on bean, 2964.

- — on Cypripedium callosum, 3379.

— on maize, 124, 1544. — on potato, see Potato. — on rice, 2139.

- —, pectolytic activity in, 1371.

- f. citrullus, suggested as name for watermelon bacteriosis, 3220.

-f.sp. zeae on maize, 124.

- herbicola, E. lathyri and Xanthomonas trifolii reclassified as, 7

- lathyri reclassified as E. herbicola, 7.

- tracheiphila on cucumber, 2315.

Erysiphaceae, book on chemical control of, 2356.

- in Queensland, 62.

Erysiphales on fodder grasses, 2067.

Erysiphe betae, technique for evaluating fungicides against, 1388.

— cichoracearum on Baccharis pilularis, 1767.

— on broad bean, 2928. — on cantaloupe, 321. — on cucumber, 17, 317n, 2313, 2355.

— on Cucurbitaceae, 1736. -- on Phlox paniculata, 3072.

— on sunflower, 626. — on tobacco, 1672, 2598, 2606.

— on watermelon, 954.

 communis f.sp. trifolii on clover, 155b.
 graminis, factors affecting germination of conidia of, 2105. on Agropyron semicostatum, 419.

- — on barley, see Barley.

— on cereals, 414.

-- on *Hordeum* spp., 1521c.

-- on oats, 2674. *-- on rye, 2693e. -- on wheat, see Wheat.

- and E. horridula, technique for evaluating fungicides against, 1388.

- malachrae on cotton, renamed Salmonia malachrae, 139. - martii on lupin, 2509.

-, technique for evaluating fungicides against, 1388.

— polygoni on bean, 918, 2289, 2659. — on beet, 1315, 2278, 2329a. - - on cabbage, 1991.

(?)—— on clover, 733, 1893.

- on Convolvulus, 2355. — on pea, 1319.

*Erythrina lithosperma, Oidium on, in Ceylon, 1232.

Erythromycin, inhibition of Phytophthora

cactorum by, 638.

—, resistance of mutants of Xanthomonas campestris to, 2965.

Erythroneura mori not transmitting mulberry mosaic virus, 2248.

Escarole, see Endive.

Escherichia coli, effect of high partial pressures of oxygen on, 2379.

Esso C oil against Mycosphaerella musicola,

- Process 95, against powdery mildews, 2355. ---, effect of, on Oidium conidia, 2355.

Ethanol as timber preservative, 1303.

Ethyl alcohol, see Ethanol.

mercuric thiosalicylic acid as seed treatment for Leguminosae and wheat, 1385.

mercury as seed treatment for tobacco, toxicity of, 965a.

phosphate against Pleospora bjoerlingii on beet, 1313b.

-parathion against Puccinia coronata on Lolium perenne, 2820.
Ethylan CP in combination against Erysiphe

graminis on oats, 2468. Ethylene, effect of Botrytis on production of, by carnation, 726.

Ethylenebis (thiocarbamyl) disulphide in cells of Colletotrichum capsicum following exposure to, 985.

-diaminetetra-acetic acid, relationship between timber preservatives and, 273.

Eucalyptus, Agrobacterium tumefaciens on, in Chile, 552. diseases, legislation against, in Morocco.

-, Polyporus balsameus, P. dryadeus, P. zonalis, and Poria monticola on, effect of extracts from, on, and thiamine requirement of,

-calophylla and E. ficifolia, Sporotrichum destructor on, 547.

- globulus, Botrytis (?)cinerea on, in Chile, 552.

-, Pestalotia eucalypti on, 2398.

*- rostrata, virus on, in Italy, symptoms and transmission of, by chip budding, 253.

Euchlaena mexicana, maize virus on, 397o. Eurotium heterocaryoticum on stored rice, 3347. Euscelis plebejus transmitting clover virus disease, 734; (?)maize rough dwarf and stripe virus, 3034.

Eutettix tenella, see Circulifer tenellus. Eutypa armeniacae on apple, 1354d.
— on apricot, 1356g, 2193.

– on Prunus demissa, 1906.

*Eutypella gliricidiae on Gliricidia sepium, 3142. Exobasidium japonicum on Rhododendron, 1031. *Exosporium stilbaceum on oil palm, 3126.

Fabraea maculata on pear, 757.

Fabrics, micro-organisms on, control, 1397b. Fagopyrum esculentum, see Buckwheat. Fagus, see Beech.

Falisan as seed treatment for beet, 3202. Fasko-mylone against root rot of mulberry,

1181.

morphological characteristics Favolus, hyphae of, 2395.

Feddan against Puccinia graminis on wheat,

Fennel, see Foeniculum vulgare.

Fentin acetate against Mycosphaerella musicola on banana, 2566; Phytophthora infestans on potato, 3134.

Fenugreek, see Trigonella foenum-graecum.

Ferbam, against Cercospora dendrobii on Dendrobium, 2955b; Colletotrichum fuscum on Rochea coccinea, 965n; Corticium areolatum on orange, 601; C. solani on pine, 1289; Cronartium strobilinum on pine, 1292; Elsinoe fawcettii on lemon, 3358; Helmin-thosporium heveae, 1221; Peronospora taba-cina, 2236e, f, 2601; Phacidium infestans on pine, 3186; Phyllosticta rabiei on Cicer arietinum, 2303; Pseudoperonospora humuli, 3118; Pythium on pine, 1289; Rhacodiella vitis, 3226; Sclerotium rolfsii on Vanda, 2167; Venturia inaequalis, 1136.

[Ferbam] versus Bordeaux mixture, 2236f.

Fernasan as seed treatment for wheat, 1837b. Feronia limonia, Aspergillus niger, *Diplodia natalensis, Mucor mucedo, Rhizopus stolonifer and *Trichothecium roseum on, in India, 82.

Ferric and Ferrous, see Iron.

Fertilizers as seed treatment for larch, 3182.

- -, effect of, on apple dieback, 2546; apple seeds, 3094; barley stripe mosaic virus, 108; beet black leg, 1314, 3202; beet black root, 2950n; boron deficiency in forage crops, 356; Botrytis cinerea on tomato, 2613; Cercosporella herpotrichoides on wheat, 1845, 2107; Cu deficiency in wheat, 2458; Corticium solani on potato, 784g; Erysiphe polygoni on beet, 1315; fungi on wheat, 415; Fusarium on potato, 811; F. and F. oxysporum on sweet potato, 2865; Helicobasidium purpureum on beet and potato, 2429; hop curl disease, 1755k; Leptosphaeria avenaria on oats, 683; Lophodermium pinastri on pine, 1708, 2642; Macrophomina phaseoli on *Hibiscus sabdariffa*, 1352c; mineral imbalances in carnations, 460; mycorrhizal formation in Coniferae, 24; orange water spot, 138; Peronospora parasitica on cabbage, 560; Phoma rostrupii on carrot, 949; Phyllactinia suffulta f.sp. moricola on mulberry, 1685; Phytophthora cactorum on apple, 638; P. nicotianae var. parasitica on Hibiscus sabdariffa, 1352c; Plasmodiophora brassicae on cabbage, 902; potassium deficiency in maize, 3341; in potato, 1941; potato virus Y, 2225; Puccinia graminis on wheat, 93, 1488, 1493; P. menthae on peppermint, 2217; P. recondita and P. striiformis on wheat, 1045, 1488; rice bronzing, 3350a; rice khaira disease, 3351; Septoria tritici on wheat, 672; soil micro cranisms 638; wheat, 672; soil micro-organisms, 638; Stemphylium radicinum on carrot, 949; sun scald of box, 1884; Verticillium dahliae on cotton, 1567; virus diseases of potato, 1926, 1927, 3129g; winter injury of box, 1884; Xanthomonas vesicatoria on Capsicum, 958; on tomato, 3162.
- Festuca, Pyrenophora lolii on, effect of, on, 151.
- pratensis, barley yellow dwarf virus on, in Sweden; isolates of and transmission of, by vectors, 2774.
- rubra, Corticium fuciforme on, 2819.
- -, effect of hydrogen cyanide produced by Marasmius oreades on, 3393.
- -, Fusarium roseum on, factors affecting, 386g.
- -—, Ophiobolus graminis on, spread and survival of, 2440.

Fibreboard, Alternaria on, 274.

- *Ficus bengalensis, Bartalinia robillardoides on. in India, 1832.
- Fig (Ficus carica), boron deficiency in, in Argentina, symptoms of, 2389.
- -, Cerotelium fici on, in Yugoslavia, 1914.
- mosaic virus, transmission of, by vectors, 597b.

Fish, phycomycetes on, 1397c.

-, salted, Torula nikitinskii on, in U.S.S.R., 1775.

Flavensomycin against tobacco mosaic virus on bean and Trichometasphaeria turcica on maize, 2717.

-, isolation of, from str. of Streptomyces griseus, 2717.

not controlling Puccinia sorghi, 2717.

Flax (Linum usitatissimum), Ascochyta linicola on, 142.

, aster yellows virus + oats blue dwarf virus on, transmission of, by vectors, 721.

—, Aureobasidium pullulans var. lini on, var. reaction to, 2155.

beet pseudo-yellows virus on, in U.S.A., -, beet 2277.

, Botrytis cinerea on, control, 142, 3370; factors affecting, study on, and transmission of, by seed, 3370. -, Colletotrichum linicola on, control, 1393.

-, Corticium solani on, in U.S.A., 2698d.

- diseases in Victoria, 86.

-, Fusarium oxysporum ff.sp. on, cross protection conferred by, 324a.

-- f.sp. callistephi on, 1109.

-f.sp. lini on, in Argentina, 2802;

control, 1393.

Connada, 1357; India, 722; C.M.I. description of, 2739; control, 722; effect of, on yield, 2802; factors affecting, 2802; genetics of, 143, 3371; physiologic races of, 3372; var. reaction to, 722, 1357, 2155, 3372.

-, micro-organisms in rhizosphere of, antagonism of, to Fusarium oxysporum f.sp. lini,

3269.

, Mycosphaerella linorum on, in Argentina, 2802.

-, oats blue dwarf virus + aster yellows virus on, transmission of, by vectors, 721. -, *Peronospora parasitica* on, in Poland, 1634.

-, Septoria linicola on, in Canada, 2953.

, Verticillium dahliae on, 1429.

Fluorine injury to plants in Switzerland, 2983a; to stone fruits in Switzerland, 2983b. compounds, effect of on plants, 3250.

-, injury to wheat, 2097.

, technique for estimating in plants, 3250. -chrome-arsenate dinitrophenol mixture as timber preservative, 1988. Fluorobarium against *Puccinia striiformis* on

wheat, 2097.

5-fluorodeoxyuridine, effect of, on DNA and mitotic recombination in Ustilago maydis, 1070; on replication of tobacco mosaic virus. 3148.

Fodder grasses, Erysiphales and Uredinales on, in U.S.S.R., 2067.

Foeniculum capillaceum inflorescence blight and fruit decay, association of bacteria and insects with, 2573.

, Xanthomonas translucens on, 2573.

-vulgare, Cercospora depressa f.sp. foeniculi on, 2950j.

-, Phoma anethi and P. rostrupii on, 2950j. -, Sclerotinia minor on, in Italy, *278, *390; orphology and symptoms of, 278. morphology and symptoms of,

--, Verticillium on, in Italy, 390.

Folic acid, effect of on growth of Fusarium

oxysporum f.sp. cumini, 1192. Folpet against Alternaria longipes on tobacco, 2698i; Botrytis cinerea on strawberry, 506; Diplocarpon rosae on rose, 729; Pezicula alba on apple, 484; Sphaerotheca pannosa on rose, 729; Venturia inaequalis, 484.

[Folpet], effect of on poplar leaf epidermal tissues and Uncinula necator on vine, 12.

versus captan, 484.

- Fomes allardii on trees, 3168.
- annosus, antagonism of Scytalidium album and S. aurantiacum to, 2918.

-, cellulolytic activity of, 324k. — —, cultural studies on, 1286a. — —, diagnosis of, 1286d.

--, effect of microbial interactions and substrate on, 1288; of phytoncides on, 341.

— on Abies, 872, 873. *— on A. fraseri, 2635. — on broad-leaf trees, 2259.

— — on cedar, 874. — — on Coniferae, 2259, 2634.

— — on forest trees, 845.

- on larch, 1283, 1978.
- on pine, see Pine.
- — on *Pseudotsuga menziesii*, 1679k.

— — on spruce, 873.

- on timber, 543f, i, 1987. —, release of basidiospores by, 1759g.
- —, review of literature on, 1286. ——, suction pressure of, 1287.

— calignosus on trees, 3168.

- caryophylli on Shorea robusta, 3177.

-fomentarius, inhibition of, by griseofulvin

- and janthinellin, 1395.
 on aspen, 3175. — — on forest trees, 845. igniarius on aspen, 3175.
 on forest trees, 544. — — on forest trees,
- on poplar, 3173. f.sp. tremulae on aspen, 1694. - var. populinus on aspen, 262.

— lamaensis on trees, 969d. — lignosus on cacao, 2432e.

- -- on Hevea rubber, see Rubber.
- on papaw, 969c. on pepper, black, 4. --- linteus, on trees, 3168. - noxius on cacao, 1483.

— on Hevea rubber, 222, 224, 1222d.

— on tea, 1233a.

- officinalis on larch, 1283, 1978.

- pini, change in colour of basidiospores of, 1013.
- — on Abies, 1679d, 1696. *— — on A. fraseri, 2635.
- — on forest trees, 544. — on larch, 1283, 1978.

— — on pine, 1709.

— — on Pseudotsuga menziesii, 1696.

— — on timber, 2919.

- pinicola, effect of surfactants on, 324e.

– — on Abies sibirica, 1281.

— — on forest trees, 845. — on larch, 1285, 1978.

- robustus on Abies sibirica, 1281.

- roseus, inhibition of, by griseofulvin and janthinellin, 1395.

- on larch, 1978.

- ---, serological comparison of, with F. subroseus, 1438.
- sublinteus on trees, 3168.
- subroseus on larch, 1978.
- —, serological comparison of, with F. roseus, 1438.
- Forest anicon for eradicating barberry, 1755b. - soil, fungi in, mutual antagonism of, 3167.

[Forest] trees, Botrytis cinerea on, symptoms of, 869.

-, diseases of, in Formosa, 2620; Spain, 2633; U.S.A., 1963; breeding against and control, 1963; survey of, 2620.

-, Dothistroma pini on, in E. Africa, 3166. -, Fomes annosus, F. fomentarius, and F. pinicola on, in U.S.S.R., 845.
-, fungi on, in Canada, 544; U.S.S.R., 1471.

mycorrhiza, anatomy of, 23; survey of, 3253.

-, mycotrophy of, 1407.

- -, Polyporaceae and Polyporus betulinus on, in Ú.S.S.R., 845.

, Rhynchosphaeria cupressi on, in E.

Africa, 3166.

Formaldehyde against Ascochyta rabiei on Cicer arietinum, 299; Botrytis cinerea on grapes, 1342; Erwinia on potato, 815; Mycogone perniciosa on mushroom 2680; Pseudomonas marginata on Gladiolus, 3070; seedling blackleg of vegetables, 558; Sclerotium rolfsii, 986; Streptomyces scabies on potato, 815; Uromyces betae on beet, 566a; Verticillium malthousei on mushroom, 2680; 'weary carrot', 2694; as bulb dip for hyacinth, Narcissus, and tulip, 3062; green-house fumigant, 2241; seed treatment for barley and oats, 3295a; for beet, 3202; for pine and spruce, 2637; for wheat, 3295b; as soil disinfectant, 491, 558, 641, 891, 1299, 2327m, 2626, 2627.

, effect of irradiation with, in air, on bean, Petunia, and tobacco, 1778; of on bulbs and flowers of hyacinth, Narcissus, and tulip, 3062; on mycorrhizal development in forest nurseries, 2365; on tobacco mosaic virus on tomato, 3156; on Trichoderma viride in soil,

2365.

- in combination as seed treatment for pine and as soil disinfectant, 1290.
- versus phytobacteriomycin, 720.

- sorbent S as seed treatment for pine and as soil disinfectant, 2253.

Formicococcus greeni, (?) Polyporus on exudates from, association of, with coffee phthiriosis, 2146.

Formol against Pleospora papaveracea on poppy, 1195.

as soil disinfectant, 780.

Formothion against vectors of vine golden flavescence, 2685.

Fragaria ananassa, see Strawberry.

vesca, see Strawberry.

Fraxinus, see Ash.

*Freesia, Alternaria tenuissima and Venturia on, in Mauritius, 3232e.

-, production of virus-free, by meristem culture, 2166.

Freon-113 as dispersal medium for uredospores of Puccinia graminis on wheat, 2089.

Fruit breeding in Yugoslavia, survey of literature on, 1135.

diseases in Canada, 1602; C. America, 1603; India, 82, 192a; U.S.A., 1829b; W. Australia, 87; Yugoslavia, 1135; control, publications on, 3085, 3086, 3087.

Fuchsia, Pucciniastrum epilobii on, in N.Z.; taxonomy of, 2508.

-, Uredo fuchsiae on, uredial stage of Pucciniastrum epilobii, 2508.

Fuclasin against Cercospora beticola on beet, 566d; Diaporthe perniciosa on apple and pear, 489; Phytophthora infestans on potato, 805; Taphrina deformans on peach, 762; tomato diseases, 843. versus Bordeaux mixture, 566d. Fuel oil in combination as timber preservative, -tanks, Cladosporium resinae in, 1398. Fungal hypha, the, Presidential Address on, British Mycological Society, 2029. Fungi, Atlas of, in Czechoslovakia, 1430. - cell wall structure in, 1; of spores, 1413. -, culture of, on synthetic sponge media, 1446. -, edible and poisonous, book on, 1367. -, injurious to animals and man, biology of, 1. -, hist of, in Bolivia, 60; Guinea, 60; Hebrides, 1005; Lithuania, 2063; Poland, 2392; Portugal, 1434, 2394; Romania, 2393; U.S.S.R., 59, 1470, 2066, 2740, 3275. -, morphology and phylogeny of, 2nd edition of book on, 1362. -, review of interactions of, with bacteria and nematodes, 2026. -, UV absorbing substances in, 2046, 2380. -, viability of, in liquid nitrogen, 630. - Imperfecti, as source of edible protein, 1397g. --, criteria for classification of, 1. -, marine, illustrations for identification of, 1432b. -, --, synoptic plates of, 1432a. seed-borne, descriptions of, 326; geographical distribution of, 1359. thermophilic, biology, activities, and classification, book on, 2963. Fungicides, official testing of, 1755g. —, prospects and retrospects of, 613. —, review of recent work on, 612, 1383.
—, technique for evaluation of, 2712.

Fungitox OP alone and in combination as seed treatment for beet, 2281. T as seed treatment for pea, 2281. Fusaric acid, role of, in plant diseases, 1784. Fusarium acuminatum on wheat, 1515. argillaceum on beet, 1316. - arthrosporoides on cucumber, tomato, and Vigna sesquipedalis, 2430. - avenaceum, effect of high partial pressure of oxygen on, 2379. — in maize rhizosphere, 1864. — on bean, 1421. — on broad bean, (?)930, 1325. - — on cereals, 56. - — on maize, 2118, 3340. - — on onion, 2428. on Rhododendron indicum, 2818.

- on wheat, 1514.

-- in soil, 1423.

— — on pine, 1290.

— on potato, 203.

— on carnation, 459.

- batatatis var. vanillae on Vanilla, 202.

— on broad bean, (?)930, 1325.

--- on cereals, 56.
--- on cucumber, 2950m, 3221.
--- on maize, 3340.
--- on oats, 1535.

— on turf, 3076a, b. — on wheat, 415, 1354h, 1514, 2455.

[Fusarium] equiseti on cotton and onion, 2428. - — on wheat roots, 1515. - gibbosum on maize, 1073. - javanicum in maize rhizosphere, 1864. - nivale, see Griphosphaeria nivalis. -- var. larvarum, enzyme activity of, 2950o. - orthoceras on broad bean, 1728. *- orthosporoides on coffee, 599b. - oxysporum, antagonism of fungi in desert plant rhizospheres to, 2387. -, association of, with plant roots, 354; white clover mosaic virus, 386j. -, detection of esterases and phosphatases in, 1796. --, distinction of, from F. solani, 968d ——, effect of, on pea phytoalexin, 30.
—— in soil, see Soil. — — on Acer saccharinum, 847. - on Asparagus, 2308, 3233. -- on aster, 386c. — on banana, 192a. — on barley, 1418. — on bean, 2664. (?)—— on broad bean, 930, 1325. - on cacao, 1758c. — — on Carnegiea gigantea, 1585. — — on Cassia tora, 2830. — on Chrysanthemum, 386c. — — on clover, 736, 2827. — — on coffee, 708. — on cowpea, 386c. — — on cucumber, 2314, 3221. -- on Cucurbitaceae, 1736. *-- on Digitalis lanata, 2574. -- on lucerne, 3080. *— — on Luffa cylindrica, 82. — — on lupin, 2086. — on maize, 1073, 2783, 3340. — — on melon, 3233. — — on Momordica charantia, 1472. — — on onion, 2428. - — on ornamentals, 1882. — on Panicum miliaceum, 129. — — on pine, 2254, 2907. - on Rhododendron indicum, 2818. — — on soybean, 2298. — on sweet potato, 2865, 2866. — on tomato, 3233. — — on Zizyphus jujuba, 1472. -, production of fungal morphogen by, 347. —, properties of staling substance from, 1415. -, resistance of, to colchicine, 991. , serological comparison with F. solani and Gibberella fujikuroi, 1007. -ff.sp. on plants, cross protection conferred by, 324a. - caeruleum on potato, 203, 2863. - culmorum, association of, with Asparagus 'fusariosis', 2308. -f.sp. asparagi on Asparagus, 390, 2308. f.sp. batatas on sweet potato, 818, 819, 2698h, 2866. – f.sp. *callistephi* in soil, 49, ———— on aster, 1109, 1583, 3387. --- on Tagetes, 3387. *- f.sp. cattleyae on orchid, 2955a. ---- f.sp. cepae on onion, 2670. -- f.sp. conglutinans on cabbage, 2650. - f.sp. cubense, 3-indoleacetic acid from,

> — on banana, see Banana. - f.sp. cucumerinum on cucumber 2313

386p.

```
[Fusarium oxysporum] f.sp. cumini can in-
                                                [Fusarium roseum f.sp.] culmorum, effect of
  fect carrot, 1191.
                                                  pentaerythritol derivatives on, 2979.
    ----, effect of vitamins on, 1192.
                                                  - sambucinum on Rhododendron indicum, 2818.
 - scirpi on maize, 3340.
                                                — — on oats, 1535.
 - f.sp. dianthi on carnation, 458.
                                                - semitectum on coffee, 708.
- on cotton, 2428.
- on pine, 1290.
  --- gladioli, effect of 1-substituted pyri-
  dines on, 982.
    ——— on Gladiolus, see Gladiolus.
                                                — — on sesame, 1350d.
                                                --- glycines on soybean, 2004.
 -- - lini, effect of amino acids and vitamins
  on, 1002.
    --- on flax, 1393, 2802, 3269.
      — on linseed, 1103, 2804a, b.
                                                — in soil, see Soil.
 — — lupini, arabanases in, 2725.
                                                — — on Acer saccharinum, 847.
                                                — on aspen, 2898.
— on broad bean, (?)730, 2002.
      — on lupin, 478.
 – — lycopersici,
                      Aphelenchus
                                       avenae
  attracted by, 1380.
                                                — on cacao, 1758c
    ----, arabanases in, 2725.
                                                — — on Capsicum, 1831.
       ---, decomposition of, by Arthrobacter,
                                                — — on Carnegiea gigantea, 1585.
                                                — — on clover, 736, 2827.
— — on cotton, 2428.
  1804.
 ---- growth-promoting activity of, 241.
 ----, inhibition of, by almarcetin, 2716.
----, serological study on, 3159.
                                                —— on cucumber, 2313, 2430, 2950m, 3221.
                                                — -- on eggplant, 1831
  --- medicaginis on Cassia tora, cotton,
                                                — — on groundnut, 3217.
  lucerne, and lupin, 2830.
                                                — — on Liriodendron tulipifera, 2893.
 —— melonis on cantaloupe, 321.
                                                — — on Maesopsis eminii, 254.
  --- on melon, 357a, b.
                                                —— on oats, 1535.
*-- micotianae on tobacco, 598a.
                                                — on pine, 1290.
 — — niveum on watermelon, 2954f.
                                                —— on tomato, 2430.
                                                — — on Vigna sesquipedalis, 2430.
 — — phaseoli on bean, 919.
 ———— on lucerne, 2830.
                                                — — on Vinca rosea, 468.
——— pisi, arabanases in, 2725.
                                                     , serological comparison of F. oxysporum,
 --- on pea, see Pea.
                                                  Gibberella fujikuroi, and, 1007.
                                                 -- f.sp. eumartii on potato, 1924.
 — — psidii on guava, 511.
——— raphani in soil and on radish, 282.
                                                 — — martii on Capsicum and eggplant, 1831.
——— minus on Capsicum, eggplant, and
                                                  tomato, 1831.
                                                    -- phaseoli, effect of C and N compounds
 --- sesami in soil and on sesame, 2855.
 ——— tracheiphilum, factors affecting, 2698n.
                                                  on germination of chlamydospores of, 2291;
                                                  of decomposition products on, 968b.
——— in soil, 294, 634, 1802.
———— on Chrysanthemum, 3377.
——— on lucerne, 2830.
  --- on bean, see Bean.
                                                  ---- on Phaseolus, 3210.
  966b.
                                                  ---, utilization of inorganic N by,
         - on cotton, see Cotton.
 ____ on lucerne, 2830.
                                                  3241.
— poae on maize, 3340.
— — on wheat, 1514.
                                                       - piperis on black pepper, 600c, 3234e.
                                                   -- pisi, Hypomyces solani f.sp. pisi,
                                                  perfect state of, 364.

— — — in soil, 1805.

— — — on pea, 293, 557h, 914.
- redolens, association of, with white clover
  mosaic virus, 386j.
  - C.M.I. description of, 56.
 — — on lupin, 478.
— — on potato, 2082.
                                                — — radicicola on potato, 810.
                                                  --- robiniae, hosts of; proposed name for
- roseum in nests of Vespula, 2970.
                                                  fungus on Robinia pseudoacacia, 1972.
--- in soil, 2736.
                                                - sporotrichiella on maize, 1073.
  - - on Agrostis tenuis, 386g.
                                                — — on wheat, 415.
*--- on banana, 1472.
                                                - sporotrichioides on maize, 3340.
—— on cacao, 1758c.
                                                - stilboides on coffee, 56, 708.
— — on clover, 736, 2827.
                                                 - tricinctum on Acer saccharinum, 847.
— — on cucumber, 1472, 2313.
                                                 - udum, inhibition of, by pigeon pea mosaic
                                                  virus, 2695a.
— — on Festuca rubra, 386g.
— — on lupin, 478.
                                                    - on pigeon pea, 2044.
                                                  - xylarioides, detection of esterases and
— on Poa pratensis, 386g.
                                                   phosphatases in, 1796.
— — on potato, 810.
 — on Strelitzia reginae, 3074.
                                                 Fusicladium effusum on pecan, 856.
                                                  --, physiological studies on, 1688.
  - parasitizing Puccinia graminis on wheat,
                                                Fusicoccin, production of, by Fusicoccum amygdali, 348.
  2090.
 — f.sp. cerealis in soil, 1802.
                                                  - A, effect of, on almond, tomato, 348.
 ____ on carnation, 2054.
                                                Fusicoccum amygdali on peach, 1168.
  ___, utilization of inorganic N by,
                                                  - —, production of fusicoccin by, 348.
```

32411.

[Fusicoccum] araucariae on Araucaria imbricata, 389b.

putrefaciens on Vaccinium corymbosum, 499.

Fusidium viridae, in vitro interactions between other fungi and, 3239.

Fycol against *Phytophthora palmivora* on *Hevea* rubber, 1225.

Fylomac 90 against Fomes lignosus on pepper,

Fytolan against Xanthomonas campestris on cauliflower, 2653.

Gallic acid, effect of, on Sclerotinia ricini, 2576. Gamma radiation against fruit storage decays,

-, effect of, on Botrytis cinerea, 1787; on fungi on fruit, 160; on Jonathan freckle and Jonathan spot on stored apples, 3101; on Penicillium expansum, 1787, 3101; on tobacco mosaic virus on tomato, 3156. - injury to apple, 3101.

Ganoderma lucidum on oil palm, 969f, 1641.

on timber, 1984.

— pseudoferreum on Hevea rubber, 222, 1222d.

- resinosum on Abies sibirica, 1281.

*Gardenia, Colletotrichum gardeniarum on, in India, 2084b.

Garlic (Allium sativum), Alternaria porri on, 1733.

-, Botrytis allii on, and 'greasiness', 2307. Macrophomina phaseoli on, symptoms of,

1734. -, Melampsora allii-fragilis, M. allii-populina,

and Penicillium corymbiferum on, 2307.

—, Puccinia allii on, 2307; in Egypt, 94b. -, Sclerotinia porri on, self-fertility in, 945. , Sclerotium cepivorum on, 2307; in France,

1735; penetration of, 304. virus diseases, 2307, 2648.

Geotrichum candidum, inhibition of, by Pseudomonas syringae, 1756s.

on carrot, 950.

on Citrullus vulgaris var. fistulosus, 1472.

on Sechium edule, 1472. on tomato, 2244.

Geranium dissectum, beet yellow stunt virus on, 1757c.

Gerbera diseases, bulletin on, 1106.

, tobacco rattle virus str. on, hosts of, 2698e. Germisan, against Pleospora calvescens on poppy, 197; P. papaveracea on poppy, 1195; as seed treatment for bean, 1726.

- nassbeize (wet) as seed treatment for wheat,

1508.

Germ-i-tol for disinfecting potato planters against Corynebacterium sepedonicum, 968h. Geum, Gnomonia fructicola on, in Netherlands, 1348a.

Gibberella fujikuroi, inhibition of, by substances from Artocarpus rigida and Brunfelsia americana, 1392.

-, kinetics of metabolism of, 42a, b.

on Asparagus, 2308. — on cacao, 1758c.

- — on *Capsicum*, 2428.

- — on cereals, 56. — on cotton, 2428.

- on grasses, 56. - - on maize, see Maize.

- - on orchid, 1890.

— on pine, 1290, 2907.

[Gibberella fujikuroi] on Pittosporium tobira,

— on rice, 131, *2697a, 2996g. — on sugarcane, *598a, 822, 3140.

—, serological comparison with Fusarium oxysporum and F. solani, 1007.
— var. subglutinans in soil, 3233.

on cereals and grasses, 56.

— pulicaris on hops, 196h, 1917.

- xylarioides on coffee, 56.

- zeae, factors affecting growth and sporulation of, 2988.

- — on barley, 105, 679. — on maize, see Maize.

—— on sorghum, 1867.

— on wheat, see Wheat.
Gibberellic acid, against Eutypa armeniaca on apple, 1354d.

, effect of, on citrus tristeza virus on lime, 1552.

, inhibition of Capsicum mosaic virus on Chenopodium amaranticolor by, 1458.

- injury to apple, 1354d.

Gibberellin as seed treatment for beet, 1315. , effect of on susceptibility of potato to

Phytophthora infestans, 529. Gilbertella persicaria var. indica on apple and pear, 758.

on tomato, 1264. Ginger (Zingiber officinalis), Phyllosticta zingiberi on, in India, symptoms of, 391.

, Pseudomonas solanacearum on, 1678; pathogenicity and serology of strs. of, 608.

-- str. on, in Hawaii, identical with str. on Hedychium, 2812.

, Septoria zingiberis on, in India, symptoms of, 391.

Ginkgo biloba, inhibition of Sclerotinia fructicola and Stemphylium sarcinaeforme on, 1976.

Ginseng (Panax quinquefolius) papery leaf spot, 3119.

, Thielaviopsis basicola and Verticillium alboatrum on, new bulletin on, 3119.

water deficiency in causing papery leaf spot, 3119.

Gladiolus, Curvularia lunata on, control, 1478. —, — trifolii on, in Victoria, 1354l.

- f.sp. gladioli on, in France, 3381.

-, fungi on, control, 1887.

, Fusarium oxysporum f.sp. gladioli on, 3382; in U.S.A., 727; control, 727, 2811; factors affecting, 2811; losses caused by, 727; var. reaction to, 2811, 3382. ,——— redolens on, control, 3383.

*-, Phyllosticta gladioloides on, in India, 63. -, Pseudomonas marginata on, in Romania, 3070; control, 2160.

-, Sclerotinia draytonii on, in Victoria, 13541;

control, 1118, 2810.

, - gladioli on, in U.S.A., circular on, and control, 728.

, Septoria gladioli on, in Chile, 1031; control. 2160.

-, virus on in S. Australia, properties of, resemblance of, to cucumber mosaic virus,

Gleditschia, phytoncides from fruits of, 966b. Gliocladium fimbriatum in soil, 634.

-roseum in rhizosphere of Acer platanoides, 2247.

- in soil, 3271.

– on strawberry, 1177.

[Gliocladium] vermoeseni on Chamaedorea, 2954d.

-— on C. seifrizii and Chrysalidocarpus lutescens, *525, 2954d.

- virens, production of gliotoxin and viridin by, 1394.

- viride, inhibition of timber decay fungi by, Gliotoxin, isolation of, from Aspergillus cheva-

lieri, 2715; Gliocladium virens, 1394. Trichoderma viride not producing, 1394.

*Ġliricidia sepium, Eutypella gliricidiae on, in India, 3142.

Gloeocercospora sorghi on maize, 1078. — on sorghum, 1350a, 1597, 2695a. *-- on Vetiveria zizanioides, 2695a.

Gloeosporium affine on orchid, 1890.

- concentricum on broccoli, Brussels sprouts, and cabbage, 2649.

*- cylindrospermum on alder, 596a. - kaki on persimmon, 2571.

- limetticola on lime, 694.

- mollerianum on passion fruit, 1354k.

- musarum, association of, with Pseudomonas solanacearum on plantain, 2568.

– on banana, 192a, 1389. *- olivae on olive, 2844.

— olivarum on olive, 193a, 194.

- papayae on papaw, 192a. *_ pestis on Dioscorea bulbifera, 646.

— psidii on guava, 192a.

- tremulae on aspen, 1694, 3175. Gloeotinia temulenta on Lolium perenne, 1127.

Glomerella cingulata, arabanases in, 2725.
—— as test fungus, 983. ---, carbohydrate requirements of, 3116. -, characterization and isolation of lipids in conidia of, 628a, b.

, Colletotrichum on jute tentatively identi-

fied as, 144.

—, inhibition of, by 2-deoxy-D-glucose, 16; extracts from Anagallis arvensis, 2718.

 on banana, 1758e. - — on broad bean, 30.

*-- on Chirita lavandulacea, 3285.

- on coffee, see Coffee — on Cornus florida, 2505

-- on Dieffenbachia picta, 596a. — on laurel, 854.

-- on lime, 969c. — — on mango, 2843.

— — on orange, 3357. — — on poplar, 2632, 2895.

*— — on Rauwolfia serpentina, 781.

— — on sesame, 1350d. — — on tomato, 840.

— — on turnip rape, 30.

- on Vaccinium corymbosum, 2204.

---, perfect state of Colletotrichum coffeanum, 3230c.

-, soil fungistasis in relation to conidial germination of, 324n. -, technique for inducing sporulation in,

2072. ---, toxicity of Aspergillus niger-infected

orange pulp to, 703. - var. orbiculare on cantaloupe, cucumber, and watermelon, 310.

— gossypii on cotton, 1575, 1576, 1881, 2798.

- tucumanensis, enzyme activity in relation to virulence of, 827.

[Glomerella tucumanensis], inhibition of, by extracts from Anagallis arvensis, 2718.

on sugarcane, see Sugarcane.

Gloxinia (Sinningia speciosa), Myrothecium roridum on, in U.S.A., 1586.

, Phytophthora cryptogea on, in Denmark, 596a.

Glucose, effect of on Fusarium solani f.sp. phaseoli on bean, 2001b.
--6-T, uptake of, by Corticium solani, 37.

β-glucosidase activity in phytopathogenic bacteria, 973.

Glutathione, protection of Aspergillus niger

against mercury by, 1387. Glycerine, use of, with streptomycin, on bean, 297.

Glycerol in combination against Pseudomonas

betle on Piper betle, 2575. Glycine-2-T, uptake of, by Corticium solani, 37. Glycine max, see Soybean.

Glyodin against Pezicula alba on apple, 1354d; Venturia pirina, 1354e.

- versus captan and thiram, 1354d.

- in combination, effect of, on truit set and yield of apple, 1617.

Gnomonia fructicola on Geum, 1348a. - leptostyla on walnut, 867, 2900.

platani on Platanus occidentalis, 2628.
 veneta on Platanus orientalis, 1690.

Gomphrena globosa as indicator for celery yellow vein virus, 2939; clover yellow mosaic virus, 1025; lucerne mosaic virus, 2173; Matthiola virus 1, 1120; potato leaf rolling mosaic virus, 1203; red clover vein mosaic virus, 2173; Wisconsin pea streak virus, 2173.

-, bean yellow mosaic virus on, immunity from, 2079.

, Cercospora globosae on, in Singapore, 1437. -, lucerne mosaic virus on, 2079.

-, pea common mosaic virus on, immunity from, 2079.

-, potato spindle tuber virus on, resistance to, 799.

-, - virus X on, detection of RNA in, 386t; effect of varying water supply on susceptibility to, 1205; inhibition of, with PVY, by alphazanaphthyl acetic 2-acid and 2-thiouracil, 2584.

-, raspberry ring spot virus on, differentiation between strs. of; particles and physical

properties of, 772.

red clover vein mosaic virus on, 2079.
suppression of virus infection in, by factor from tobacco mosaic virus-infected Nicotiana glutinosa, 2148.

, tobacco rattle virus str. can infect, 2698e.

-, vine soil-borne viruses on, cross-protec-

tion between strs. of, 590. -, Wisconsin pea streak virus on, 2079.

Gonatobotrys simplex, manganese requirements

Gongronella butleri in maize rhizosphere, 1864. Gooseberry (Ribes grossularia) diseases in U.S.S.R., manual on, 770.

Pseudopeziza ribis on, in Irish Repubilc, 320c.

, Sphaerotheca mors-uvae on, in England, 3413.

virus on gooseberry vein-banding England, 2330k.

[Gooseberry], Verticillium dahliae on, in N.Z., 3007.

Gossypium, see Cotton.

Gramineae (see also Grasses), Aspergillus flavus in rhizosphere of, 1798.

-, Fusarium on, var. reaction to, 2827 Helminthosporium on, in the Western Hemisphere and evolution of pathogenicity of, 1126; factors affecting evolution of sexual mechanism in and taxonomic status of, 366.

-, Penicillium lilacinum in rhizosphere of, 1798.

-, Puccinia on, in U.S.S.R., 2065.

—, — agropyri on, 3020b.

- coronata on, in France, study on, 3020d. -, Pyricularia oryzae on, in Philippines, 2785.

-, Pythium arrhenomanes and P. graminicola on, C.M.I. description of, 1004.

–, Septoria on, 2067.

, sorghum concentric ring blotch virus on, 690.

-, Uredinales on, control, 3267e. -, Uromyces on, in U.S.S.R., 2065.

Gramisan against Pleospora calvescens on poppy, 197; P. papaveracea on poppy, 1195. and gramisan nou as seed treatment for

bean, 1726. Granexin as seed treatment for wheat, 1508. Granodin against Sphacelotheca reiliana on

maize, 3037.

Granosan against beet black leg, 911; Oospora pustulans on potato, 812; Tilletia caries and T. foetida on wheat, 1048; Verticillium on cotton, 713; as seed treatment for barley, 3295a; beet, 1997; broad bean, 2928; cotton, 1575; maize, 2125; oats, 3295a; pea, 2928; pine, 2252; rice, 2488, 3345; soybean, 2928; tobacco, 2601; tomato, 3162; wheat, 415, 1056, 3205b, as call disiresters 21107. 1056, 3295b; as soil disinfectant, 2197.

ineffective against Tilletia foetida on wheat,

667.

— versus hexachlorobenzene, 1048.

-, new improved, against Ascochyta rabiei

on Cicer arietinum, 299.

Grapefruit (Citrus paradisi), citrus crinkly leaf psorosis virus on, in Italy, transmission of, by grafting and sap, 2492.

-, citrus stem pitting virus on, in Argentina,

control, 2490.

- tristeza virus on, 1090; in U.S.A., transmission of, by (?)vectors, 1756p. decay, control, 2794.

- -, Guignardia citricarpa on, in S. Africa, 1556b.
- impietratura disease in Cyprus, 1873, 3231a; (?)caused by virus, transmission of, by budding, to grapefruit and orange, 1873.

juvenile spot in Syria, 694.

-virus in Argentina, (?)related to citrus psorosis virus, 3353.

*Graphiola phoenicis on date palm, 523.

Graphium, effect of on efficiency of timber preservatives, 1988.

(?)—rigidum on Acer saccharinum, 847.

Grasses (see also Gramineae and Turf), barley stripe mosaic virus on, in U.K., 1124.

- yellow dwarf virus on, in U.K., 1124; N.Z., 1837a.

- -, Claviceps purpurea on, production of alkaloids by, 1536.
- -, Corticium solani on, 1034.

[Grasses], Dactylis glomerata mottle and streak viruses on, in U.K., 1124.

-, fungi on, in Poland, 2427.

-, Gibberella fujikuroi and G. f. var. subgluti-

nans on, C.M.I. description of, 56.

—, Lolium mosaic virus on, in U.K., 1124.

—, mycorrhiza, endotrophic of, anatomy and morphology of, 1408.

, Penicillium janthinellum in rhizosphere of,

inhibition of fungi by, 1421.

-, Phyllachora on, evaluation of the criteria of species, 1440.

-, Puccinia graminis on, 3020a; in Greece, 401f; Mediterranean region, 401a.

-, — recondita and P. striiformis on, in U.S.S.R., as source of infection of barley and wheat, 409.

-, - spp. on, in U.S.S.R., 469.

Sclerospora macrospora on, in U.S.A., 398.

-, Uromyces on, in U.S.S.R., 469.

-, wheat striate mosaic virus on, in U.K., 1124.

Griphosphaeria nivalis, antagonism of, to Alternaria, 3238.

*—— on barley, 3297.

—— on Lolium, 3076a.

—— on rye, 90, 3297.

—— on turf, 153, 3076a, 3077.

—— on wheat, 1514, 1515, 2108, 3297. Griseofulvin against Ascochyta pisi, 2658; as

effect of on Erysiphe graminis on wheat, 1054.

-, inhibition of fungi by, 1395.

Grizemin against Xanthomonas malvacearum on cotton, 1566, 1578.

Groundnut (Arachis hypogaea), Aspergillus amstelodami and A. chevalieri on, in Gambia, 3217.

flavus on, in Gambia, 3217; Kenya, *2697a; U.S.A., association of, with Corticium solani, 936; effect of temp. on, 1729.

-, - nidulans on, in Gambia, 3217.

- niger on, in U.S.A., association of, with Corticium solani, 936; biological method for testing seed treatment of, 937; control, 581, 1328; effect of temp. on, 1729; epidemiology
- . Botryodiplodia theobromae on, in Gambia, similarity of symptoms of, to *Macrophomina* phaseoli, 3217.
- -, Corticium solani on, in Brazil, 938; U.S.A., association of, with Aspergillus flavus and A. niger, 936.
- , Diplodia gossypina on, interaction of heat injury and, 2006.

- diseases in Gambia, 2667, 3217.

'fleck' and 'green rosette' viruses, symptomatological forms of groundnut rosette virus, 1452.

-, Fusarium solani on, in Gambia, 3217.

- Macrophomina phaseoli on, in Gambia, 3217; effect of temp. on, 1729; similarity of symptoms of, to Botryodiplodia theobromae, 3217.
- -mottle virus on groundnut in E. Africa, transmission of, mechanically and by vectors, 578.
- 'mouldy' kernel in Gambia, 3217.
- -, Mycosphaerella on, in Mauritius, 3232d.

[Groundnut, Mycosphaerella] arachidicola on, in Fiji, 969a; Queensland, 1355c.

-berkeleyii on, in Queensland, 1355c; effect of enzyme inhibitors and 2,4-dinitrophenol on respiration in, 1730; of, on respiration of, 303; var. reaction to, 303, 1730.

-, Pseudomonas solanacearum on, pathogeni-

city and serology of strs. of, 608.

-, Puccinia arachidis on, C.M.I. description of, 2739; development and inoculation of, 2007.

*—, Rhizopus arrhizus on, in Kenya, 2697a.

-, - stolonifer on, effect of temp. on, 1729. - ring spot disease in U.S.A., introduced from Argentina and Paraguay, 580; symptoms

and transmission of, by seed, 580.

- rosette virus on groundnut in E. Africa, 578; Malawi, 933; N. Nigeria, 934; Uganda, 579; control, 579; (?)different virus or virus strs. included under name, 2327a; effect of planting date and spacing on, 934; ground-nut 'fleck', 'green rosette' and 'veinbanding' viruses, symptomatological forms of, 1452; resistance to, 2937; transmission of mechanically, 578; by vectors, 578, 933, 2327a; var. reaction to, 933. -, Sclerotium rolfsii on, in Gambia, 3217;

U.S.A., 936.

'veinbanding' virus, symptomatological form of groundnut rosette virus, 1452.

-, Verticillium dahliae on, in Queensland, 1355c.

- virus in Ghana, causing 'rosette', similarity of transmission of, mechanically and by vectors, to groundnut mottle and rosette viruses in E. Africa, 578.

Guar, see Cyamopsis psoraloides.

Guava (Psidium guajava), Botryodiplodia on, symptoms of, 2570.

-, Cercospora sawadae on, in Mauritius,

3232e.

*—, Curvularia siddiquii on, in India, 1832. —, Diplodia natalensis on, in India, 192a, b; association between market rots and orchard infections, 192a.

-, fungi on, in India, list of, 192a.

Fusarium oxysporum f.sp. psidii on, control, -, Fu 511

-, Gloeosporium psidii on, in India, 192a, b. Hendersonula toruloidea on, pycnidial state of, 2213.

-, Hypoxylon stygium on, in New Caledonia, 969d.

-, Pestalotia psidii and Phoma psidii on, in India, 192a, b; association between market rots and orchard infections, 192b; symptoms of Pestalotia on, 2570.

-, Puccinia psidii on, C.M.I. description of, 2739.

Guignardia, the genus, 1439.

- camelliae on Camellia oleosa, 1584.

on C. sasanqua, 2500.

- citricarpa on citrus, see Citrus.

- -- on grapefruit and orange, 1556b.

--- on pimento, 1353d.

- fulvida on Linum marginale, 2156.

- xylostei on honeysuckle, 1439.

Guizotia abyssinica, fungi on, in Ethiopia, 515. -, Xanthomonas guizotiae on, symptoms of, 1637.

Gymnogramme calomelanos, effect of ultrasound on spores of, 999.

Gymnosporangium clavipes on Juniperus and quince, 1977.

*- confusum on Chaenomeles japonica, 2501. - connersii on J. horizontalis and G. fuscum

on nursery plants, 2061. - globosum on Crataegus and Juniperus, 1977.

- japonicum, formation of fusion bodies in germ tubes of, 345b.

juniperi-virginianae on apple, 1150, 1977. 3402.

—— on Juniperus, 1977.

Gypsum against blossom-end rot of tomato, 2618; sodium injury in Chrysanthemum. 386e; as soil disinfectant, 511.

Haftol in combination against Podosphaera leucotricha, 482.

Hapalosphaeria deformans on raspberry, 319d. 1346j.

Harvasan against *Alternaria*, *Aspergillus*, and *Rhizopus* on sorghum seed, 2129.

Hawthorn, see Crataegus.

Heat (see also Hot air and Hot water) treatment against apple chlorotic leaf spot virus, 164, 2330i; apple Spy 227 decline virus, 2330i; apple viruses, 164; carnation viruses, 1110; Chrysanthemum green flower and leaf mottling virus, 317e; Fusarium on potato, 1354i; F. oxysporum f.sp. gladioli on Gladiolus, 2811; Griphosphaeria nivalis on turf, 153; Ophiostoma roboris on oak and other trees, 855; strawberry latent A virus, 1175; strawberry latent C virus, 2565; sugarcane white leaf disease, 825; turnip mosaic virus on horse-radish, 2656; vine infectious on horse-radish, 2656; vine infectious degeneration virus, 2324; vine virus diseases, 1749; as seed treatment for tomato, 317i.

, effect of, on Chrysanthemum virus B, 1114; citrus yellow shoot virus, 1092; mushroom virus diseases, 2019; Rhizopus stolonifer and Sclerotinia fructicola on necta-

rine and peach, 2192a, b.

- of potato planters against Corynebacterium sepedonicum, 968h.

Hebeloma hiemale on poplar and Salix, forming mycorrhiza, 1405.

mesophaeum on pine, forming mycorrhiza, 3254.

Hedychium, Pseudomonas solanacearum str. on, in Hawaii, identical with str. on ginger, 2812. Helianthus annuus, see Sunflower.

Helicobasidium compactum on coffee, 710.

- purpureum, hosts of, 2760. — on Asparagus, 2308, 2672. — on beet and potato, 2429.

– on radish, 1421.

*Helicoceras oryzae on rice, 3343a.

Helicopters, see Aircraft.

Helminthosporium, taxonomy of, 1812, 3005.
— avenae, antagonism of Bacillus from cereals to, 2698a.

-dictyoides on Poa pratensis, 386f, 730.

*- halodes on rice 2697a.

- on Sesame, 1350d.

*— helianthi on safflower, 2084a. — heveae on Hevea rubber, 1221. — incurvatum on coconut, 969d.

- monoceras on Echinochloa crus-galli and maize, 3041.

– papulosum on apple, 1151. - pedicellatum on barley, 3318.

– — on maize, 120.

[Helminthosporium] rostratum on maize and | Pennisetum typhoides, 2130.

-- on sorghum, 969b, 2130.

* - spiciferum var. Nicot, Brachysporium spiciferum suggested as name for, 66.

— triseptatum on Poa pratensis, 386f. — vagans on P. pratensis, 730, 3079. Hemerocallis fulva, Aureobasidium microstictum

on, in Netherlands, 1348a. *Hemileia coffeicola on coffee, 1350b.

vastatrix on coffee, see Coffee

Hendersonia montana on pine, 247. pseudoacacia, parasitism of, in U.S.S.R.,

1471. - rubi on almond, 2195a.

- sarmentorum on laurel, 854.

Hendersonula toruloidea on guava, 2213.

on walnut, 1757b, 1975

Heptachlor injury to hops, 196h.

- in combination as seed treatment for maize, 123, 2125.

2-heptadecyl-1-5,5,6-tetrahydro-4,4,6-trimethylpyrimidine as timber preservative, 3191.

Herbaria, tropical, manual on, 2390. Hercules 3944 as seed treatment for wheat,

Heteroauxin as seed treatment for beet, 1315. Heterodera glycines, association of, Fusarium oxysporum on soybean, 2298.

- marioni, association of, v culmorum on carnation, 459. with Fusarium

Heteroglycan, inhibition of tobacco mosaic virus by, production of, by Rhytisma acerinum on Acer, 1463.

Heteronychus sanctae-helenae, Metarrhizium anisopliae on, 2343.

Heterosporium petuniae on Petunia, 3385. tropaeoli, Acroconidiella tropaeoli synonym of, 1592.

Hevea brasiliensis, see Rubber.

Hexa as seed treatment for bean, 1726.

Hexachlorane against vectors of aspen heart rot, 1694; of beet yellows virus, 566e.

Hexachlorobenzene against *Tilletia caries* on wheat, 1048; *T. contraversa* on wheat, 1509; *T. foetida* on wheat, 1048, 2770; as seed treatment for wheat, 1509, 3295b; as soil disinfectant, 413.

- in combination against Tilletia foetida on wheat, 667; as seed treatment for wheat,

2100.

versus granosan, 1048.

Hexachlorophene derivatives, effect of, on Diaporthe citri, 1557.

Hexaphene in combination against Pyricularia oryzae on rice, 3345.

Hexasan against Aspergillus niger on groundnut, 1328.

Hexcebunt against Tilletia caries and T. foetida on wheat, 2770.

Hibiscus, Phytophthora nicotianae var. parasitica on, pathogenicity to tomato, 2616.

-yellow vein mosaic virus on Hibiscus in India, differentiation of Wissadula amplissima mosaic virus from, 1027.

- cannabinus, Colletotrichum hibisci and Corticium solani on, in Surinam, 601.

-, jute mosaic virus strs. can infect, 145. *— —, Macrophomina phaseoli on, 144.

Trichoderma spp. in rhizosphere of, in U.S.S.R., 2056.

[Hibiscus cannabinus], Wissadula amplissima mosaic virus on, 1027.

- esculentus, non-transmission of Wissadula amplissima mosaic virus to, 1027.

- sabdariffa, jute mosaic virus strs. can infect,

-, Macrophomina phaseoli and Phytophthora nicotianae var. parasitica on, in India, 1352c.

Hippeastrum mosaic virus on Hippeastrum, control, 2699f.

Hishimonus disciguttus transmitting mulberry

mosaic virus, 549. Holcus lanatus, Ramulaspera holci-lanata on, in N.Z., distinct from Ramularia pusilla, 731.

Holly (*llex*), endotrophic mycorrhiza of, anatomy of, 23.

Hollyhock (Althaea rosea), Alternaria tenuis on, aldolase activity in, correlated with pathogenicity, 1789.

, Wissadula amplissima mosaic virus can

infect, 1027.

Honeysuckle (Lonicera), Guignardia on, 1439. , — xylostei on, perfect state of Colletotri-chella xylostei, 1439.

Hop (Humulus), Agrobacterium tumefaciens on, in Bulgaria, 1189; Yugoslavia, effect of, on yield and factors affecting, 513; resistance to, 1189.

-, Armillaria mellea on, distribution of, 1917. -, Botrytis on, 196h.

- cinerea, chlorotic disease virus, and Cladosporium on, distribution and symptoms of, 1917.

-curl disease in Germany; effect of non-Cu fungicides on, transmission of by grafting,

1755k.

- die-out in U.S.A., heptachlor causing, 196h. disease in New Zealand, resemblance of to hop yellow leaf blotch virus in U.S.A., 196d.

- diseases in England, 196. - drop disease and 'fluffy tip' disease, distribution and symptoms of, 1917.

-, Fusarium on, in Yugoslavia, 513.

-, Gibberella pulicaris on, 196h; distribution

and symptoms of, 1917.

- 'infectious sterility' virus on hop in Czechoslovakia, 1187; E. Europe, 196e.

- 'Kräuselkrankheit' virus on hop in Czecho-

slovakia and E. Europe, 196b; Germany, 196b, 1187; (?) due to Zn deficiency, 196b; identification of, 1187; not identical with nettlehead, 196c.

-mosaic virus on hop, distribution and symptoms of, 1917; world wide variation

between strs. of, 196a.

- nettlehead virus on hop in Poland, 1631; (?)U.S.A., 196c; Yugoslavia, 513; aetiology of, 196c; distribution of, 1917; 'Kräuselkrankheit' not caused by, 196c; physiological studies on 1630; symptoms of 512, 1017. studies on, 1630; symptoms of, 513, 1917.

Peronospora on, importance of oospores in dissemination and infection by, 1756a.

, Phytophthora on, in New Zealand and U.K., 196h.

- citricola on, distribution and symptoms of, 1917.

-, Pseudoperonospora on, importance of oospores in dissemination and infection by, 1756a.

-, — humuli on, 2085; in Czechoslovakia, 2846; Germany, 196g, 1755k; Japan, 196g; Poland, 3247; U.K., 196g; U.S.A., 196g,

1633, 1918; Yugoslavia, 513; control, 196g, 513, 514, 1633, 1755k, 1917, 3118; distribution of, 1917; factors affecting spread of, 1918; overwintering and (?)physiologic races of, 196g; symptoms of, 1917; var. reaction to, 196g.

[Hop], Sclerotinia sclerotiorum and 'small hop disease', distribution and symptoms

of, 1917.

-, Sphaerotheca humuli on, 196h; in Poland, 1632; control, and distribution of, 1917; factors affecting, 1632; symptoms of, 1917.
—split leaf blotch virus on hop in (?)Europe

and U.S.A., 196e; distribution and symptoms

of, 1917.

, Verticillium alboatrum on, in Germany, 196f, 1755j; New Zealand, 196f; U.K., 196f; U.S.A., 196f, 2847; control, 196f, 1917; dispersal of conidia in sap, 1188; distribution of, 1917; effect of, on yield, 1755j; previously attributed in U.S.A. to *V. dahliae*, 196f; symptoms of, 1917; technique for differentiating isolates and of and resistance to, 2330g.—,—dahliae on, in U.S.A., 196f, 2847; distribution and symptoms of, 1917.

- -viruses in Central Europe, identification of, 1187.
- -yellow leaf blotch virus on hops in U.S.A., resemblance of, to disease in New Zealand, 196d.
- net virus, distribution and symptoms of, 1917.

Hordeum, Puccinia graminis on, in Yugoslavia,

- bulbosum and H. marinum, Erysiphe graminis on, in Israel, 1521c.

- maritimum, Puccinia graminis on, 3020a. - murinum, Agropyron mosaic virus can infect, 1125.
- -, Erysiphe graminis on, in Israel, 1521c. — secalinum, Puccinia graminis on, 3020a.
- spontaneum, Erysiphe graminis on, in Israel, 1521c.

- vulgare, see Barley.

Horse radish (Armoracia rusticana), turnip mosaic virus on, effect of malachite green on, 6h; method of obtaining stock free from, 2656.

Hortocritt against Alternaria solani on tomato, Peronospora tabacina, Phytophthora infestans on potato, and Septoria on celery, 3228h.

Hot air (see also Heat) treatment against Rhizopus stolonifer and Sclerotinia fructicola on peach, 3106; soil-borne viruses, 1346d; sugarcane ratoon stunting virus, 824; as seed treatment for barley and wheat, 1522. , effect of on germination of barley

and wheat seed, 1522.

- knife against orchid viruses, 2814.

water (see also Heat) treatment against broad bean diseases, 1325; citrus decay, 2794; Colletotrichum musae on banana, 1355j; Diaporthe citri on orange, 1095; Glomerella cingulata on mango, 2843; Itersonilia perplexans on parsnip, 1354i; Penicillium digitatum on orange, 1095; Pezicula on apple, 485; potato leaf roll virus, 2695b; Sclerotinia fructicola on peach, 1355i; sugarcane ratoon stunting virus, 824, 1664e; *Ustilago nuda* on barley, 2453; on wheat, 2453, 2946b; as seed treatment for bean, 2930; cauliflower, 1720, 2653; cotton, 2950c; larch, 3182; rice, 2787; vegetables, 275; wheat, 2103.

[Hot water treatment], effect of, on Botryodiplodia theobromae on Hevea rubber seeds, 1223.

Humicola fuscoatra in soil, 2730.

Humidin, isolation of, from str. of Streptomyces griseus, 2717.

Humulus, see Hops.

Hyacinth (Hyacinthus), fungi on, control, 3062. root rot in Netherlands, Pythium or related phycomycete causing, 2022h.

Hyalodendron amygdali on almond, 3107. Hyamine 3500, fungicidal activity of, 981.

Hydrocyanic acid against Guignardia citricarpa on citrus, 2495.

Hydrogen peroxide, effect of, on Plasmodiophora brassicae on cabbage, 1992.

Hydrojuglone, inhibition of Hendersonula toruloidea arthrospores by, and production of, by walnut, 1757b.

8-hydroxyquinoline sulphate against Pseudomonas mors-prunorum and P. syringae on cherry, 2199.

Hygrograms in phytopathology, 652. Hylurgopinus rufipes associated with perithecial state of Ceratocystis ulmi, 251.

Hymenochaete rubiginosa on Shorea robusta, 3177.

Hymenomycetes, conservation of generic names in, 55.

-, mycorrhizal, inhibition of, by antibiotic produced by Calluna, 624.

Hyoscyamus niger mosaic virus, technique for producing low molecular weight preparations

Hypholoma fasciculare on timber, 1304.

Hyphomycetes trapping nematodes, ecology and germination of conidia of, in soil, 1377. Hypocrea gelatinosa, Polyporus adustus not inhibited by, 968k.

rufa, non-production of gliotoxin and viridin by; perfect state of Trichoderma viride, 1394.

Hypodermella arcuata on pine, 1705.

- mirabilis on Coniferae, 263.

-- sulcigena on pine, 247.

Hypomyces solani, associated with Calonectria rigidiuscula on cacao, 1758c.

-f.sp. cucurbitae, effects of radiant energy

on sexual reproduction of, 629.

—— pisi, perfect state of Fusarium solani f.sp. pisi, 364.

Hypoxylon nummularium on tea, 3142.

- pruinatum, inaccuracy of agar plug inocula in testing chemical inhibition of, 260. — on aspen, 259, 1277, 2629b, 2899.

- on poplar, 543d.

- punctulatum, manganese requirements of, 6a° - stygium on guava, 969d.

Hysterographium fraxini, parasitism of, in U.S.S.R., 1471.

Hysteroneura setariae transmitting sugarcane mosaic virus, 226.

Idiopterus nephrelepidis transmitting yellows virus and Dahlia and turnip mosaic viruses, 965k.

IF-100 for fumigating greenhouses against Cladosporium fulvum on tomato, 2241.

Ilex, see Holly.

Impatiens balsamina, Corticium solani on, in India, symptoms of, 1588.

*— —, Phyllosticta impatientis on, in India, 63.

[Impatiens] holstani, cucumber mosaic virus on, similar to cucumber mosaic virus Y str., 1026.

- sultani, cucumber mosaic virus on, in Venezuela, 79.

Inazuma dorsalis transmitting rice orange leaf disease, 2479d.

Incarvillea, Phytophthora cactorum on, in Netherlands, 1348a.

Indole acetic acid, effect of, on growth of Armillaria mellea, 1397h; Macrophomina phaseoli, 1788; Panus stipticus, 1397h; on light emission of Armillaria mellea and Panus stipticus, 1397h.

-, role of, in soil fungi, 2996a.

-, synthesis of, by Fusarium oxysporum f.sp. cubense, 386p, 1910; Pseudomonas solanacearum, 975.

butyric acetic acid and indole propionic acetic acid, effect of, on growth of Macrophomina phaseoli, 1788.

Inositol, effect of on growth of Dothidella ulei, 1221; of Fusarium oxysporum f.sp. cumini,

1192

Insect Pests and Weeds, Biological Control, of,

textbook on, 605.

Insects, Beauveria bassiana on, comparison of enzyme activity of, with Botrytis cinerea and Trichoderma viride, 2950o. in relation to plant diseases, Canadian

Conference on, 597.

Interferon, production of by all host organisms,

Iodine test, use of, for detecting citrus viruses, 1553. Iodoacetate, effect of, on absorption of leucine

and streptomycin by apple, 1616.

Ipomoea batatas, see Sweet potato.

setosa, sweet potato russet-crack virus on, symptoms of, 386w. Ips associated with Ceratocystis on pine, 884.

Îris, Sclerotinia bulborum on, in U.S.A., transmission of, by soil, 2813.

, Sclerotium rolfsii on, control, 1888.

Iron deficiency in cacao, 1835; citrus, 706, 1558; pineapple, 1916; plants, shrubs and trees, 3274; Vaccinium angustifolium, 1624; vine, 594.

, effect of, on concentration of Crotalaria mosaic virus on C. juncea, 2159; on growth of Macrophomina phaseoli, 43a; of Ustilago nuda in culture, 2104; on physiological processes in wheat, 665; on resistance of wheat to Puccinia recondita, 2093.

- in combination as seed treatment for barley,

-, toxicity of, to citrus, 1558.

- salt of dithiocarbaminic against Botrytis cinerea on vine, 2020.

salts against chlorosis of apple and pear,

2533.

sulphanilate against Puccinia striiformis on wheat, 2097.

-sulphate against apple chlorosis, 1155; iron deficiency in pineapple, 1916; Phyllosticta mali on apple, 2185; Valsa sordida on poplar, 2630; as seed treatment for larch, 870.

-— in combination against *Peronospora* parasitica on cabbage, 560.

Isaria, association of, with laurel black canker,

Isariopsis griseola on bean, see Bean (Phaseolus). Itersonilia pastinacae on parsnip, 307.

[Itersonilia] perplexans on Chrysanthemum, 317b, m, 2165.

--- on parsnip, 1354i.

Jacaratia dodecaphylla, papaw mosaic virus on, resistance to, 777a.

Janthinellin, inhibition of fungi by, 1395. Javel for disinfecting potato planters against Corynebacterium sepedonicum, 968h.

Jet fuel, bacteria and fungi in, identification of,

JF 1683 against Hemileia vastatrix, 3230b. Johnson grass, see Sorghum halepense.

Juglans, see Walnut.

Juniperus dieback in W. Germany, (?) Aureobasidium pullulans causing, 1282

-, Fomes annosus on, in Finland, 2258.

-, Gymnosporangium clavipes, G. globosum, and G. juniperi-virginianae on, control, life history, and symptoms of, 1977.

horizontalis, Gymnosporangium connersii and Roestelia brucensis on, in Čanada, 2061.

virginiana, Phomopsis juniperovora on, in U.S.A., spread of, 1700; control, 2904. *Justicia gendarussa, Corynespora cassicola on,

symptoms of, 1889.

Jute (Corchorus capsularis and C. olitorius), Colletotrichum on, tentatively identified as Glomerella cingulata, 144.

,—corchori on, genetics of, 3373; specific reaction to, 146, 3373.

copper oxychloride and 2,4-D injury to, , copp. 2695c.

-, fungus on, causing anthracnose, different from Colletotrichum corchorum, 2695c.

- mosaic virus on jute in India, transmission of, by vectors and grafting, to Hibiscus cannabinus and H. sabdariffa, 145.

, Orbilia obscura on, perfect state of Macro-

phomina phaseoli, 144, 3374.

, Penicillium frequentans on, production of

pectic enzymes by, 2805.

, Physoderma corchori on, in India, 147, 1104; factors affecting and specific reaction to, 147; symptoms of, 1104.

Kabatiella caulivora on clover, 155a, 733. Kalanchoe, Agrobacterium tumefaciens attenuated strs. of, 1756b.

Kalmia latifolia, Diaporthe kalmiae on, Phomopsis kalmiae conidial state of, 3384.

— —, *Physalospora kalmiae* on, 3384. Kanamycin monosulphate, inhibition of *Phyto-phthora cactorum* by, 638.

Karathane against Aspergillus niger on groundnut, 1328; Bacillus mesentericus on peach, 1622; Oidium begoniae on Begonia, 2162; Peronospora tabacina, 2606; Phyllactinia suffulta f.sp. moricola on mulberry, 1685; Podosphaera leucotricha, 751, 1145, 3097, 3098; Puccinia recondita on wheat, 2444; Xanthomonas pruni on peach, 1622.

-, effect of, on Diaporthe citri, 1557.

-, toxicity of, to peach, 1622.
- in combination against Bacillus mesentericus on peach, 1622; Diplocarpon rosae on rose, 729; Leveillula taurica on Capsicum, 2942; Microsphaera alni on pecan, 857; Podo-sphaera leucotricha, 482; Sphaerotheca pan-nosa on rose, 729; Xanthomonas pruni on peach, 1622.

[Karathane in combination], injury to peach,

versus S preparations, 1145.

Kepone in combination against Streptomyces scabies on potato, 1940.

Kerol against Sclerotium rolfsii, 986.

Kerosene, Cladosporium resinae ff.sp. avellanum and resinae in, effect of, on fuel tanks, 1398. -, toxicity of, to Agrobacterium tumefaciens, 1758a,

Khuskia oryzae on maize, 1073, 1540, 1858, 2123.

Kinetin, effect of, on growth and light emission of Armillaria mellea and Panus stipticus, 1397h; on tobacco mosaic virus str. on tobacco, 1828. Kumulus in combination against Leveillula

taurica on Capsicum, 2942.

Kupritox Z50 against Venturia inaequalis,

injury to apple, 2540.

Kuprocin and Kuprocin I and II against Plasmopara viticola and Uncinula necator,

Kuprotsin against Alternaria zinniae on Zinnia, 3075.

Labiatae, Septoria on, 2067.

Lablab niger (formerly Capsicum virus on, 2317. Dolichos lablab),

-, Dolichos enation mosaic virus on, effect

of, on, 577.

-, watercress white spot virus on, systemic acquired immunity from, 3283.

-var. typicum mosaic virus in India, similarity of, to L. niger yellow mosaic virus and transmission of, by grafting, 1327.

Laburnum infectious variegation virus, Laburnum mosaic virus preferred as name for, 1452.

Lactuca sativa, see Lettuce.

Laevomycetin, effect of on Corynebacterium fascians on strawberry, 9.

Lagenaria leucantha, Diplodia natalensis on, in India, 1472.

- siceraria mosaic virus on cucumber, 584. Lagerstroemia indica, Cercospora lythracearum on, in India, 1473.

Lagosin against fungi on banana, 2210. Lanstan, technique for evaluation of, 2712. Larch (Larix), Armillaria mellea on, in U.S.S.R.,

1283, 1978.

— 'bending' in U.S.S.R., 1285.

— damping-off, control, 3182.

Fomes annosus, F. officinalis, and F. pini on, in U.S.S.R., 1283, 1978.

-, -- pinicola on, in U.S.S.R., 1285, 1978. -roseus and F. subroseus on, in U.S.S.R., 1978.

-, fungi on, forming mycorrhiza in Switzerland, 625.

-, Fusarium on, control, 870.

-, Lenzites saepiaria on, in U.S.S.R., 1978.

- Leucostoma kunzei on, hosts of, 1284. -, Melampsora on, in Canada, 1970b.

symptoms of, 1701.

-, Polyporus spp. on, in U.S.S.R., 1978.

-, - tomentosus and P. tomentosus var. circinatus on, 1680.

-, Poria subacida, P. xantha, and Stereum murrayi on, in U.S.S.R., 1978.

[Larch], Trichoscyphella willkommii on, in U.S.S.R., 1283. witches' broom in Japan, 1280.

Larix, see Larch.

Lathyrus odoratus, see Sweet pea. Laurel (Laurus), black canker in Caucasus, fungi associated with, 1273.

-, fungus diseases of, in U.S.S.R., symptoms of, 854, 2626.

, Physalospora obtusa on, symptoms of and description of pathogen, 1273.

, Verticillium and V. alboatrum on, in

U.S.S.R., 2626, 2627. Lauric acid in combination against *Erysiphe*

graminis on oats, 2468. Lavatera trimestris as indicator for watermelon

mosaic virus, 2311.

Lavender (Lavandula), Phoma lavandulae on, in Italy; *Phomopsis lavandulae* suggested new comb. for, 389c.

Lead acetate, effect of, on plant tissues, 1000a. arsenate in combination against Venturia inaequalis, 167.

Leafhopper, Aspergillus flavus on, comparison of enzyme activity of, with Botrytis cinerea and Trichoderma viride, 2950o.

(?)transmitting strawberry green petal type

virus, 1354n.

Leather, micro-organisms on, control, 1397b. Leaves, micro-organisms on, review of, 2028. Lecanosticta acicola on pine, 1705.

Leek (Allium porrum), Leptotrochila porri on,

in Netherlands, symptoms of, 2022g.

-, Sclerotium cepivorum on, in Norway, 305.

-, Urocystis cepulae on, review of, 2669. Leersia hexandra, as natural host for Xantho-

monas oryzicola, 2488.

Pyricularia leersiae on, 2133. Legislation against plant diseases in British Solomon Islands, 1351c; Denmark, 21a; France, 21a; Germany, 532, 3251; Honduras, 1400b; Kenya, 21b; Mauritius, 1947; Morocco, 21a; Philippines, 21a; S.E. Asia, 1780; Sweden, 21b; Thailand, 2984; U.K., 1400a, 3252; U.S.A., 344; U.S.S.R., 21b.

Leguminosae, Agrobacterium on, characterisation of, 607.

-, Aspergillus flavus in rhizosphere of, 1798. -, bean common mosaic, bean yellow mosaic, and broad bean mosaic viruses on, in Italy, 3228d.

-, fungi on, in Poland, 2427; U.S.S.R., 53. Fusarium in rhizosphere of, in U.S.S.R., 53; var. reaction to, 2827.

, lettuce mosaic, pea enation mosaic, and pea streak viruses on, in Italy, 3228d.

-, Penicillium in rhizosphere of, in U.S.S.R., estimation of, 53.

- janthinellum in rhizosphere of, inhibition of fungi by, 1421.

- lilacinum in rhizosphere of, 1798.

-, Puccinia on, in U.S.S.R., 2065.

-, Rhizobium on, characterisation of, 607. -, Septoria on, 2067.

-, Trichoderma in rhizosphere of, in U.S.S.R., estimation of, 53.

-, Uromyces on, in U.S.S.R., 2065.

- pisi-sativi and U. viciae-fabae on, C.M.I.

description of, 2739.

—, virus from Vicia sativa can infect, 2698f. -, viruses on, differential hosts for, 1820.

Xanthomonas spp. on, in China, comparative study of, 976.

Lemon (Citrus limonia), chloride toxicity in, symptoms of, 137.
- chlorosis in Greece, association of, with

Mn deficiency, 2840.

-, citrus psorosis viruses on, in Sardinia, citrus crinkly leaf virus associated with, transmission of by grafting and sap, 2492.

tristeza virus on, 1090; in Argentina, 2490; U.S.A., 1756p; Venezuela, 2489; control and var. reaction to, 2490; transmission of, by (?)vectors, 1756p.

-, copper deficiency in, rate of development and type of symptoms of, 3361.

-, Deuterophoma tracheiphila on, in Italy, 135.

-, Elsinoe fawcettii on, in Argentina, 3358.

- latent virus on bean, 1821.

-, molybdenum deficiency in, rate of development and type of symptoms of, 3361.

- non-infectious variegation in, transmission

tests on, 447.

– oleocellosis, 3362.

- Penicillium digitatum on, in U.S.A., 704; control, 2496, 3359; effect of gamma radiation on, 160; of hot water washing on, 704. ,—italicum on, in U.S.A., effect of hot

water washing on, 704.

-, Phytophthora citrophthora on, detection of extent of infection, 2791; effect of different root-stocks on susceptibility to, 1875.

- nicotianae var. parasitica on, in Jamaica, control, 1353a; detection of extent of infection, 2791; effect of different rootstocks on susceptibility to, 1875.

rumple and decay, symptoms of, 3363.

—, storage disorders of, 704.

Xanthomonas citri on, in Japan, 1096. *Lentils (Lens esculenta), Alternaria tenuis on, in India, 582.

Lentinus edodes, effect of light and temp. on fruit-body development in, on timber, 2945.

- lepideus on Phragmites communis, 2646. on timber, 1987, 3191.

Lenzites abietina on timber, 1304.

betulina on timber, 2268.
saepiaria, effect of metabolites on germination of, 2641.

, inhibition of, by griseofulvin and janthinellin, 1395.

on larch, 1978.

- on Phragmites communis, 2646. — on timber, 1984, 1985, 2261a.

- trabea, effect of, on efficiency of timber preservatives, 1988; of surfactants on, 324e. — on timber, 1988, 2261a, 3191, 3193.

Lepidium ruderale, cabbage black ringspot virus on, in India, transmission of, by vectors. 1722.

-sativum, tobacco necrosis virus A and D strs. on, transmission of, 2327g. Leptinotarsa decemlineata, biological control

of, by Beauveria bassiana, 2969.

Leptodiscus terrestris, technique for inducing sporulation in, 653.

Leptographium lundbergii on timber, 3190. Leptosphaeria in Japan, monograph on, 3276.

- avenaria on oats, 683. on wheat, 2697c.

-- circinans on lucerne, 2524,

- (?)culmorum on Dieffenbachia, 2954d.

*— faulii on Coniferae, 263. — maculans, heterothallism in, 3003.

— on Brussels sprouts, 65.

[Leptosphaeria maculans] on cabbage, 279, 2694.

- on cauliflower, 1720.

*- michotii on wheat, 2697c. — nodorum, antagonism of, to Alternaria, 3238.

- on wheat, see Wheat.

- salvinii, media for culturing, 441. - on rice, 1081, 1082, 1352b. -, utilization of N by, 1083

— f.sp. *irregulare* on rice, 1352b. *— *tritici* on wheat, 2697c.

*Leptosphaerulina australis on Cyamopsis psoraloides and Phaseolus, 1813.

- brassicae on black mustard, cabbage, and cauliflower, 1813.

— briosiana on lucerne, phytotoxin from, 2831. *— oryzae on rice, 1813.

*- ricini on Ricinus communis, 1813. Leptostroma pinastri on pine, 2912.

Leptothyrium theae on tea, 830, 1232. -, Phomopsis theae previously attributed to, 3145.

Leptotrochila porri on leek, 2022g.

Lestoil for disinfecting potato planters against Corynebacterium sepedonicum, 968h.

Lettuce (Lactuca sativa), aster yellows virus on, in Italy, 3228d.

beet pseudo-yellows virus on, in U.S.A., 2277.

-, — yellow stunt virus on, in U.S.A., 1757c. big vein virus on lettuce in Victoria, 1354q; relationship of *Olpidium brassicae* to, 3240; survival of, in *O.* resting sporangia, 318c; tobacco necrosis virus not associated with, 308; transmission of, by O. brassicae, 308, 318b, 1756k, 2962; by soil-borne vector, 1354q.

Bremia lactucae on, in China, 2310; physio-

logic races of, 2692c.

, Corticium praticola and C. solani on, virulence of, 1806b. , cucumber mosaic virus on, in Netherlands,

symptoms of, 2022a. -mosaic virus on Leguminosae, 3228d.

- on lettuce, effect of milk film on transmission of, by vectors, 309, 2309.

on safflower, 2853.

necrotic yellows virus on lettuce in New S. Wales, 1329; carrot motley dwarf and parsnip mottle viruses (?) related to, 947; effect of on yield, 1329; technique for purification of, 1356f.

, potato stem mottle virus str. on, in Netherlands, symptoms of, 2022a.

ringspot virus alone and + beet ringspot virus on lettuce, 317g.

root rot in Canada, soil water from causing necrosis of root tips, 968n.

, Sclerotinia minor on, effect of carbon dioxide in soil on, 357a, b.

- seed selection, 2648.

-, tobacco necrosis virus str. A on, transmission of, 2327g.

—— str. D on, 381, 2327g.

Xanthomonas vitians on, in *Queensland, 1355f; U.S.A., 1330; factors affecting and symptoms of, 1330.

Leucostoma kunzei on larch, 1284. Leveillula taurica on Capsicum, 2942.

--- on tomato, 840.

-- f. phlogis on Phlox, 2815. Levorin, toxicity of, to fungi, 987. Light, effect of on germination of Uromyces trifolii on clover, 1131; on production of microsclerotia and melanin in Verticillium,

ultraviolet, see UV light.

*Ligniera junci on Lolium multiflorum and L. perenne, 2947e.

Lignin, effect of, on Fusarium solani f.sp. phaseoli on bean, 2001a.

Ligustrum, see Privet.

Lilac (Syringa vulgaris), Phytophthora syringae on, C.M.I. description of, 1004.

-, Pseudomonas syringae on, 1368.

-ring spot virus in Poland, properties of and symptoms of, transmission of, by sap, 1883. Lily (*Lilium*), phytoncidal activity in, 966b.

—, tulip breaking virus on, in Japan, 1589.

-of-the-valley (Convallaria majalis), Botrytis cinerea f.sp. convallaria on, in Hungary, distinct from B. paeoniae, related to B. tulipae, 1119.

Lima bean, see Phaseolus lunatus.

Lime (Citrus aurantifolia), citrus psorosis virus

on, 2140.

7,—tristeza virus on, in Argentina, 2140, 2490; Colombia, 2790; U.S.A., 1756p; control, 1552, 2490; effect of on growth, 1552; transmission of, by (?)vectors, 1756p, 2700; virus receipt of 2400 2790; var. reaction to, 2490.

-, - xyloporosis virus on, in Argentina, 2490. -, copper deficiency in, rate of development and type of symptoms of, 3361.

–, Gloeosporium limetticola on, in Syria, 694. –, Glomerella cingulata on, in Malaya, 969c. impietratura-like symptoms on, in Cyprus, -, impl. 3231a.

-, molybdenum deficiency in, rate of development and type of symptoms of, 3361.

Lime against Plasmodiophora brassicae on broccoli, cabbage, and cauliflower, 276; as soil disinfectant, 511.

in combination against Oidium mangiferae on mango, 1183; Xanthomonas vesicatoria on Capsicum, 958.

-- sulphur injury to apple, 253b, 3102.

in combination, effect of on apple, 3102. Lindane in combination as seed treatment for beet, 2281.

- E-10 against insects in Herbaria on carpophores of basidiomycetes, 2400.

Linocarpon cariceti, in vitro between other fungi and, 3239. Linochora ligniaria, hosts of, 2530. interactions

Linseed (Linum usitatissimum) diseases in Victoria, 86.

-, Fusarium oxysporum f.sp. lini on, factors affecting, and var. reaction to, 1103; physiology of, 2804a, b.

-, Melampsora lini on, in India, 2803.

Linum angustifolium, Melampsora lini on, 2157. - marginale, Guignardia fulvida on, in N.Z., ascogenous state of Aureobasidium pullulans var. lini, 2156.

Lipids, stimulation of growth and sexual reproduction in Phytophthora, Pythiogeton,

and Pythium by, 2049.

Liquidambar styraciflua, endotrophic mycorrhiza of, anatomy of, 23.

Liriodendron tulipifera, endotrophic mycorrhiza of, anatomy of, 23.

---, Fusarium solani on, in U.S.A., symptoms of, 2893.

Lirothane against Colletotrichum lindemuthianum on bean, 2930; Pseudoperonospora humuli on hops, 513.

- in combination against Puccinia recondita

on wheat, 1841. Litchi, see *Nephelium litchi*.

Lithium, effect of, on physiological processes in wheat, 665.

toxicity to crops, 642.

*Livistona rotundifolia, Curvularia fallax on, in India, 1832

Loganberry (Ruubs ursinus var. loganobaccus), certification of, in England, 1601.

Elsinoe veneta on, in Victoria, 1354g. Lolium, Gibberella zeae on, in China, 1055. -, Griphosphaeria nivalis on, in England, Sclerotinia-Corticium type fungus associated

with, 3076a.

- mosaic virus on grasses, 1124.

—— on Lolium in Canada, 1594d, *2953; transmission of, by vectors, 597b.

-, Podosporiella verticillata on, in N.S. Wales,

symptoms of, 2438.

-, Puccinia coronata var. lolii on, effect of, on, 151.

- graminis on, in Yugoslavia, 401j.

-, Pythium aphanidermatum can infect, 557m.

- streak virus on barley, 1595, 2517.

- italicum, Ophiobolus graminis on, spread and survival of, 2440.

- multiflorum, Ascochyta desmazierii on, in Chile, 1031.

-, barley yellow dwarf virus on, in Czechoslovakia, reservoir for, 1529.

-, effect of toxin from Sclerotinia homoeocarpa on root tips of, 732.

*— —, Ligniera junci on, in England, 2947e. -, Ramularia pusilla on, in N.Z., distinct from Ramulaspera holci-lanata; symptoms and synonymy of, 731.

-, Sclerotium rolfsii on, in U.S.A., 2821. perenne as bait plant for detecting nematode

vectors, 1346a.

-, barley yellow dwarf virus on, assessment of, by simulated sward technique, 151; effect of on and var. reaction to, 2947c.

-, Dactylis glomerata streak virus on, effect of, on, 2947c.

fungi associated with roots of, in N.Z., 3271; Wales, 3391.

-, Gloeotinia temulenta on, diurnal periodicity in ejection of ascospores of, 1127.

- in relation to clover yields, 2947a.

-, Ligniera junci on, in England, 2947e. *——, Lolium mosaic virus on, in Canada, 2953.

--, Ophiobolus graminis on, spread and survival of, 2440.

-, Puccinia coronata on, control, 2820.

-, Ramularia pusilla on, in N.Z., distinct from Ramulaspera holci-lanata; symptoms and synonymy of, 731.

—, Rhynchosporium orthosporum on, in

England, 3285b.

- streak virus on barley, 152.

Lonacol, residues of, on tobacco, 1952.

Lonacol M against Phytophthora infestans on potato, 1653.

Z against Uromyces appendiculatus on bean, 920.

Longidorus transmitting plant viruses, 377. - attenuatus transmitting tomato black ring

virus, 1819.

- elongatus transmitting raspberry ringspot virus, 1346a, 2564; red-currant spoon leaf strawberry virus diseases, 2200; 1346c; tomato black ring virus, 1346a, 2564, 3414.

- macrosoma transmitting raspberry ring spot virus, 772.

Lonicera, see Honeysuckle.

Lophodermium nervisequum on Abies sibirica, 1281.

- pinastri on pine, see Pine.

Loquat (Eriobotrya japonica), apple mosaic virus on, 162; in India, *2023f.

—, Spilocaea eriobotryae on, comparative study of strs. of, 510. Lotus corniculatus, Phomopsis loti on, 3396.

– —, Verticillium alboatrum on, 738.

- tetragonolobus, pea enation mosaic virus on, 289.

Lovo-copper against Phytophthora palmivora

on Hevea rubber, 1225.

Lucerne (Medicago sativa), Alternaria on, 3080. -, Aphanomyces on, in U.S.A., prevalence and virulence of, 474.

-, Bacterium radiciperda on, in U.S.S.R., 2178. -, boron deficiency in, in France, 2737.

-, Cercospora medicaginis on, genetics of resistance to, 2523.

-, clover big-vein virus on, transmission of, by vectors, 2080.

-, Colletotrichum destructivum on, in Canada, 88.

*—, — medicaginis on, in India, 2084b.

-, - trifolii on, in Italy; description of, 2829; enzyme production in relation to, 2182a, b;

symptoms of, 2829.

Corticium solani on, in Queensland, 2521; factors affecting, 2521, 2828; infection and penetration by, 157; pathogenicity of, 2828; resemblance of symptoms of, to *Phytophthora* cryptogea, 2521.

-, Corynebacterium insidiosum on, in England, 2329e; Poland, 3082; U.S.S.R., factors affecting, 2178; resistance to, 1895; var. reaction to, 3082.

- diseases in Queensland, 2521.

- dwarf virus on lucerne, alfalfa dwarf virus preferred as name for, 1452.

dying off, (?)lucerne mosaic virus causing,

2522.

effect of roots of, on development of fungi, 966b; on Pythium graminicola in soil, 2735.

- -, Fusarium on, 3080; in U.S.A., 474; U.S.S.R., 2178; prevalence and virulence of, 474.
- —, *oxysporum* on, 3080.

—, — — f.sp. *callistephi* on, 1109.

- -, ff.sp. medicaginis, phaseoli, tracheiphilum, and vasinfectum on, pathogenicity of, 2830.
- -, Helicobasidium purpureum on, host specialization of strs. of, 2760.
- -, Leptosphaeria circinans on, in Spain, perfect state of Rhizoctonia violacea, 2524.
- , Leptosphaerulina briosiana on, study on, 2831.
- -, Macrophomina phaseoli on, in U.S.S.R., 2178.

[Lucerne] mosaic virus on bean, 473, 572, 1757e.

- on Capsicum, 2011, 3228d.

——— on celery, 2938. ——— on clover, 528, 2173. —— on cowpea, 1757e.

--- on Gomphrena globosa, 2079.

- — on lucerne, 386h; alfalfa mosaic virus preferred as name for, 1452; in Germany, 965j; (?)causing dying-off, 2522; cowpea chlorotic mottle virus not serologically related to, 300; transmission of, by vectors, 965j.

on Ocimum basilicum, 3228d.

– — on pea, 557h, 914, 3204. — — on potato, 528, 3012, 3228d.

——— on safflower, 2853. ——— on tobacco, 383.

——— on Vicia sativa, 2079.

- str. on Chenopodium album, lucerne, and Melilotus alba, 473.

—— on tobacco, 375.

—, Mucor on, 3080.

-, Ophiobolus graminis on, spread and survival of, 2440.

-, pea early browning virus on, in England, properties and transmission of, 382.

-, Penicillium on, 3080. -, Peronospora trifoliorum on, var. reaction to, 740.

-, Phoma herbarum var. medicaginis on, 3080; control, 159; effect of Acyrthosiphon pisum on severity of, 1133; of nutrients on, 739; enzyme production in relation to, 2182a, b; infection of, through pods, 159; review of, 476; var. reaction to, 739.

medicaginis on, taxonomy of, 3395.

-, Phytophthora cryptogea on, in U.S.A., prevalence and virulence of, 474.

, Pseudopeziza medicaginis on, mechanics of spore ejection in, 475; morphology, specialization, and phylogeny of, 2824; physiology of, 2520; symptoms of, 2824. ,—trifolii f.sp. medicaginis-sativae on, in

Canada, 2823.

-, Pythium spp. and Rhizoctonia on, in U.S.A., prevalence and virulence of, 474.

root rots in U.S.S.R., 2179.

-, Sclerotinia trifoliorum on, growth and penetration by, 158.
-, Stemphylium botryosum on, enzyme pro-

duction in relation to, 2182a, b.

, tomato big bud virus on, clover virescence symptoms similar to, 733. -, Trichoderma on, 3080.

Uromyces striatus on, C.M.I. description

of, 2739.

, Verticillium alboatrum on, in Canada, 738; N. Ireland, 2948g; N.Z., 3007; Sweden, 3081; effectiveness of selection of resistant plants, 3081; hereditary variation in resistance to, 477; hosts of, 738; hybrid resistance to, 2329e; methods for inducing symptom development, 3081; for inoculation and diagnosis, 2832; morphology of, 3007.,—dahliae on, 1429, 2950a.

- witches' broom disease in Victoria, association of, with Aceria medicaginis, not caused by virus, 2180.

· virus on lucerne, alfalfa witches' broom

virus preferred as name for, 1452.
-wound tumour [clover big vein] virus, transmission of, by vectors, 2080.

*Luffa cylindrica, Fusarium oxysporum on, in India, 82.

-, Macrophomina phaseoli on, in India, 1472.

Lupin (Lupinus), bean yellow mosaic virus on, in U.S.S.R., transmission of, by seed, var. and specific reaction to, 3083.

, cucumber mosaic virus on, in U.S.S.R.,

3083; causing browning, 2950g; transmission of, by seed, 3083; var. and specific reaction to, 2950g.

-, Cylindrocarpon radicicola non-pathogenic

to, 1427a.

-, Erysiphe martii on, in Germany, 2509.

-, Fusarium oxysporum on, physiologic races of, 2086.

-, - f.sp. callistephi on, 1109.

-, — — lupini on, in Hungary, 478. -- medicaginis on, pathogenicity of,

2830.

— redolens and F. roseum on, in Hungary, 478. Macrophomina phaseoli on, in Yugoslavia,

2833. -, Phytophthora cinnamomi on, 2048a.

—, — erythroseptica on, 1598.

-, Sesamum phyllody virus on, in India, transmission of, by vectors, 1352a.

-, Stemphylium solani on, in Portugal, 3084. Thecaphora deformans on, in Canada, 2953.

Verticillium alboatrum and V. dahliae on, 738.

Lycopersicon esculentum, see Tomato.

- hirsutum, Cladosporium fulvum on, genetics of, 1255a.

-, tobacco mosaic virus on, effect of on respiration, 2414.

- var. glabratum, Cladosporium fulvum on, genetics of, 1255a.

—— × tomato, as resistant rootstock for tomato, 1958.

- peruvianum, Cladosporium fulvum on, genetics of, 1255a.

---, Phytophthora infestans on, in U.S.S.R., 242.

-- pimpinellifolium, Cladosporium fulvum on, genetics of, 1255a.

Lygus, association of, with inflorescence blight and fruit decay of coriander and Foeniculum capulaceum, 2573.

2 M-4 KH, effect of, on Ustilago maydis on maize, 1539.

*Macadamia, Agrobacterium tumefaciens on, in Hawaii, 548.

Monilia albo-violacea on, *Macaroni, U.S.S.R., 1775.

Macrophoma candollei on box, 1884.

paraphysata, Macrophoma on citrus resembling, 702.

- sabinea on pine, 555.

— theicola on tea, 830, 1232.

- tumefaciens on aspen, 968m.

— — on poplar, 968m, *1692. Macrophomina phaseoli, classification of, 144.

-, control, 986.

-, effect of hormones on, 1788; of trace elements on, 43a; of vitamins on, 43b.

[Macrophomina phaseoli], factors affecting pycnidium production by, 3264.

——, hosts of, 3264. —— on bean, 918, 2935. —— on coconut, 520.

— on garlic, 1734.

— — on groundnut, 1729, 3217. – on Guizotia abyssinica, 515. *— on Hibiscus cannabinus, 144.

— on *H. sabdariffa*, 1352c.

— on lucerne, 2178.

— — on Luffa cylindrica, 1472.

--- on lupin, 2833.

— — on maize, 1073. — — on *Mentha arvensis*, 2218. *- on Phaseolus aureus, 2082.

— on pine, 268, 269. — — on sesame, 1350d. -- on soybean, 302.

*— — on Sudan grass, 3233. - — on Tephrosia vogelii, 3122.

*— on turnip rape, 1310.
— on watermelon, 82.

——, Orbilia obscura perfect state of, 3374. — tumefaciens on poplar, 258.

Macrosiphum avenae transmitting barley yellow dwarf virus, 596e, 663, 2464, 3321, 3322, 3323; str. of, 1531.

dirhodum not transmitting barley yellow

dwarf virus, 1530.

euphorbiae transmitting pea enation mosaic virus, 3206; potato leaf roll virus, 1928.

-granarium not transmitting barley yellow dwarf virus, 1530.

- transmitting potato virus, 2228.

Macrosporium commune on broad bean, 1728. Macrosteles fascifrons transmitting aster yellows virus, 376, 1455, 2111, 2751; celery str. of, 2111; aster yellows + oats blue dwarf viruses, 721; clover proliferation virus, 2825;

- laevis transmitting aster yellows virus, 2404; Primula str. of, 3073; onion yellow

dwarf virus, 2404.

Maesopsis eminii, Fusarium solani on, in Uganda, 254.

-, Nectria haematococca on, in Uganda, perfect state of Fusarium solani, 254.

Magnesium deficiency in apple, 965m; beet, 2327n; cacao, 1481b; citrus, 706; potato, 1220; Vaccinium angustifolium, 1624; vine,

-, effect of, on Corticium fuciforme on Festuca rubra, 2819; Erysiphe cichoracearum on tobacco, 1672; Lophodermium pinastri on pine, 1708; Pseudomonas solanacearum on tomato, 2886; resistance of beet to Cercospora beticola, 567; of potato to Phytophthora infestans, 1209; on virus diseases and yield of potato, 1926.

silicofluoride as timber preservative, 273. - sulphate against Curvularia on areca palm, 2580b; as seed treatment for larch, 870.

Maize (Zea mays) abnormality in U.S.A., resemblance of, to maize stunt virus, 116.

—, Alternaria in rhizosphere of, in U.S.S.R.,

1863.

-, - tenuis on, in Canada, 2783.

*—, Ascochyta on, in India, symptoms of, 391. —, Aspergillus on, in U.S.S.R., 689.

-, aster yellows virus on, effect of, on survival of Dalbulus maidis, 1457. , bacteria on, in Canada, 688; U.S.S.R.,

1861; effect of sugar levels on, 688.

[Maize], boron deficiency in, in Argentina, symptoms of, 2389.

-, Bromus mosaic virus on, in S. Africa, 3293. —, Cephalosporium on, in Upper V resembling 'slow wilt' in Egypt, 1078.

*--, Cercospora sorghi on, in India, 2023h. Cladosporium on, in U.S.S.R., 689, 1863 -, Ciae 2118.

-, - brevi-compactum var. tabacinum in rhizosphere of, effect of on shoot growth,

—, — cladosporioides on, in Canada, 2783. —, — griseo-olivaceum, C. linicola, and C. tranzschelii in rhizosphere of, effect of on

shoot growth, 1864.

-, Cochliobolus carbonum on, in *Argentina, 435; India, *1352a, 2782; dehydrogenase activity in relation to, 1074; genetics of, 3339; physiologic races of, 435.

, — heterostrophus on, in Fiji, 969a; Nigeria, 1862, 2469; breeding against, 1862; effect of on yield and var. reaction to, 2469.

, Colletotrichum graminicola on, in Upper Volta, 1078; U.S.S.R., 2118; factors affecting, 1858.

Corticium solani on, in (?)*England, 436;

Nigeria, 2469.

-, Curvularia on, in Nigeria, 2469

Diplodia macrospora on, in *N.S. Wales, 2082; Rhodesia, 1858; description of, 3277

factors affecting and var. reaction to, 1858, -, - maydis on, in *India, 121; Rhodesia, 1858; U.S.S.R., control, 1073; description of, 3277; factors affecting, 1073, 1858;

symptoms of, 1073; var. reaction to, 1858.

disease in U.S.A., resemblance of, to maize dwarf mosaic virus, symptoms and

transmission of, 2472.

-diseases in Nigeria, 2469; U.S.A., 1836; U.S.S.R., 1540; Victoria, 86; control, spread, and symptoms of, 1836; var. reaction to, 1540.

- dwarf mosaic virus on maize in U.S.A., *2471, 2473, 3332, 3333, 3334; breeding against, 2471; effect of, on yield, 2471, 3333; hosts of, 3333; maize virus disease named, 3332; spread of, 2473; (?)sugarcane mosaic virus str. causing, 3334; symptoms of, 2471, 3333; transmission of, by vectors, 2471; (?)2473; var. reaction to, 2778.

effect of fluoride compounds in air on, 3250; of length of storage period and moisture content on germination of seeds of, 1485; of mushroom stipes in soil on growth of, 2388; of root systems on Pythium

graminicola potential of soil, 2735. -, Endogone on, forming mycorrhiza, 25

-, Erwinia carotovora on, in S. Africa, 1544. str. on, in Greece, differentiation of from Erwinia carotovora f.sp. zeae in Egypt; symptoms of, 124.

-, fungi in rhizosphere of, effect of, on, 2997. - on, in Canada, effect of sugar levels on,

688.

-, Fusarium on, in U.S.S.R., 689, 1540, 1861; control, 689; var. reaction to, 1540, 1861.

-, — avenaceum in rhizosphere of, effect of on shoot growth, 1864.

., — on, in Austria and Germany, 3340; U.S.S.R., 2118.

- culmorum on, in Austria and Germany,

— gibbosum on, in U.S.S.R., symptoms of, 1073.

[Maize, Fusarium] javanicum in rhizosphere of, effect of on shoot growth, 1864.

,—oxysporum on, in Austria and Germany, 3340; Canada, 2783; U.S.S.R., control, 1073; factors affecting, 1073, 2783; symptoms of, 1073.

- poae and F. scirpi on, in Austria and

Germany, 3340.

- sporotrichiella on, in U.S.S.R., symptoms of, 1073.

- sporotrichioides on, in Austria and Germany, 3340.

-, Gibberella fujikuroi on, in Austria, 3340; Canada, 2783; Germany, 3340; *India, 437; Israel, 2428; Rhodesia, 1858; U.S.S.R., 1073; cellulase activity in relation to, 2476; control, 1073; factors affecting, 437, 1073, 1858, 2783; symptoms of, 1073; var. reaction to, 437, 1858, 2476.

10, 437, 1838, 2470. -, — zeae on, in Canada, 2783; *India, 121; Queensland, 1355d; Rhodesia, 1858; U.S.S.R., 122, 1073; control, 1073, 3036; epidemiology of, 122; factors affecting, 1073, 1858, 2783; non-pigmented form of, 438; relationship of seasonal changes in pith condition ratings and density to, 3035; symptoms of, 1073; taxonomy of, 438; var. reaction to, 1355d, 1858.

Gloeocercospora sorghi on, in Upper

Volta, 1078.

-, Gongronella butleri in rhizosphere of, effect of on shoot growth, 1864.

Helminthosporium in rhizosphere of in U.S.S.R., 1863.

-, - monoceras can infect, 3041. -, -- rostratum on, 2130.

-, Khuskia oryzae on, in United Arab Republic, 2123; U.S.S.R., 1073, 1540; control and factors affecting, 1073, 1858; symptoms of, 1073; var. reaction to, 1540, 2123.

leaf distortion in Nigeria, 2469.

- fleck virus on maize in Bulgaria, 2474, 3040; Netherlands, 2474; Nigeria, 2469; U.S.A., 684; maize virus disease in Calif. different from, 684; symptoms of, 2474; resembling leaf fleck virus in U.S.A., 3040; transmission of, by seed and var. reaction to, 2474.
- -, Macrophomina phaseoli on, 3264; in U.S.S.R., 1073.

mosaic virus on maize in Venezuela, 1537.

-, moulds on, in U.S.S.R., 2125; control, 123, 2125; resistance to, in relation to quality of sowing material, 2124.

-, Mucor on, in U.S.S.R., 689.

-, mycorrhiza of, Endogone forming, 25.

-, Penicillium on, in U.S.S.R., 689.

- -, spp. in rhizosphere of, effect of, on shoot growth, 1864.
- -, Periconia in rhizosphere of, in U.S.S.R., 1863.
- -, Physalospora zeae on, in Rhodesia, 1858.

-, Physoderma maydis on, breeding against and genetics of, 1077.

-, potassium deficiency in, Mo content in relation to, 3341.

-, Pseudomonas andropogonis on, in Hawaii, 465.

-, Puccinia polysora on, in Nigeria, 2469; genetics and physiologic races of, 2475; reaction to, 1538; var. reaction to, 2469.

[Maize, Puccinia] sorghi on 2717; in India, 1067; genetics of, 118, 397n, 1856, 1857, 2475; host-pathogen relations of, 2780; Oxalis corniculata as source of infection for, 1067; reaction of, to, 1538; var. reaction to, 1856.

-, Pyricularia grisea and Pythium aphanider-

matum on, in Nigeria, 2469.

-, Pythium arrhenomanes on, in Brazil, 600b. -, - debaryanum on, in U.S.S.R., 2118.
*- 'red-stripe' disease in Canada, (?)frost

injury causing, 2783.

— virus on maize in Bulgaria, distinct from that described elsewhere, 3040. —, Rhizoctonia zeae on, in U.S.S.R., 1540. —, Rhizopus on, in U.S.S.R., 689.

-, — maydis on, in U.S.S.R., 1540; effect of irrigation on, 1541.

-, rice black-streaked dwarf virus on, in

Japan, 2480g.

- ring mottle virus on maize in Bulgaria; symptoms of, 3040.

-root rot complex, fungi and nematode

associated with, 120.

rough dwarf virus on maize in Czechoslovakia, 3034; U.S.A., 3335; hosts of, and relationship of, to maize diseases in Israel and Italy, 3034; transmission of, by vectors, 3034, 3335.

- 'silk-cut' in Canada, association of, with

Gibberella fujikuroi, 2783.

-, sorghum concentric ringblotch virus on.

-, — red stripe [sugarcane mosaic virus str.] on, in S. Africa, 3293.

, Sphacelotheca destruens on, susceptibility

to, 2126.

to, 2120.

-, — reiliana on, 2126; in Czechoslovakia,
432; U.S.S.R., 3337; control 3037; dormaney requirements of spores of, 3338; mancy requirements of spores of, 3338; factors affecting, 3037; nature of hypertrophied inflorescence of, 685; symptoms of, 3337; var. reaction to, 432.

-, Stachybotrys in rhizosphere of, in U.S.S.R., 1863.

- streak virus on maize in Nigeria, 2469; genetics of, 2951a; non-transmission of, by Cuscuta, 2951c.

'streaked dwarf' in Venezuela, Zea virus 1 [maize mosaic virus] causing, transmission

of, by vector, 1537.

- stripe mosaic [sugarcane mosaic virus str.] on maize in Romania, 126.

stunt virus on maize in U.S.A., 115, 431, 684, 2117b; distribution and taxonomy of vectors of, 115; maize virus disease different from, 684; resembling, 431; non-occurrence of, in Ohio, 3332; symptoms of, 115, 2117b; transmission of, by vectors, 3332.

-, sugarcane mosaic virus on, 1946; in ?Bulgaria, 3040; U.S.A., ?684, 2117a; Venezuela, 1537; related to maize streak virus,

transmission of, by vectors, 2117a.

transmission of, by seed, 2779.

Czechoslovakia, transmission of, by sap and vectors, 125.

Trichometasphaeria turcica on, in Nigeria, 2469; Poland, 2427; U.S.S.R., 1860, 1861 conidial production, cultural variability, and pathogenicity of, 1075; control, 2717; effect of on yield, 2469; factors affecting, 1076, 1542, 1543, 1861; genetics of resistance to, 687, 2477, 2478; variability in, 1860; var. reaction to, 1859, 1861.

[Maize], uptake of fungicides from treated

seeds of, 13.

secus of, 13.

-, Ustilago maydis on, in Czechoslovakia, 432; Germany, 1755i; Malaya, 969c; Poland, 2756; U.S.S.R., 1861, 2118, 3336; control, 1539, 1755i, 3038; distribution of, 2756; effect of herbicides on, 1539; irrigation on, 1541; sowing dates on, 2122; vars. on change in parasitic activity of, 2120; factors affecting, 1068, 1541, 2118; forecasting outbreaks of, 2756; genetics of 3220f; phytopoide of, 2756; genetics of, 3229f; phytoncide activity in relation to, 434; resistance to, 2119, 2781; solopathogenic strs. of, 1069; variation in virulence of, 2121; var. reaction to, 432, 433, 1861, 2119, 2122, 3336.

-, — scitaminea on, infection of, and non-hybridization with *U. maydis*, 686.

-, Verticillium on, in U.S.S.R., 689.

- virus disease in U.S.A., 431, 684, 2117c; differentiation of, from maize leaf fleck and stunt viruses, 684; hosts of, 3970; resemblance of, to maize stunt virus, 431; to sugarcane mosaic virus, 431, 684, 3970; symptoms of, 684, 2117c; transmission of, mechanically, 431, 684, 3970.

diseases in Bulgaria, 3040; world-wide

tentative key to, 3331.
- white ear rot in U.S.S.R., 1540.

Xanthomonas maydis on, survival of in soil, 2034.

, zinc deficiency in, in France, 3039.

Makhorka, see Tobacco.

Malachite green against Ascochyta on Cicer arietinum, 299; Mycosphaerella on banana, 1351d; turnip mosaic virus on horseradish, 6h, 2656.

Malathion against vectors of sugarcane mosaic

virus, 226.

Malus, apple chlorotic leaf spot virus on, 2205. - platycarpa, apple chlorotic leaf spot virus on, symptoms of, 480.

— pumila, see Apple, *Malustela aeria on Dahlia, 1832.

Malva neglecta 'mallow mosaic virus', electron microscopy of, 2406.

-parviflora, Puccinia malvacearum on, release

of basidiospores of, 998. Malvastrum coromandelianum, Wissadula amplissima mosaic virus can infect, 1027.

Mancozeb against Alternaria porri on onion, 1732; A. solani on tomato, Peronospora destructor and Sclerotinia squamosa on onion, and Septoria apii-graveolentis on celery, 1719; as seed treatment for maize, 3036.

-versus methoxyethylmercuric silicate and thiram, 3036.

Mandarin orange, see Orange.

Maneb against Alternaria longipes on tobacco, 2698i; A. solani on potato, 2232; on tomato, 617; Botrytis on broad bean, 617; Cercospora bougainvilleae on Bougainvillea, 2955h; Cercosporella brassicae on turnip, 2657; Cladosporium cucumerinum on squash, 2010; Colletotrichum higginsianum on turnip, 2657; C. lagenarium on melon, 2312, 2676; on tomato, 617; Corticium areolatum on orange, 601; Didymella lycopersici on tomato, 1257; Diplocarpon rosae on rose, 617; Peronospora

parasitica on broccoli, 280; P. tabacina, 540, 835, 1674; Phytophthora infestans on potato, 2862; on tomato, 617; Pseudoperono-spora humuli, 3118; Puccinia asparagi, 2941; P. coronata on Lolium perenne, 2820; P. menthae on peppermint, 2217; Pythium debaryanum and P. ultimum on tobacco, 2881; Scleroderris lagerbergii on pine, 1298; Stemphylium solani on tomato, 617, 2954c; Thielaviopsis basicola on tobacco, Uromyces appendiculatus on bean, 617; as soil disinfectant, 14, 1299, 2217.

[Maneb], decomposition of, by water, 2976. -, effect of, on *Botrytis cinerea* on tomato, 1252; on *Colletotrichum capsici*, 2977; of tomato juice on toxicity of, 1252.

-, not controlling Peronospora tabacina, 3152. -, toxicity of, to tobacco, 2881; tomato, 1257.

versus dithane M.45, 2232; tetrachlorisoph-

thalonitrile, 617; zineb, 2312.

in combination against banana black leaf streak, 1180; Diplocarpon rosae on rose, 729; Pseudomonas cichorii on cabbage, 2954b; Puccinia graminis on wheat, 1491; Sphaerotheca pannosa on rose, 729; Stemphylium solani on tomato, 2954c.

Mangan curit against Phytophthora infestans

on potato, 1653.

Manganese against Erysiphe polygoni on beet, 1315; vine chlorosis, 1344; as seed treatment for barley, 678; beet, 2950n.

deficiency, association of, with lemon chloro-

sis, 2840.

in apple, *1616; cacao, 1835; citrus, 706; medlar, *1616; pecan, 1689; tomato, 1958; Vaccinium angustifolium, 1624; vine, 594.

- -, effect of, on antagonism of actinomycetes to Verticillium dahliae on cotton, 3267f; on actinomycetes, 1566; on physiological processes in wheat, 665; on resistance of beet to Cercospora beticola, 567; of wheat to Puccinia recondita, 2093; on Ustilago nuda in culture, 2104; on Verticillium dahliae on cotton, 1567; on virus diseases and yield of potato, 1926.
- requirements of some fungi, 6a.

toxicity in vine, 594.

- in combination against apple interveinal chlorosis, 3407; *Peronospora parasitica* on cabbage, 560; as seed treatment for barley, 677.
- -sulphate as seed treatment for larch, 870. *Mango (Mangifera indica), Alternaria tenuissima on, in India, symptoms of, 2842.

—, fungi on, in India, list of, 192a.

- -, Glomerella cingulata on, in Morocco, 2843.
- -, Oidium mangiferae on, control, 1183. -, Pestalotiopsis versicolor on, in Mauritius, 3232e.

Manihot utilissima, see Cassava.

Manure, organic, effect of, on Cochliobolus sativus, Ophiobolus graminis, and Plasmodiophora brassicae in soil, 1424; on Streptomyces scabies on potato, 813.

Manzate against Uromyces appendiculatus on

bean, 920.

Maple, see Acer.

Maranta arundinacea, see Arrowroot.

Marasmius, spore discharge mechanism in, 1410.

- oreades on turf, 3077.

[Marasmius oreades], production of hydrogen cyanide by, 3393.

- perniciosus on cacao, 3291.

— on Theobroma grandiflorum, 1480, 3291. Marigold, see Calendula officinalis.

Marine Microbial Ecology, volume 1, 2962. Market diseases of fruit and vegetables, circular on, 3016.

Marrow, see Vegetable marrow. Marssonina brunnea on poplar, 860.

-populi on aspen, 3175

on poplar, 3173, 3174. - populicola on poplar, 861.

— rosae on rose, 2160.

— tremulae on poplar, 3174.

Martynia diandra, Xanthomonas martynicola on, in India, 977.

Mastigosporum rubricosum on Dactylis glomerata, 151.

Matthiola mosaic virus on Matthiola incana

var. annua, 149. virus 1 on Matthiola, Chenopodium amaranticolor and Gomphrena globosa as indicators

for, 1120. - incana var. annua, Matthiola mosaic virus on, spread of, and transmission of, by

vectors, 149.

Mealy bugs transmitting cacao virus diseases, 2432c.

Medicago, Pse against, 741. Pseudopeziza spp. on, breeding

- arabica, Ascochyta on, in Chile, 1031. -falcata, Plenodomus meliloti on, tolerance of,

2525. gaetula × lucerne and M. hemicycla × lucerne, Verticillium alboatrum on, reaction

to, 2329e. - indica, pea enation mosaic virus on, 289.

- lupulina, pea enation mosaic and pea mosaic viruses on, as source of infection for sweet pea, transmission of, by vectors, 1891.

media, Plenodomus meliloti on, tolerance of, 2525.

- orbicularis, pea enation mosaic virus on, 289.

sativa, see Lucerne. *Medlar (Mespilus germanica), manganese deficiency in, in Greece, symptoms of,

Monilinia mespili on, (?)M. johnsonii identical with, 2506.

Megoura viciae transmitting bean yellow mosaic virus, 156; pea enation mosaic virus, 912a; pea mosaic virus, 156.

*Melaleuca leucadendron, Pleomassaria mela-leucae on, in the S. Pacific, symptoms of,

1965.

Melampsora in U.S.S.R., list of, 3229b.

- albertensis, hosts of, 1970a, b.

—, synonym of *M. medusae*, 1970b.

- allii-fragilis and M. allii-populina on garlic, 2307.

- allii-populina on poplar, 846.

- larici-populina on poplar, 2619, 3173.

- lini on flax, see Flax.

— on linseed, 2803.

- — on Linum angustifolium, 2157.

- medusae, synonym of M. albertensis, 1970b.

- occidentalis, hosts of, 1970a. - pinitorqua, see M. populnea.

- populnea on aspen, 1694, 3175.

- on pine, 1979.

Melampsorella caryophyllacearum on Abies, 545, 553, 1280, 1979.

cerastii on A. sibirica, 1281.

Melampyrum nemorosum, alternate host of Coleosporium melampyri, 885.

Melandrium album, Ustilago violacea on, study on, 462a, b.

Melastiza chateri on turf, 2.

Melilotus, Pseudopeziza medicaginis on, breed-

ing against, 741.
-, — meliloti on,

breeding against, morphology, phylogeny, specialization, and symptoms of, 2824; var. reaction to, 741., — trifolii ff.sp. trifolii-pratensis and trifolii-

repentis on, breeding against and var. reaction to, 741.

- alba, lucerne mosaic virus str. on, in Ger-

many, 473.

Meloidogyne incognita, interrelationship of.

with Fusarium oxysporum, 2298.

Melon (Cucumis melo), Colletotrichum lagenarium on, in Austria, 2312; France, 2676; control, 2312, 2676; physiology of, 953; symptoms of, 2312.

-, cucumber mosaic virus on, effect of on

nectar production, 3218.

-, Fusarium on, in U.S.S.R., 3219. -, — oxysporum on, in N.S. Wales, isolates of, 3233.

- f.sp. melonis on, effect of CO2 in

soil on, 357a, b.

-, Pseudoperonospora cubensis on, in Mauritius, 3232c; control and effect of, on, 1740; var. reaction to, 3232c.

-, squash mosaic virus on, effect of on nectar

production, 3218.

-, Verticillium on, in U.S.S.R., 3219.

- dahliae on, in U.S.S.R., Alternaria and Fusarium associated with, 3219.

-, watermelon mosaic virus strs. on, effect of on nectar production, 3218.

Melprex alone and in combination against Mycosphaerella ribis on currant, 2563.

Menazon against vectors of groundnut rosette virus, 579; of potato viruses, 1645t.

effect of on sucrose in carrot roots, 2327n. Mentha arvensis, Macrophomina phaseoli on, symptoms of, 2218.

- piperita, see Peppermint.

- spicata, Puccinia menthae on, factors affecting, 1193.

Merck-Streumittel F-1051 against Corticium

solani on potato, 1645e.

Mercuran against beet black leg, 911; Fusarium solani on broad bean, 2002; as seed treatment for barley, 3295a; broad bean, 2928; maize, 123; oats, 3295a; pea and soybean, 2928; wheat, 3295b.

in combination as seed treatment for maize,

2125; wheat, 103.

-, ineffective against Tilletia foetida on wheat, 667.

- injury to cucumber, 952.

Mercuric chloride, adaptation of Ceratocystis

paradoxa to, 1386.

- against bacteria on sugarcane, 2868b; Cypripedium callosum bacterial rot, 3379; fungi on sugarcane, 2868b; as seed treatment for barley, 13; for cucumber, 311; for maize, and wheat, 13; for vegetables, 275; as soil disinfectant, 2627, 2652; as timber preservative, 273.

[Mercuric chloride], effect of, on bulb germination in hyacinth, Narcissus, and tulip, 3062.

for disinfecting knives for Cypripedium,

3379; potato, 968h.

—, uptake of, by Puccinia graminis, 13.

Mercurous chloride against Plasmodiophora brassicae on cabbage, 2692b; Pseudomonas marginata on Gladiolus, 3070.

Mercury against Fusarium on potato, 1354; F. oxysporum f.sp. redolens on Gladiolus, 3383; Pezicula alba and P. malicorticis on apple, 1154; Xanthomonas malvacearum on cotton, 452; as seed treatment for flax, 3370; groundnut, 581; wheat, 1837b.
- residues in apple, 3399.

-, tolerance of Aspergillus niger to, 1387.

- versus agrosan 5W, 452.

- in combination against Fusarium, Phoma, Pythium, and Rhizoctonia on beet, 1314; as

seed treatment for wheat, 2100.

compounds, organic, against Alternaria brassicae on turnip rape, 1723; Ceratocystis paradoxa on pineapple, 779; Cercosporella herpotrichoides on wheat, 2107; Phytophthora and P. parasitica on pineapple, 779; Pyricularia oryzae, 2479c; Sclerotinia laxa on sour 3110; Venturia inaequalis, 483; Verticillium nubilum on potato, 2588; as seed treatment for bean, 1726; cotton, 719a; wheat, 2108.

-, --, effect of, on Erwinia carotovora on

potato, 1645k.

-, versus dodine acetate, 483. Merfazin, see phenyl mercuric chloride.

Merfusan against Sclerotinia homoeocarpa on turf, 3076b.

Merulius lacrymans, see Serpula lacrimans. Mesochytrium, transference of Synchytrium endobioticum from, to Microsynchytrium, 2022e.

Mespilus germanica, see Medlar. 2343. Metarrhizium anisopliae in N.Z.,

-, longevity of conidia of, 2968. Metham-sodium against brown root rot of tomato, 3171; Streptomyces scabies on potato, 2693b; tobacco mosaic virus on tomato, 3156; as soil disinfectant, 1299.

versus nabam, 3171. Methoxyethylmercuric silicate as seed treatment for maize, versus mancozeb, 3036. Methoxyethyl mercury as seed treatment for

tobacco; injury to, 965a.

Methylarsenic sulphide against damping-off of beet, 3; as seed treatment for beet, 3, 2327p.

- in combination against damping-off of beet, 3; as seed treatment for beet, 3; wheat, 1837c.

Methylarsine sulphide, details of, 614.

Methyl bromide against brown root rot of tomato, 3171; fungi on prepared cocoa beans, 396; as soil disinfectant, 3189.

, effect of, on mycorrhizal development

in forest nurseries, 2365.

Methyl green in glycerine jelly as a mounting medium for fungi, 1817.

isothiocyanate, effect of on tobacco mosaic virus on tomato, 3156.

- in combination as soil disinfectant, 1194. -mercuridicyandiamide against Sclerotinia draytonii on gladiolus, 2810.

mercury as seed treatment for tobacco, injury to, 965a.

2 - methyl - 1,4 - chlorophenoxy pentaethylene glycol, morphogenic action of, 11.

2-methyl-1,4-naphthoquinone, effect growth and spore germination of Byssochlamys fulva, 2726.

1-methyl-2-phenyl-3-dodecyl-benzimidazolium-

ferricyanide, details of, 614. methyl quinoxaline-2,3-dithiol carbonate 6-methyl against Podosphaera leucotricha, 169.

-2,3 quinoxaline-dithiol cyclic carbonate,

see morestan.

Methylzineb against Alternaria solani on tomato, Peronospora destructor and Sclerotinia squamosa on onion, and Septoria apii-graveolentis on celery, 1719.

, residues of, on tobacco, 1952.

Metopolophium avenae transmitting barley yellow dwarf virus, 2774.

-dirhodum transmitting barley yellow dwarf virus, 596e, 2774.

Mianthemum, association of, with Fomes

annosus on cedar, 874. Microbiological methods, textbook on, 328.

Microbiologists, training of, 1364c. Microbiology, Advances in Applied, vols, 4, 5, and 6, 1364.

-, Annual Review of, Vol. 18, 1366.

-, Developments in Industrial, Vols. 4 and 5, 1396.

-, impacts of applied, 1364e.

— of paint films, 1364b.

—, Progress in Industrial, Volume 5, 2982. Microcyclus pandani on Pandanus tectorius, 1644.

Micromanipulators and micromanipulation, book on, 650.

Micromycetes in China, survey of distribution of, 645.

Micro-organisms as research tools, 3236; biological aspects of, 1364a; continuous cultivation of, book on, 1361; mutagenesis in, 1364a; storage of, under mineral oil, 1445. Microsphaera alni on pecan, 857.

alphitoides, different from M. hypophylla,

1968.

- on oak, 1276.

*— hypophylla on oak, 1968.

- palczewskii on acacia, 2619.

*Microstroma juglandis on walnut, 2888.

Microsynchytrium, transference of Synchytrium endobioticum from Mesochytrium to, 2022e.

Miedzian against Peronospora parasitica on flax, 1634.

Milk against tobacco mosaic virus on tomato, 1955.

-fat, effect of on transmission of lettuce mosaic virus by vectors, 2309.

skimmed, against tobacco mosaic virus, 323.

Mimosa pudica, Cercospora pudicae on, in Singapore, 1437.

*Mimusops elangi, Botryodiplodia theobromae on, in India, 1832.

Min-nung No. 5 against *Puccinia striiformis* on wheat, 2097.

Miscanthus sinensis, Stagonospora sacchari on, in Philippines, 828.

Mites transmitting plant viruses, research on, 597b.

Mix-O for disinfecting potato knives, 968h. Molybdenum as seed treatment for pea, 3208. [Molybdenum] deficiency in cacao, 1835; citrus, 706; Citrus pennivesiculata, lemon, lime, and orange, 3361; soil, 594.

, effect of on actinomycetes, 1566; on antagonism of actinomycetes to Verticillium dahliae on cotton, 3267f; on Crotalaria mosaic virus on C. juncea, 2159.

-, inhibition of Botrytis cinerea, Fusarium, and Sclerotinia sclerotiorum by, 2929.

Momordica, almond calico, cherry rugose mosaic, and peach ringspot viruses on, 1756x.

charantia, Fusarium oxysporum on, in India,

viruses in Jamaica, transmission of, by

sap, 1353f. -dioica, Phoma cucurbitacearum on, in India, symptoms of, 1472.

Monascus, food fermentation by, 2334. *Monilia albo-violacea on macaroni, 1775.

*Monilinia demissa on apricot, 88. iohnsonii on Crataegus and C. chlorosarca, **2506.**

– mespili on Crataegomespilus dardarii, C. grandiflora, and medlar, 2506.

Monochaetia, taxonomy of, 55. turgida on Crataegus and *rose, 2514.

Monuron alone and in combination against Verticillium on cotton, 713.

*Morenoella quercina on oak, 257.

Morestan, residues of, in apple and pear, colorimetric determination of, 171. Mortierella alpina and M. renispora on Buddleia

davidii and Senecio squalidus, 623.

Morus, see Mulberry.

Mucor, food fermentation by, 2334. - mucedo on Feronia limonia, 82.

ramannianus, inhibition of, by almarcetin, 2716.

varians in nests of Vespula, 2970.

*Muehlenbergia hugelii, Puccinia striiformis on, in India, 154. Mulberry (Morus), Cylindrosporium on, control,

1181. - dwarf [mulberry mosaic virus] on mulberry

in China, transmission of, by grafting, 2248. —, Fusarium solani f.sp. robiniae on, 1972.

-mosaic virus on mulberry in China, 2248; Japan, 549, 1684; effect of temp. on symptoms of, 1966; relationship between cutting back and symptoms of, 1684; transmission of, by vectors, 549.

, Phyllactinia suffulta f.sp. moricola on, in Ú.S.S.R., 1685, 3170; control, 1685; factors affecting, 1685, 3170; overwintering of,

3170.

*-, Septomyxa tulasnei on, in Canada, 88.

*Murraya exotica, Colletotrichum exoticum on, in India, 2084b.

Xanthomonas citri on, distinct strs. of, 136b.

Musa balbisiana, non-occurrence of Pseudomonas solanacearum on, 2568.

- nana, see Banana.

— paradisiaca, see Plantain.

- var. sapientum, see Banana.

Musarin, production of, by Streptomyces, 988. Mushroom (Agaricus), Chaetomium olivaceum on, in Brazil, 2679.

-, Coprinus in beds of, 2322; in Bulgaria, 589.

[Mushroom], Diehliomyces microsporus on, in Romania, symptoms of, 1744.

-, effect of materials composted for short periods on yield of, 1742; of stipes of, in soil on growth of maize and tomato, 2388

-, Fusarium in beds of, in Bulgaria, 589. -, German pocket book on, 58.

— growing in Netherlands, 2016c, d, e; economic viewpoint of, 2016b; labour and technology in, 2016a. importance of CO2 for fructification of.

2944.

- , Myceliophthora lutea in beds of, in Bulgaria, 589.
- mycelium stimulating spore germination in, 1335.
- , Mycogone perniciosa on, control, 2680, 2681.
- Myriococcum praecox on, in Brazil, 2679; Bulgaria, 589.
- -, Penicillium and Peziza in beds of, in Bulgaria, 589.
- Peziza ostracoderma on casing of, in N. Ireland, 2.
- , Pseudomonas on, in Bulgaria, 589; N.S. Wales, control, 589, 2322; differentiation of, from P. tolassi, 2332c; symptoms of, of, f

-, races and possible origin of, 588.

-, revised field guide to, 1367.

- Scopulariopsis fimicola in beds of, 2322; in Bulgaria, 589.
- , spontaneous development of new forms of fruit bodies in, 2017.

-, spore discharge mechanism in, 1410.

-, technique for cultivating, 2678.

- —, Trichoderma in beds of, in Bulgaria, 589. —, Verticillium malthousei on, control, 2322,
- virus on mushroom, (?)in Hungary, 1743; damage caused by, 317c; effect of heat treatment on, 2019; known as dieback, mummy, watery stipe, brown and X-disease, 1743; pot related to Califacture. 1743; not related to Cochliobolus victoriae (?)virus disease, 317k. Muskmelon, see Melon.

- *Mustard, black (Brassica nigra), Leptosphaeru-lina brassicae on, in India, 1813.
- -, Chinese (B. juncea), cabbage black ringspot virus on, in India, 1722.

, white, see Sinapis alba.

Myceliophthora lutea in mushroom beds, 589. Mycogone perniciosa on mushroom, 2680, 2681.

Mycological atlas 1, The Psalliotas, 647. Mycology, morphological and anaton anatomical illustrations for (Birkfield et al.), 57, 1431. Expression for type of the first o Mycomicrothelia palmarum on coconut, Mycorrhiza, artificial inoculation of soil with,

1406.

-, ecology of, 2363.

— of Acer rubrum, 23.

-- of aspen, 28a.

— of beech, 23, 3258a, b, c.

of birch, 2367; Cenococcum graniforme forming, 2367.

of Coniferae, 3255; Boletus spp., Cantharellus cibarius and Paxillus involutus forming, 24.

- of elm, 23.

- of grasses, 1408.

- . of Hevea rubber, 3259.
- of holly, 23.

[Mycorrhiza] of Liquidambar styraciflua and Liriodendron tulipifera, 23.

of maize, Endogone forming, 25.

— of oak, 23.

- of pine, see Pine.

— of plants in the Caucasus mountains, 1408. - of poplar, Hebeloma hiemale forming, 1405.

— of potato, 1925.

of Pseudotsuga menziesii vars. glauca and menziesii, 3257.

of Rhododendron, 622.

of Salix, Hebeloma hiemale forming, 1405.

- of shrubs, 1408.

- of spruce, Cenococcum graniforme forming, 2367; Phlegmacium forming, 2364.

of trees, 23, 1408, 3253.

—, recent research on, 2996a. —, ectotrophic, discussion on, 3260e.

Mycosphaerella in Japan, monograph on, 3276. - arachidicola, growth of, 935

on groundnut, see Groundnut.

- berkeleyii on groundnut, see Groundnut.
- brassicicola on cauliflower, 1720. - carinthiaca on clover, 733.
- citrullina, see M. melonis.
- cucumis, see M. melonis.'fijiensis' on banana, 2567.
- *- holci on wheat, 2697c.

- ligulicola on Chrysanthemum cinerariifolium, 599c.

- linorum on flax, 2802.

- melonis on cucumber, pumpkin, and watermelon, 2677.

musicola on banana, see Banana. - palmicola on coconut, 359.

- phaseolicola on bean, 89.

— pinodes, arabanases in, 2725. — on pea, 320d, 2284, 2658, 3229a, c. — ribis on currant, 320c, 2563.

*— tassiana on oats and wheat, 2697c.

Mycostatin, inhibition of soil bacteria and fungi by, 1803.

Mylone against Verticillium on cotton, 713; as soil disinfectant, 14, 339, 3189.

- in combination against Verticillium on cotton, 713.

Myrica, actinomycetes on root nodules of, isolation and properties of, 26.

Myriococcum praecox on mushroom, 589, 2679. Myrobalan, see Prunus cerasifera var. divaricata.

Myrothecium roridum on cotton, 3367.

on Gloxinia, 1586.

Myxogastrales, biology of, 1.

*Myxosporium lanceolata on oak, 88.

Myzodes ajugae transmitting beet mosaic and beet yellows, lucerne mosaic, and turnip mosaic viruses, 965j.

Myzus persicae not transmitting citrus tristeza virus, 2491; poplar mosaic virus, 2249.

— transmitting bean yellow mosaic virus, 927, 1824, 1825; beet Western yellows virus 2924; beet yellows virus. 909, 2924; Capsicum virus, 2317; cherry virus, 1756w; Chinese cabbage mosaic virus, 898; Chinese cabbage 'tszyane' virus, 2269; Datura distortion mosaic virus str., 81; lettuce mosaic virus, 309, 2309; parsnip mosaic virus, 1352a; passion fruit woodiness virus, 512; pea enation mosaic virus, 912a, 1891, 3206; pea mosaic virus, 1891, 3207; *Physalis floridana* mild chlorosis virus, 2755; potato leaf roll virus, 1021, 1928; potato virus Y str., 965j;

spinach virus, 2926; sugarcane mosaic virus, 1227; SMV, sorghum red stripe 125; sweet potato russet-crack virus, 386w; turnip latent [Physalis floridana yellow net] virus, 1021; turnip mosaic virus, 965j; TMV mild str., 965j.

N-(3-chlorophenyl) itaconimide, see Naugatuck BL-1135.

Nabam against brown root rot of tomato, 3171; Didymella lycopersici on tomato, 1257; Peronospora tabacina, 2236e; as soil disinfectant, 14, 780.

-, effect of, on Colletotrichum capsici, 2977; on tobacco mosaic virus on tomato, 3156.

- versus chloropicrin and metham-sodium, 3171.

Naemospora aurea, hosts of, 2530.

Nafun against Pseudopeziza ribis on currant. 2202.

Naphthalene acetic acid, effect of, on fungi on fruit, 1390.

, chlorinated, as timber preservative, 273. Narcissus, Arabis mosaic virus on, 463.

-, Botrytis narcissicola on, in Victoria, 1354l. — chocolate spot, and cucumber mosaic viruses on, 463.

-, fungi on, control, 3062.

green stripe' in England, symptoms of, 463.

mosaic virus on Narcissus, transmission of, by vectors, 463.

mottling in England, 463.

-, potato stem mottle virus str. on, 463.

- silver leaf virus on Narcissus, transmission of, by vectors, 463.

-, Stagonospora curtisii on, control, 317o.

-, tomato black ring virus on, 463. - viruses, 463; isolation of, 317h.

- yellow stripe virus on Narcissus, spread, symptoms, and transmission of, by vectors, 463.

Nasturtium officinale and N. officinale \times N.

microphyllum, see Watercress. Naugatuck BL-1135 and naugatuck D-198, effect of on Diaporthe citri, 1557.

Nectarine (Prunus persica), Rhizopus stolonifer and Sclerotinia fructicola on, effect of heat treatment on, 2192a, b.

Nectria cinnabarina on aspen, 3175.

-, parasitism of, in U.S.S.R., 1471. - cucurbitula on Abies sibirica, 1281.

- galligena on apple, see Apple.

on birch, 2621.

on peach, 2710. - on *Tilia*, 2063.

- haematococca on Maesopsis eminii, 254.

perithecial state of Fusarium oxysporum and F. solani, 968d.

— radicicola on cyclamen, 1882.

on Rhododendron indicum, 2818.

- swieteniae-mahoganii on Swietenia, 2620.

Nekanil C alone and in combination, effect of, on Mycosphaerella musicola on banana, 1178. Nekaron as seed treatment for beet, 2281.

Nematodes in relation to Fusarium oxysporum f.sp. vasinfectum on lucerne, 2830.

- not found transmitting sugarcane chlorotic streak virus, 1664c.

, review of interactions with bacteria and fungi, 2026.

[Nematodes] transmitting beet viruses, 1312; viruses, 1346d.

Nemin causing trap formation in predacious fungi, 1769.

Neocosmospora vasinfecta, Mn requirements of,

Neomycin, toxicity of, to olive, 1186.

sulphate, against Xanthomonas vesicatoria on Capsicum, 958.

Neomyzus circumflexus transmitting bean yellow mosaic virus, 927.

Nephelium litchi, fungi on, in India, list of, 192a.

Nephotettix apicalis transmitting rice 'tungro' virus, 2479d; rice transitory yellowing, 2482. - bipunctata transmitting rice 'tungro' virus,

1868. - impicticeps transmitting rice 'penyakit

merah ', 3043.

Nerium oleander, see Oleander. Neurospora crassa, relationship between growth rate and branching of mycelium of, 1785.

-, use of, as test fungus, 1854, 2713. viability of, after storage in liquid N, 630.

Nicandra, potato spindle tuber virus on, symp-

tomless host of, 799. physaloides, raspberry ring spot virus on, differentiation between English and Scottish strs. of; physical properties of, 772.

—, Xanthomonas vesicatoria on, taxonomy of, 2038.

Nickel, effect of, on growth of Ustilago nuda in culture, 2104; on physiological processes in wheat, 665; on resistance of wheat to Puccinia recondita, 2093.

- in combination against Puccinia graminis and P. recondita on wheat, 407; P. striiformis,

2769.

ammonium sulphate against Exobasidium vexans on tea, injury to tea, 1234.

chloride against Exobasidium vexans on tea, 1233b; Melampsora lini on flax, 722.

- injury to pimento, 1353d. versus nickel nitrate, 722.

- in combination against Exobasidium vexans on tea, 1233b; Puccinia graminis on wheat, 1491.

nitrate against Exobasidium vexans on tea, 1234; Melampsora lini on flax, 722.

injury to tea, 1234.

- versus nickel chloride, 722.

- sulphate as seed treatment for barley, 674. - in combination against Puccinia graminis on wheat, 1491.

Nicotiana, as differential host for viruses on

Leguminosae, 1820.

, cucumber mosaic virus on, symptoms of, 2407.

Peronospora tabacina on, oospores of, -, *Peronospora tabactna* on, oospor 2331c; reaction to, 2331b. -, potato virus X on, effect of, on, 80.

-, tobacco mosaic virus on, effect of, on, 80; serology of, 651. and N. acuminata, tobacco mosaic virus

green and yellow strs. on, effect of, on, 1464. benavidesii, and N. benthamiana, cucumber mosaic virus on, symptoms of, 2407.

- clevelandii, beet yellow stunt virus on, 1757c. -, celery yellow vein virus on, 2939.

inactivation of clover virus in sap of, 317j.

-, pea early-browning virus on, 382.

[Nicotiana clevelandii, pea] enation mosaic | virus on, 289.

- debneyi, Peronospora tabacina on, in Poland, 1951; resistance to, 2236l, 2879; in relation to biochemical factors, 1673.

-, use of for purification of poplar mosaic

virus, 550.

- exigua, Peronospora tabacina on, in Poland, 1951; resistance to, in relation to biochemical factors, 1673.

-glutinosa, cucumber mosaic virus on, infectivity of phenol extracts of, 1756i.

-, Datura distortion mosaic virus on, 81. -, potato Andean latent virus on, symptoms of, 2327c.

, - spindle tuber virus on, symptoms of, 799.

-, radish mosaic virus no. 14 on, recovery from, 3282.

- ringspot virus on radish, 899.

-, Solanum nigrum No. 2 [potato virus Y] on, recovery from, 3282.

---, Stellaria media virus on, protection against cucumber mosaic virus yellow str.

conferred by, 2022c.

- -, tobacco mosaic virus on, activity of antiviral factor from, 2418; effect of Claviceps purpurea inhibitor on, 2077a, b; fungicides on, 17; metabolites of, on resistance to, 3229d; temp. on, 2233, 3229d; on respiration of, 2414; electron microscopy of, 2421; formation of dark green spots by, 2420; of local lesions by, 2876; inhibition of, by blasticidin S, 2076; interference between strs. of, 2422; particles of, in relation to chloroplast lamellae, 233; susceptibility to, 378, 1670.
- green and yellow strs. on, 1464. -, turnip mosaic virus str. can infect, 899.

-, use of, for purification of poplar mosaic virus, 550.

- x tobacco, tobacco mosaic virus on, effect of temp. on antibiotic activity of, 3229d.
- goodspeedii, Peronospora tabacina on, 2880. - knightiana, Peronospora tabacina on, resistance to, 2879.
- langsdorffii, plum pox virus accompanied by [peach] ring spot virus can infect, 175.

-, tobacco mosaic virus green and yellow strs. on, 1464.

- maritima, Peronospora tabacina on, 22361.

- megalosiphon, Peronospora tabacina on, resistance to, 2236l. - —, potato virus Y str. and tobacco mosaic virus str. on, transmission of by vectors, 965j. paniculata, Peronospora tabacina on, in

Poland, 1951. - plumbaginifolia, Datura distortion mosaic

virus on, 81.

- -, Peronospora tabacina on, in Poland, 1951. -raimondii, cucumber mosaic virus on,
- symptoms of, 2407. - rustica, aster yellows virus strs. on, interaction of, 2751.

-, clover proliferation virus on, 2825. , Peronospora tabacina on, 22361;

Poland, var. reaction to, 1951.

-, potato stem mottle virus str. can infect, 1459.

virus X on, differentiation of strs. of, 207.

[Nicotiana rustica], tobacco mosaic virus green and yellow strs. on, 1464.

- sylvestris, potato virus X on, 80.

-, tobacco mosaic virus on, 80; effect of temp. on antibiotic activity of, 3229d; testing fixative for virus-infected cells of, 74.

– str. on, 1334. tabacum, see Tobacco.

Nigrospora sphaerica on areca palm, 2695d. Nirit against Puccinia menthae on peppermint,

2217. Nitrafen against Sclerotinia aucupariae on

Sorbus sambucifolia, 1591. Nitro-benzene, chlorinated, against Cephaleuros

parasiticus on tea, 3142. Nitrogen deficiency in citrus, 706; clover, 472;

Vaccinium angustifolium, 1624.

, effect of on Ceratocystis ulmi on elm, 2623; Cercospora beticola, 1317; citrus exocortis virus, 444; Corticium fuciforme on Festuca rubra, 2819; Erysiphe cichoracearum on tobacco, 1672; fungus antagonists in soil, 2736; Leptosphaeria avenaria on oats, 683; Lophodermium pinastri on pine, 1708; Pseudomonas sesami on sesame, 1922: Pseudomonas sesami on sesame, Pyricularia grisea on Stenotaphrum secundatum, 1129; Streptomyces scabies on potato, 2327k; Verticillium cinerescens on carnation, 725; virus diseases and yield of potato, 1926; Xanthomonas sesami on sesame, 1922.

nutrition of carnation, 460; Phytophthora,

-compounds, effect of on Fusarium solani f.sp. phaseoli, 2291; Glomerella tucumanensis on sugarcane, 2869; Pestalotiopsis glandicola on tea, 1791.

-—, utilization of by Fusarium roseum f.sp. cerealis and F. solani f.sp. phaseoli, 3241; by low temp. basidiomycete, 349b.

Nodulisporium, fungus on pine resembling, 1703.

Nomina conservanda proposita submitted to 10th International Botanical Congress, 55. Novozir against Peronospora farinosa on beet,

2279; P. tabacina on tobacco, 835. 50 against Pseudoperonospora humuli on

hops, 3118. N, effect of on Puccinia striiformis on wheat,

3304.

Nuphar luteum, production of nupharin by, 621. Nupharin as seed treatment for bean and pea, 621.

Nut diseases in U.S.A., 1829b.

Nystatin against Ascochyta pisi on pea, and Fusarium on watermelon, 3229c; as seed treatment for rice, 3343b.

, use of for selective isolation of soil actinomycetes, 1809.

-, see also Mycostatin.

*Oak (Quercus), Articularia quercina var. minor on, in U.S.A., 2888.

, Botryodiplodia on, association of, with Asterolecanium, 3171.

-, Botryosphaeria melanops and B. quercuum on, descriptions and key for, 1006.

con, descriptions, control of the co incubation and symptom expression of, 1274; occurrence of, in wounds on, 1967; pathogenicity of, 256; penetration by, 255, 1687; specific reaction to, 256. [Oak, Ceratocystis] megalobrunnea on, 1695. -, Daedalea guercina on, effect of, on, 1275.

decay, pattern of, 3169.fungi on, in U.S.S.R., 845, 1471.

-, Microsphaera alphitoides on, in Romania, biology and distribution of, 1276.

—, — hypophylla on, in Romania, differentiation of, from M. alphitoides, 1968.

*--, Morenoella quercina on, in Italy, 257.

—, mycorrhiza on, anatomy of, 23. *—, Myxosporium lanceolata on, 88. -, Ophiostoma roboris on, control, 855.

*—, Phyllosticta quercicola and P. quercus-ilicis

on, in U.S.S.R., 89.

-, Phytophthora cinnamomi on, in the Caucasus and Crimea, 3172; (?)causing ink disease, 1969.

-, Polyporus fissilis, P. hispidus, and Poria ambigua on, inoculation with, 1686.

-, Streptomyces griseus in rhizosphere of, in U.S.S.R., 2245.

Taphrina kruchii on, in Spain, geographical distribution and hosts of, 846.

Trichoderma in rhizosphere of, in U.S.S.R., -, Tric 2245.

vascular mycosis in U.S.S.R., diagnosis of, 2950i.

Oats (Avena spp.), ascomycetes on, factors affecting, 1535.

bacterial leaf spots, symptom key for identification of, 428.

- , barley yellow dwarf virus on, in *Denmark, 596e; *Israel, 1530; S. Africa, 3293; Sweden, 2774; U.K., 1124; U.S.A., 3321, 3322; effect of on, 2327n; on reproduction of Rhopalosiphum padi, 1454; on yield, 1124; isolates of, 2774; transmission of by vectors, 1530, 2329b, 2774, 3321, 3322; variation in nature, 3322; var. reaction to, 111, 2329b.
- -str. on, purification of, transmission of by vectors, 2464.
- strs. on, effect of on vector specificity, transmission of by vectors, 1531. *— blue dwarf virus on oats in Canada, 2953.
- -+ aster yellows virus on flax, 721.
- —, boron deficiency in, in Tasmania, 356. —, Bromus mosaic virus on, in S. Africa, 3293.
- -, Cephalosporium gramineum on, factors affecting, 1535.
- Cochliobolus sativus on, in Canada, 573; Sweden, 2762; distribution of, 2762.
- , victoriae on, production of germination inhibitor by, 3033; of victorin by, 1534; uptake of toxin of, by, 114.
- -, Corticium solani on, factors affecting, 101. diseases in Argentina, 3017; U.S.A., 1836; Victoria, 86; spread and symptoms of, 1836; tests for resistance to, 3017.

-dwarf tillering virus on oats in Sweden, transmission of, by vectors, 112.

- , effect of phytoncides from roots of, on development of fungi, 966b; of toxin from Pythium irregulare on, 288; of victorin on, 3971, 1534, 3329.
- , Erysiphe on, germination of cleistothecia of, 2329f.
- graminis on, 2674; control, 1854, 2468; evaluation of resistance to, 91; physiologic races of and var. reaction to, 2329b.

, fungal leaf spots, symptom key for identification of, 428.

[Oats], fungi in rhizosphere of, effect of on, 2997.

-, — imperfecti, Fusarium culmorum, F. scirpi, and F. solani on, factors affecting,

- —, Gibberella zeae on, in China, 1055. - leaf yellowing in Canada, cause uncertain, 430.
- Leptosphaeria avenaria on, factors affecting, 683.
- mosaic virus on oats, technique for inoculating, 2775.
- -, Mycosphaerella tassiana on, in Kenya, 2697c.
- -, Ophiobolus graminis on, in Norway, damage caused by different ff.sp. 429.
- -, ozone toxicity in, symptoms of, 1487. Phoma hibernica and phycomycetes on, factors affecting, 1535.

, Podosporiella verticillata on, in N.S. Wales,

symptoms of, 2438.

-, Puccinia on, in Argentina, tests for resistance to, 3017.

-,—coronata on, in Canada, 2764, 2953; France, 3020d; India, 1065; Yugoslavia, 1533; effect of on kernel density, 2777; on yield, 3325; factors affecting resistance to, 681, 3326, 3327; genetics of, 3031; hosts of, 1065; increase in incidence of, 2953; international register of pathogenic races of, 682; physiologic races of, 1065, 1533, 2764, 3031; technique for producing telia of, in culture, 1064; uredospore germination of, 1852; variation in physiologic races of, compared

with those on Rhamnus cathartica, 1063, 1853; var. reaction to, 1065, 3031, 3326.

— graminis on, 3020a; in Austria, 3301; Canada, 2764, 2953; Colombia, 2466; Germany, 3301; Sweden, 1532; U.S.A., 1490; genetics of, 1851, 3324; increase in incidence of 2953; physiologic races of 680. incidence of, 2953; physiologic races of, 680, 1490, 1532, 2466, 2764, 3301, 3324; var. reaction to, 680, 1532, 2466, 2776.

, Pyrenophora avenae on, stored, in

Ireland, longevity of, 2.

graminea on, factors affecting, 1535.

Sclerospora macrospora on, 2085; in U.S.A., 398.

-, Sclerotium rolfsii on, in U.S.A., 2821.

-, Stemphylium consortiale on, factors affecting, 1535.

, uptake of fungicides from treated seeds of, 13.

- -, Ustilago avenae on, 5520, in Ezechosic rana, 3032; Poland, 2756; U.S.A., 113; control, 3295a; distribution of, 113, 2756; effect of Ustilago avenae on, 3328; in Czechoslovakia, culture media and spore age on infection by, 1066; forecasting outbreaks of, 2756; genetics of, 2467; identification of, 113; inheritance of pathogenicity in, 397j; physiologic races of, 113, 3032; var. reaction to, 3032.
- hordei on, in U.S.A., distribution and identification of, 113.
- –, Verticillium dahliae on, 1429.
- -, wheat streak mosaic virus on, 3018.

Obituary notices, Löhnis, 1760; Cunningham, 1761; Ciferri, 2338.

Ocimum basilicum, cucumber mosaic and lucerne mosaic viruses on, in Italy, 3228d.

, Sclerotinia sclerotiorum on, in Italy, 390.

Odontoglossum ring spot virus, purification of,

- resembling Cattleya blossom brown

necrotic streak, 1122.

*Oenothera mollissima, Peronospora arthuri on, in Argentina, symptoms of, 363. Oidiopsis gossypii on cotton, 139.

Oidium begoniae on Begonia, 2162.

- --, technique for evaluating fungicides against, 1388.
- chrysanthemi on Chrysanthemum, 982, 2160. - heveae on Hevea rubber, 221, 3234b.

- mangiferae on mango, 1183. - tingitaninum on citrus, 695.

Oil against banana black leaf streak, 1180; Guignardia citricarpa on citrus, 1874: Mycosphaerella musicola on banana, 1383, 2566, 3234f.

- injury to citrus, 138, 1874.

-, storage of micro-organisms in, 1445.

- in combination against Botrytis cinerea on strawberry, 320b; Guignardia citricarpa on citrus, 2332d; tobacco mosaic virus, 583; vectors of cucumber mosaic virus, 583.
in relation to orange water-spot, 138.

*Oil palm (Elaeis guineensis), paradoxa on, in Sabah, 2333b. Ceratocystis

-, Cercospora elaeidis on, in Portuguese Guinea and São Tomé, 3126.

-, Chaetomium thermophile on, in Nigeria,

524. - — diseases, key for determining, 1643. -, Exosporium stilbaceum on, in São

Tomé, 3126. - — fruit rot in China, symptoms of, 1642. - —, *Ganoderma* on, in Malaya, incidence and relation of to previous crop, 3127.

-, — lucidum on, in Malaya, 969f, 1641; in relation to old coconut trees, 1641; stumps as source of inoculum for, 969f.
—, (?) Penicillium dupontii on, in Nigeria,

524.

-, Phyllosticta elaeidis on, in India, 63. -, Thermomyces on, in Nigeria, 524.

Olea europaea, see Olive.

Oleander (Nerium oleander), Pseudomonas savastanoi on, pathogenicity of, 974.

Oleandomycin against Xanthomonas juglandis on walnut, 2900.

Olive (Olea europaea), basidiomycetes on, (?) causing 'gelatina', 3117.

—, boron deficiency in, in relation to Ca

distribution in leaves of, 2845. -, Corticium solani on, in Italy, 780. Cycloconium oleaginum on, in Italy, 388a,

b; Spain, 2572. *-, Cylindrosporium olivae and Gloeosporium olivae on, in Italy, symptoms of, 2844. 'gelatina' in Italy, 3117.

-, Gloeosporium olivarum on, in Greece, 193a, 194; epidemiology of, 193b; symptoms of, 193a; toxicity of Cu fungicides to, 194.

-, Omphalotus olearius on, causing 'gelatina', transmission of, by (?)root contact, 3117.

-, Pseudomonas savastanoi on, control, 1186;

pathogenicity of, 974. -, Verticillium alboatrum on, in Greece, 195; control, 2216.

Olpidium brassicae, relationship of, to lettuce big vein virus and tobacco necrosis virus, 318c, 3240.

transmitting lettuce big vein virus, 308, 318b, 1756k; tobacco necrosis virus, 324p, 381, 1237, 1756k, 2327g; tobacco stunt virus. 1756k, 2597.

Omphalotus olearius on olive, 3117.

*Onion (Allium cepa), Alternaria cepulicola on, in India, comparison of, with other A. spp.

-, — porri on, in Egypt, 941; *India, 1733; Kenya, 1732; control, 941, 1732.

, aster yellows virus on, in Italy, 3228d; transmission of, by vectors, 2404.

-, *Botrytis allii* on, cellulolytic and pectolytic enzymes in, 943a, b; control, 2306. -, - cinerea on, cellulolytic and pectolytic

enzymes in, 943a, b.

*—, Colletotrichum circinans on, in Fiji, 1351b. -, effect of toxin from Sclerotinia homoeocarpa on root tips of, 732

-, Fusarium spp. on, in Israel, 2428.

- oxysporum f.sp. cepae on, var. reaction to, 2670. Peronospora destructor on, 2085; in Egypt,

941; control, 941, 1719.

-, Puccinia allii on, C.M.I. description of, 2739. -, Pseudomonas siccata on, in India, 977.

-, Pyrenochaeta terrestris on, var. reaction to, 2670.

-, Sclerotinia squamosa on, in *Belgium, 944; cellulolytic and pectolytic enzymes in, 943a, b; control, 944, 1719.

-, Sclerotium cepivorum on, in Norway, 305; technique for evaluating chemicals against, 2671.

*___, — rolfsii on, in India, sympos, —, Urocystis cepulae on, review of, 2669. — rolfsii on, in India, symptoms of, 942.

virus diseases, 2648.
yellow dwarf virus on onion in Germany, 2305; *New S. Wales, 2082; determination of suitable sites for avoidance of, 2305; garlic virus distinct from, 2307; non-transmission of, by vectors, 2305; transmission of, 1759i; by (?)soil, 2305; by vectors, 2404.

*Onobrychis viciifolia, Ascochyta onobrychidis on, in Czechoslovakia, biology and geographical distribution of, 742.

, Verticillium alboatrum and V. dahliae on. 738.

Ononis yellow mosaic virus, potato Andean latent and Solanum dulcamara mottle viruses related to, 2327c.

group, cowpea mosaic, red clover mottle, and squash mosaic viruses distinct from, 2327d.

Oospora citri-aurantii on fruit, 1390. pustulans on potato, see Potato.

Ophiobolus graminis, extraction of lightabsorbing substance from, 1756e.

- — in soil, 1424.

- on Agropyron repens and Agrostis gigantea, 429.

on Alopecurus pratensis and Arrhenatherum elatius, 2440.

— on barley, 429, 596e, *3312.

- on Bromus inermis, 429. --- on clover, grasses, and lucerne, 2440.

—— on oats, 429.

—— on turf, 2, 3076b, 3077.

- on wheat, see Wheat.

Ophiostoma roboris on Acer tataricum, elm, oak, pine, and spruce, 855.

*Opium poppy (Papaver somniferum), Cercospora papaveri on, in India, 2084.

[Opium poppy], Pleospora calvescens on,

- papaveracea on, in Romania, 1195. Opuntia virus disease, symptoms and trans-

mission of, by grafting, 2498.

Opuntioideae, (?)virus disease causing trans-

formations in, 2499.

Orange (Citrus aurantium, C. nobilis, C. sinensis, etc.), Alternaria citri on, in Egypt, 1555; control, 2792; symptoms of, 1555.

-, Aspergillus niger on, antifungal activity of, 703.

— 'big button' in Syria, symptoms of, 694.
—, 'blind pocket' psorosis virus on, Sardinia, 2492. psorosis virus on, in

-, calcium deficiency in, symptoms of, 3360. -, chloride toxicity in, symptoms of, 137.

-, citrus exocortis virus on, in Argentina, 2490; detection of, by pathological histology and stains, 2789; var. reaction to, 3048.

, - psorosis virus on, detection of, by iodine test, 1553; by pathological histology and

stains, 2789.

- A on, in Greece, 134; Philippines, 695.

- viruses on, in Sardinia, transmission of by grafting and sap, 2492.

-, — stem pitting virus on, in Brazil, 3234a.

- stubborn disease virus on, excessive seed abortion as diagnostic characteristic of, 3354; in U.S.A., 1554, 3354; symptoms of,
- , tristeza virus on, in Argentina, 2490; Ecuador and Peru, 2140; U.S.A., 1756p; control, 2490; detection of, by pathological histology and stains, 2789; transmission of, by (?)vectors, 1756p; var. reaction to, 2490. - water spot on, factors affecting, 705.

- xyloporosis virus on, in Philippines, 695; detection of, by pathological histology and stains, 2789; var. reaction to, 3048.

-, copper deficiency in, symptoms of, 3361.

-, Corticium areolatum on, in Surinam, 601. - decay control, 2794.

-, Deuterophoma tracheiphila on, factors affecting, 2493.

-, Diaporthe citri on, control, 446, 1095; effect of, on, 1557.

- disease in Brazil, 1094; U.S.A., 699; symptoms of resembling citrus stubborn disease virus, 699, 1094.
- -, Elsinoe fawcettii on, in Venezuela, 2489.
- -, Glomerella cingulata on, in Guinea, symptoms of, 3357.
- greening disease, spread and transmission of, by grafting and (?)vectors, 3355a; (?) virus causing, 3049, 3355a.
- -, Guignardia citricarpa on, in S. Africa, 1556b.
- -, impietratura-like symptoms on, in Cyprus, 3231a.
- -, molybdenum deficiency in, symptoms of, 3361.
- -, Penicillium digitatum on, control, 1095, 2793; effect of orange pulp inoculated with Aspergillus niger on, 703.

-, — italicum on, control, 2793; effect of gamma radiation on, 160.

-, Phytophthora citrophthora on, effect of rootstock on susceptibility to, 1875; factors affecting, 2142.

[Orange, Phytophthora] nicotianae var. parasitica on, in Jamaica, 1353a; effect of rootstock on susceptibility to, 1875; factors affecting, 2142.

-, Septoria citri on, 2398.
- stunting virus ('premature dwarfing') in Argentina, unrelated to exocortis virus, 3353. -, Tylenchulus semipenetrans on, predacious

fungi associated with, 1756r.

- virus disease in S. Africa, associated with greening and tristeza, symptoms of; tentatively named 'reticulata' yellows; transmission of, by vectors, 3049. water-spot in Greece, 138.

Xanthomonas citri on, in Japan, 1096. Orbilia obscura on jute, 144, 3374.

Orchid, Botrytis cinerea on, life-cycle and symptoms of, 1890.

-, Corticium solani on, in U.S.A., 29 production of pectic enzymes by, 2512. diseases, revised bulletin on and symptoms

of, 2510.

*—, Fusarium oxysporum f.sp. cattleyae on, in U.S.A., 2955a.

, Gloeosporium affine, Gibberella fujikuroi, and Penicillium thomii on, life-cycle and symptoms of, 1890.

-, production of orchinol in, 1784.

-, Pseudomonas andropogonis on, in Hawaii, cultural characteristics and hosts of, 465. -, Pythium on, life-cycle and symptoms of,

1890.

-, Rhizoctonia goodyeraerepentis and R. repens on, production of pectic enzymes by, 2512.

-, Sclerotium rolfsii on, life-cycle and symptoms of, 1890.

-virus diseases, anti-virus cutting board for, 1121b; control, 2511, 2814; elimination of, by apical meristem culture, 1020; popular account of, 1121a; spread of, 2814.

Orchinol, production of, in orchids, 1784. Origanum vulgare, maize rough dwarf and

stripe disease virus can infect, 3034.
Ornamentals, diseases of, in Brazil, 1467;
Germany, 1755e; Romania, 3060; U.S.S.R., 1467: 1469; control, review of, 3059; symptoms of, 1469, 3059.

-, virus diseases of, in U.S.S.R., manual on control and symptoms of, 2161.

Ornithopus sativus, Colletotrichum trifolii on, in U.S.S.R., symptoms of, 1599. Ortho-LM against Sclerotinia laxa on cherry, 3110.

Orthocide 50 against Puccinia asparagi on Asparagus, 2941; as seed treatment for pine, 879.

-65 as seed treatment for wheat, 1837b.

Orthophaltan against Botrytis cinerea grapes, 1342.

Orymycin, antifungal spectrum of, and production of, by Streptomyces albochromogenes, 1774.

Oryza sativa, see Rice.

Oryzaephilus surinamensis in relation Aspergillus on stored grain, 1486.

Oxalic acid, production of, by Sclerotium rolfsii, 1793.

Oxalis corniculata, Puccinia sorghi on, in India, source of infection for maize, 1067.

10,10'-oxybisphenoxarsine, fungistatic activity of, in asphalt and paint, 2042.

Oxydothis pandani on Pandanus tectorius, 1644.

Oxygen, effect of high partial pressures of, on bacteria and fungi, 2379; on growth of Fusarium oxysporum f.sp. tracheiphilum, 2698n; on Pythium aphanidermatum and P. polytylum on Chrysanthemum, 2808.

Oxyquinoline sulphate against Fusarium roseum

on Strelitzia reginae, 3074.

8-oxyquinoline, relationship between timber preservatives and, 273.

Oxytetracycline against Pseudomonas savastanoi on bean, 1186.

-, inhibition of Erwinia amylovora by, 978. - in combination against Xanthomonas pruni

on peach, 2699i.

Ozone injury to barley and oats, 1487; pine, 249; rye, 1487; tobacco, 237; wheat, 1487. - meters, Penicillium lilacinum in, in Canada.

Hawaii, and U.S.A., 1776.

P₃₁₀, extraction of, from fungi, properties of, in relation to light-induced sporulation, 1756e.

Paecilomyces buxi, Verticillium buxi renamed, 457.

- farinosus against vectors of pear decline virus, 174.

-, longevity of conidia of, 2968.

Paeonia, see Peony.

Palm oil, fungi on, isolation of, 19.

Panax quinquefolius, see Ginseng. *Pancratium, Alternaria tenuissima on,

India, 646. Pandanus tectorius, fungi on, in the S. Pacific,

1644.

Paniceae, Uredinales on, key for identification of; world-wide survey of, 1128. Panicum, wheat streak mosaic virus on, 3018.

 miliaceum, Cochliobolus sativus and Fusarium oxysporum on, causing fatigue of roots of, 129.

— diseases, information on, 2127.

— —, maize dwarf mosaic virus on, 3333. — —, *Pyricularia grisea* on, in U.S.S.R.,

symptoms of, 1545.

-, Sphacelotheca destruens on, 2126; effect of vernalization on, 692; factors affecting, 1526; susceptibility to, 2126. - miliare diseases, information on, 2127.

- repens, Pyricularia grisea f.sp. panicae on, 2133.

Panogen, against Sclerotium rolfsii, 986; as seed treatment for cotton, 711; for pine and

spruce, 2637; as soil disinfectant, 14.
-, variation in distribution of, in wheat seed,

Pansy (Viola tricolor) collar rot in Germany, Phytophthora cactorum causing, distinct from P. cactorum on apple and strawberry, 3388.

Panus stipticus, effect of plant growth substances on growth and light emission of,

1397h,

Papain from papaw, toxicity of, to Phytophthora nicotianae var. parasitica, 1758d.

*Papaver nudicaule, Peronospora arborescens on, in Argentina, symptoms of, 363. somniferum, see Opium poppy.

*Papaw (Carica papaya), Alternaria tenuis on, in India, 646.

*--, Cercospora papayae on, in Somalia, 2214.

[Papaw], Colletotrichum papayae on, in India, 192a; effect of on sugar content, 192b.

—, Fomes lignosus on, in Malaya, 969c. —, fungi on, in India, list of, 192a.

, Fusarium and Gloeosporium papayae on, in Índia, 192a; effect of on sugar content, 192b. mosaic virus on Carica candamarcensis, C.

candicans, and Jacaratia dodecaphylla, 777a. ... Phytophthora nicotianae var. parasitica on, germination of sporangia of, 1756z; non-

pathogenicity of, to tomato, 2616.

—, — palmivora on, 777b.

—, unthrifty growth of, in Tanganyika, 599e.

Paper, Chaetomium and fungi on, 20.

-, Penicillium on, 274.

- mill slime fungi in Canada, 2721.

Paraffin in combination against potato virus A on potato, 2859.

Parasitism, carbohydrate metabolism in relation to, 3261b; conference on, 3260a; review of modern concepts on, 3260a, b.

Parastigmatea pandani on Pandanus tectorius,

Parathion against vectors of golden flavescence of vine, 2685.

, association of, with peach winter necrosis, 764.

Parsley (Petroselinum crispum), Phytophthora nicotianae var. parasitica on, pathogenicity of, to tomato, 2616.

Parsnip (Pastinaca sativa), Cephalosporium on, not related to lateral root base rot, 2692a. , Itersonilia pastinacea on, factors affecting,

-, - perplexans on, in Victoria, 1354i. mosaic virus on carrot, celery, and parsnip, 1352a.

mottle virus on parsnip in N. Ireland, 2, 2948f; related to carrot motley dwarf virus, and (?) to barley yellow dwarf and lettuce necrotic yellows viruses, transmission of, by vectors, 947.

-, Phoma on, factors affecting, 307.

Parthenocissus tricuspidata, tobacco necrosis virus A and D strs. on, differences in transmission of, 2327g.

Parzate against Macrophomina phaseoli, 986; Melampsora lini on linseed, 2803; Sclerotium

rolfsii, 986.

Paspalum scrobiculatum, Claviceps paspali on, in New Caledonia, 969d.

diseases, information on, 2127.

*Passiflora, Cercospora biformis on, in U.S.A., 2955a.

- edulis, see Passion fruit.

- foetida virus on Passiflora foetida, (?)a str. of passion fruit mosaic virus, 2754.

*— quadrangularis, Armillaria mellea on, in Rhodesia, 598a.

Passion fruit (Passiflora edulis), cucumber mosaic virus on, in Australia, symptoms of, 512.

-, Gloeosporium mollerianum on, in Victoria, symptoms of, 1354k.

(?)— — mosaic virus str. on Passiflora foetida, 2754.

-woodiness virus on passion fruit in Australia, properties of and transmission of, by sap and vectors, 512.

Pastinaca sativa, see Parsnip.

Paxillus acheruntius on Phragmites communis, 2646.

[Paxillus] involutus on Coniferae forming 1 mycorrhiza, 24.

PCNB, see Quintozene.

Pea (Pisum sativum), Aphanomyces euteiches on, crop rotation in relation to, 293; effect of simultaneous virus infection on, 557h, 914; exocellular pectolytic enzyme of, 2285.

- as indicator for pea enation mosaic virus, 2283.

-, Ascochyta on, in the Irish Republic, 320d; crop rotation in relation to, 293; in relation to hollow heart, 1346n.

- pinodella on, differentiation between A. pisi, Mycosphaerella pinodes and, 2284, 2658.

pisi on, in Poland, 2281; U.S.S.R., 2928, 3229a, 3229c; antagonism of actinomycetes to, 3229e; control, 2281, 2658, 2928, 2929, 3208, 3229c, 3248; differentiation between A. pinodella, Mycosphaerella pinodes, and, 2284, 2658; factors affecting, 3229a; phytoalexins from, 30; var. reaction to, 1319, 3229a.

-, bacteria on, in Australia, reduction in germination by, wrinkled seed in relation to,

916a.

-, bean yellow mosaic virus on, breeding against, 570; effect of on, 3204; on reproduction of Acyrthosiphon pisum, 1454; on symptoms of Aphanomyces euteiches and Fusarium solani f.sp. pisi, 557h, 914; factors affecting susceptibility to, 1824, 1825; genetics of, 570; technique for evaluating resistance to, 570; transmission of by vectors, 1824, 1825.

-, Botrytis on, in Irish Republic, 320d. - cinerea on, in relation to hollow heart, 1346n.

- -, Choanephora cucurbitarum on, in Mauritius, 3232c.
- -, clover yellow mosaic virus on, effect of on growth of, 3204; purification of, 1756h.

-, Corticium solani on, in U.S.A., 292.

- , Corynebacterium fascians on, effect of on, 1999.
- diseases, Mo against, 2929; rotation affecting, 915.
- early browning virus on pea in England, 382; comparison of tobacco rattle virus [potato stem mottle virus str.] with, 1756g; hosts, properties, and transmission of, by sap and vectors, 382.

effect of rimocidin on, 1805; of roots on Cylindrocarpon radicicola, 1427b.

enation mosaic virus on broad bean, 383, 912a, b, 2282.

— on clover, 1891.

——— on Leguminosae, 3228d. - — — on Medicago lupulina, 1891.

on pea, 289; distinction of, from pea leaf roll virus, 383; effect of on growth of, 3204; on symptoms of *Aphanomyces* euteiches and *Fusarium solani* f.sp. pisi, 557h, 914; histological changes caused by, 383; hosts of, purification of, 1759h; ribonucleic acids of leaves and pods of, 67; transmission of, by vectors, 912, 913, 3206.

– on sweet pea, 1891, 2752.

-, Erysiphe polygoni on, var. reaction to, 1319. --, Fusarium on, in Canada, 1320; Irish Republic, 320d; U.S.S.R., 2928; control, 1320, 2928; pathogenicity of, 2827.

-, - oxysporum f.sp. callistephi on, 1109.

[Pea, Fusarium oxysporum f.sp.] pisi on, crop rotation in relation to, 293; effect of soil treatment with chitin on, 1998; var. reaction to, 1356c, 2286.

-, — solani f.sp. pisi on, crop rotation in relation to, 293; effect of simultaneous virus

infection on, 557h, 914.

-, — — robiniae can infect, 1972.
- leaf roll virus on pea in England; bean [pea] leaf roll virus described as, 2297; distinct from pea enation mosaic virus, 383; possible alternative names for, 1452.

, lucerne mosaic virus on, effect of, on growth of, 3204; on symptoms of Aphanomyces euteiches and Fusarium solani f.sp. pisi,

557h, 914.

- mosaic virus on clover, 156, 1891, 2173.

— on Gomphrena globosa, 2079. — on Medicago lupulina, 1891.

-— on pea in India, 2023g; effect of, on symptoms of *Aphanomyces euteiches* and Fusarium solani f.sp. pisi, 557h, 914; hosts of, 2023g; transmission of, by vectors, 2403, 3207

on sweet pea, 1891.

- mottle virus, clover yellow mosaic virus preferred as name for, 1452.

, moulds on, in Australia, reduction in germination by; wrinkled seed in relation to, 916a.

-, Mycosphaerella pinodes on, in Irish Republic, 320d; U.S.S.R., 3229a, c; antagonism of actinomycetes to, and control, 3229c; differentiation between A. pinodella, A. pisi and, 2284, 2658; factors affecting and var. reaction to, 3229a.

, Peronospora on, oospores in dissemination and infection by, 1756a.

viciae on, in Chile, 1031; Irish Republic,

320d. , Phymatotrichum omnivorum on, crop rota-

tion in relation to, 293. -, Phytophthora erythroseptica on, 1598.

pre-emergence rotting, in S. Australia, 916b, c.

, Pseudomonas pisi on, in Greece, 2927; var. reaction to, 1319.

, Pseudoperonospora on, oospores in dissemination and infection by, 1756a. , Pythium on, in Canada, 1320; crop rotation

in relation to, 293.

-, — polymorphon on, in S. Australia, 916b. -, — ultimum on, in S. Australia, 916b, c; effect of soil moisture on, 917; sugar loss of, 917.

-, red clover mottle virus on, in Netherlands,

relationships of, 2174.

(?)— vein mosaic virus on broad bean and pea, electron-microscopy of, 291.

Rhizoctonia on, crop rotation in relation to, 293.

-, Sclerotinia fructicola on, production of pisatin by, 29.

-, — sclerotiorum on, in U.S.S.R., 2928.

- streak virus on Leguminosae, 3228d.

—— on pea, effect of on growth, 3204; purification of, 1756h.

— viruses, 4 distinguished, 1452.

- tip yellowing virus on pea in Netherlands, bean [pea] leaf roll virus described as, 2297. , Uromyces pisi-sativi on, C.M.I. description of, 2739.

- [Pea] virus diseases in U.S.A., studies of.
- -, watermelon mosaic virus on, in Japan, 571. white clover mosaic virus on, in Netherlands, study on, 384.

- wilt virus, white clover mosaic virus pre-

ferred as name for, 1452.

- Wisconsin streak virus on Chenopodium amaranticolor, 290.
——— on clover, 2173.

--- on Gomphrena globosa, 2079.

-- on pea, effect of actidione and

Peach (Prunus persica), Agrobacterium tume-faciens on, toxicity of kerosene to, 1758a.

-, almond calico virus on, 1756x.

- -, apple mosaic virus can infect, 162. -, Armillaria mellea on, in Victoria, 1354g. - as indicator for plum pox virus, 175.
- —, Bacillus mesentericus on, in Bulgaria, 1622. -, Blumeriella jaapii on, in Poland, (?) resistant to, 2189.
- calico virus on peach in Bulgaria, 3411.

—, cherry rugose mosaic virus on, 1756x.

— chlorosis in Greece, 2840.

-, cold injury to, formerly attributed to Pseudomonas syringae, 3410.

–, Cytospora on, in U.S.S.R., 491.

– decline in U.S.A., fungi associated with,

- 2553.
- -, effect of phytoncides from, on fungi, 966b.

—, fluorine injury to, 2983b. —, fungi on, in U.S.S.R., 1138a.

- -, Fusicoccum amygdali on, effect of phenols in twigs on, 1168.
- green mottle virus on peach in Bulgaria, 3411.
- mosaic virus on peach, apricot 'pox' symptoms resembling, 2555; transmission of, by vectors, 597b.

necrotic ring spot virus on cherry, see

Cherry.

- on peach, almond calico virus a str. of, 1756x; antibodies and antigens associated with, 2557; cherry rugose mosaic virus, strs. of, 1756x; cherry virus distinct from, 1756w; detection of, by effect on growth, 761.

——— on plum, 1163.

— on Prunus tomentosa, 1620, 2558.

— —, purification of, 371.

- + prune dwarf virus on cherry, 2558.
- — str. on Prunus pennsylvanica, 1679a.
- -, see also Cherry necrotic ring spot virus and Peach ringspot virus.
- Nectria galligena on, in relation to plant disease control, 2710.
- plum line pattern virus on, 162; in Czechoslovakia, 902.

–, – pox virus on, 175.

—, Pseudomonas syringae on, in U.S.A., 3409. -, Rhizopus arrhizus on, 765; mode of entry

of, 1354b. - stolonifer on, control, 1169, 2192a, b, 2554; effect of heat treatment on, 2192a, b; of R.H. and temp. on spore germination, 3106; factors affecting and mode of entry of, 1354b.

- [Peach] ringspot virus on cherry, 768, 1161. on peach, 1756x; in Czechoslovakia,
- 1902; Romania, 3105; effect of heat on infectivity of, 1756j; symptoms of, 3105; unrelated to peach rosette virus on *Prunus*, 1354m.
- str. A alone or with str. G and prune dwarf viruses on Prunus mahaleb, 760.

- — strs. on plum, 1162.

----, see also Cherry and Peach necrotic ring spot viruses.

- rosette virus on *Prunus*, 1354m.

-, *Sclerotinia fructicola* on, 765; in Queensland, 1355i; Victoria, 1354a; control, 1354a, 1355i, 1389, 2191, 2192a, b; effect of gamma radiation on, 160; of heat treatment on, 2192a, b; of R.H. and temp. on spore germination, 3106; quiescent infection in, 2191.

*__, __ laxa on, in Victoria, 2190.

-, Sphaerotheca pannosa var. persicae on, biochemical and physiological changes caused by, 179; nature of resistance to, 1167.

Stereum purpureum on, latent infection by, 2552.

-, Stigmina carpophila on, in Canada, 2953.

- U.S.S.R., 762; Victoria, 1354c; factors affecting, 762; in relation to plant disease control, 2710; organic acids in relation to, 1621.
- -, Tranzschelia pruni-spinosae on, in Victoria, 1354c.
- Verticillium alboatrum on, in U.S.S.R., symptoms of, 491.

- virus diseases, indicators for, 2526.

- winter necrosis, association of parathion and ziram with, formerly attributed to Valsa, 764.
- -, Xanthomonas pruni on, in Bulgaria, 1622; control, 2699i.
- *- X-disease virus on Prunus virginiana, 497. - yellow bud mosaic virus on bean, 1821.
- *—, zinc deficiency in, in Greece, symptoms of, 161a.
- Pear (Pyrus communis), activity of polyphenoloxidase in, 173.
- Agrobacterium tumefaciens on, toxicity of kerosene to, 1758a.
- –, Amphisphaeria U.S.S.R., 2531. pomacearum
- -, apple latent virus on, in Denmark, 596b.
- -, mosaic virus on, immunity from, 596b. — as indicator for apple latent virus, 1607.
- bark measles, pear wood pitting (?)associated with, 1756v.
- blister canker virus on pear in England, not related to other pome fruit viruses, variation in strs. of, 756.
- -, Botrytis cinerea on, in Italy, 2836; effect of gamma radiation on, 160.
- brown heart, effect of atmospheric composition and length of storage on, 1159.
- -chlorosis in U.S.S.R., iron content of soil in relation to, 2533.
- , Cochliobolus carbonum on, hypersensitivity to, 749.
- decline virus on pear in Italy, spread and symptoms of, 755; transmission of by vectors, 174, 1156.

[Pear], Diaporthe perniciosa on, in U.S.A.,

- diseases in Rhodesia, 163; U.S.S.R., 1138b. -, Erwinia amylovora on, in England, 2187; U.S.A., 1157, 1158; C.M.I. description of, 1768; eradication of, 2187; historical account of, in Calif., 1157; longevity of, 6e; var. reaction to, 1158.

-, Fabraea maculata on, in U.S.S.R., 757.

-, fluorine injury to, 2983b.
- 'freckle pit' virus on pear in Canada, 88. - fruit pitting, pear wood pitting associated with, 1756v.

-, Gilbertella persicaria var. indica on, pathogenicity and symptoms of, 758.

-latent virus on quince, 596b.

- leaf stipple, not related to pear decline virus anatomy, and symptoms of, 1901.

- *—, Linochora ligniaria on, in U.S.S.R., 2530. -, morestan residues on, determination of, 171.
- mosaic virus, distinct from apple latent virus, 1607.
- *-, Naemospora aurea on, in U.S.S.R., 2530. - oedema in Italy, symptoms of, 1160.
- -, Penicillium expansum on, control, 1389. -, Phacidiella discolor on, in U.S.S.R., pathogenicity of, 1140.
- *—, Phyllosticta pirini on, in Tanganyika, 599b. , Physalospora obtusa on, in India, *2023h; U.S.S.R., 1146.

-, *Phytophthora cactorum* and *P. cryptogea* on, 2837.

- Pseudomonas cerasi on, in U.S.S.R., 490, 1614.
- syringae on, in England, 2330b; Victoria, 1354f; differentiation of strs. of, from P. syringae on citrus, 2330c; factors affecting, 1354f, 2330b; new type of injury caused by, 2330b; pathogenicity of, 2330a.

-, quince sooty ring spot virus on, mechanical

transmission of, 3104.

-rough bark and pear stony pit virus, pear wood pitting associated with, 1756v.

use of, in trapping Phytophthora Pythium in soil, 2837.

vein yellows virus on pear, effect of on yield, 2330i.

, Venturia pirina on, in Bulgaria, 1899; Victoria, control, 1354e; effect of leaf glucosides on development of, 2543; symptoms of, and var. reaction to, 1899.

virus, resemblance of, to beet yellows virus, transmission of, by sap, 1346f.

diseases, indicators for, 2526; mechanical transmission of, 3104.

wood-pitting, associated with fruit pitting, pear stony pit virus, rough bark, and (?)pear bark measles, 1756v.

*—, zinc deficiency in, in Greece, symptoms of, 161a.

Pecan (Carya pecan), Botryosphaeria beriginiana on, in U.S.A., 2954e.

-, Fusicladium effusum on, control, 856.

-, manganese deficiency in, 1689. -, Microsphaera alni on, in U.S.A., 857.

Pectobacterium carotovorum var. graminarum on sugarcane, 1664b.

parthenii var. dianthicola on carnation, 964b. Pelargonium, Alternaria, Botrytis, and Cercospora on, and chlorosis virus, resemblance of symptoms of Xanthomonas pelargonii to, 3071.

[Pelargonium], Corynebacterium fascians on, in U.S.A., 1123.

- crinkle and ringspot viruses, resemblance of symptoms of Xanthomonas pelargonii to, 3071.

- diseases in New S. Wales, 2168.

-, Xanthomonas pelargonii on, in France, 3071; Greece, 150; resemblance of leaf symptoms to those of fungi and viruses, 3071. Pellicularia koleroga on pepper, black, 600c.

Penicillin against cabbage black leg, 559; Pseudomonas savastanoi on olive, 1186; Xanthomonas juglandis on walnut, 2900.

, effect of, on Corynebacterium fascians on strawberry, 9; Erwinia amylovora, 978: Xanthomonas oryzae on rice, 3349.

-, popular account of, 2043.

-, resistance of Xanthomonas campestris to, 2965.

-G, effect of on sporangial production in Phytophthora cinnamomi, 2699c.

Penicillium, food fermentation by, 2334. - bilaii in rhizosphere of maize, 1864.

- corymbiferum on garlic, 2307.

crustaceum, N-fixing capacity of, 2986.

— cyclopium in soil, 966c, 1799.

on wheat, 2773. decumbens, antagonism of, to soil fungi, 2736.

— digitatum, enzyme production by, 2370. — on citrus, 2793.

— on fruit, 1390.

— on lemon, 160, 704, 3359.

on orange, 703, 1095, 2793.

- duclauxi in rhizosphere of maize, 1864.

expansum as a test fungus, 618 — —, enzyme production by, 2370. -, gamma irradiation of, 1787.

- — in rhizosphere of maize, 1864. — on apple, 2, 1152, 3101. — on pear, 1389.

-, production of pectic enzymes by, 2052. -frequentans in rhizosphere of maize, 1864.

on jute, 2805.

funiculosum, antagonism of, to soil fungi, 2736.

— on wheat, 2773.

- italicum, enzyme production by, 2370.

— on citrus, 1389, 2793. on fruit, 1390.

on lemon, 704.

on orange, 160, 2793.

- janthinellum in plant rhizospheres, 1421.

in soil, 640.

- lanoso-caeruleum and P. lanosum in rhizosphere of maize, 1864.

— lanosum in soil, 54.

-, inhibition of Pythium graminicola by, 2386.

- lilacinum in ozone meters, 1776.

in rhizosphere of Gramineae and Leguminosae, 1798.

on barley, 1418.

— martensii in soil, 966. —— on Asparagus, 2308.

— nigricans in soil, 2383.

- oxalicum, antagonism of to soil fungi, 2736.

-, association of with maize root rot complex, 120.

-, effect of fungistatic principle on, 324m.

– paxilli in soil, 54.

- purpurogenum in soil, 966c, 1799.

[Penicillium] rubrum in rhizosphere of maize, 1864.

-, inhibition of Pythium graminicola by, 2386.

- spinulosum in rhizosphere of maize, 1864,

- thomii in rhizosphere of maize, 1864.

— on orchid, 1890.

— variabile, effect of surfactants on, 324e.
—, production of antifungal substance by, 2714.

Peniophora gigantea on timber, 2268.

-extract, inhibiting growth of Fomes annosus, 1288.

phlebioides on timber, 1985

*Pennisetum clandestinum, (?)Sclerotinia homo-eocarpa on, in New S. Wales, 2082.

purpureum virus, effect of heat treatment on, 2951c.

- typhoides, Dactuliophora elongata on, in Africa, symptoms of, 362.

- diseases in Upper Volta, 1078; informa-

tion on, 2127.

-, Helminthosporium rostratum on, 2130. , Pseudomonas syringae on, in New S.

Wales, 3233.

-, Puccinia penniseti on, in India, 693.

---, Sclerospora graminicola on, in India, 2023d; Upper Volta, 1078.

-—, Sphacelia and Tolyposporium penicillariae on, in Upper Volta, 1078.

Pentachloronitrobenzene, see Quintozene.

Pentachlorophenol against Fomes annosus on pine stumps, 876; timber blue stain, 2917; as timber preservative, 1988

Pentaerythritol derivatives, effect of on growth

of fungi, 2979.

Peony (Paeonia), Septoria paeoniae on, in Netherlands, 1348a. Pepper, black (Piper nigrum), Cephaleuros

epper, black (Piper nigrum), Cephaleuros mycoidea and Colletotrichum (?)necator on, in Brazil, 600c.

-, -, Fomes lignosus on, in Sarawak, 4.

-, Fusarium solani f.sp. piperis on, in Brazil, 600c, 3234e; technique for inoculating, 3234e.

-, Pellicularia koleroga on, in Brazil, 600c.

*-, -, Phyllosticta piperis-nigri on, in India, 63.

-, Phytophthora on, in Puerto Rico, 2851; Sarawak, 4; resistance to and symptoms of, 2851; transmission of, 4.

Peppermint (*Mentha piperita*), *Puccinia menthae* on, control, 2217, 2849; factors affecting, 2217.

-, Verticillium alboatrum on, control, 1194.

-, - dahliae on, 1429; Pratylenchus minyus in relation to, 2850.

Peregrinus maidis transmitting maize mosaic virus, 1537, 2470.

Perenox against Exobasidium vexans on tea, 1232; Glomerella cingulata on coffee, 2144. Periconia macrospinosa on wheat, 1515.

- manihoticola on Hevea rubber, 3234b.

sacchari on sugarcane, 228.

Pericoptus truncatus, Metarrhizium anisopliae on, 2343.

Peridermium harknessii on pine, 2640, 2910, 3185.

- pini on pine, 880.

- stalactiforme on pine, 2640.

Peronospora anemones on Anemone, 3065.

— antirrhini on Antirrhinum, P. arborescens on Papaver nudicaule, and P. arthuri on Oenothera mollissima, 363. Oenothera mollissima, 363.
- destructor on onion, 941, 1719, 2085.

effusa, see P. farinosa. - farinosa on beet, see Beet.

on Chenopodium murale, 1442. *— ficariae on Ranunculus asiaticus, 363.

- hyoscyami, differentiation of, from P. tabacina, 1243.

*— — on Atropa belladonna, 363.

- f.sp. tabacina proposed for P. on tobacco, 1433.

--- manshurica on soybean, 2005, 2928.

-- parasitica on broccoli, 280. — on cabbage, 559, 560.

— on cauliflower, 1720, 3228i.

— on flax, 1634. —, physiological differentiation in, 903.

- ff.sp. brassicae on Chinese cabbage, capsellae on Capsella, and raphani on radish, 903.

- schachtii, see P. farinosa. *--- sparsa on rose, 2693e.

tabacina on Capsicum, 1674.

on eggplant, 2085.

— on Nicotiana, 2331b, c

— on N. debneyi, 1673, 1951, 2879. — on N. exigua, 1673, 1951.

— — on N. goodspeedii, 2880. — — on N. knightiana, 2879.

- - on N. paniculata, N. plumbaginifolia, and N. rustica, 1951.

- on tobacco, see Tobacco.

- trifoliorum on lucerne, 740.

*— viciae on broad bean, 390.

—— on pea, 320d, 1031. *—— on vetch, 390.

Peronosporaceae, list of, in Romania, 2062. Peronosporine B, toxicity of, to olive, 194. Persea, Phytophthora cinnamomi on, testing for resistance to, 2569.

americana, see Avocado pear.

Persimmon (Diospyros kaki and D. virginiana), Gloeosporium kaki on, pectic enzymes and symptoms of, 2571.

Pestalotia eucalypti on Eucalyptus globulus, 2398.

* guepini on Camellia, 2693d.

- laurina on laurel, 854.

— palmarum on areca palm, 2580a.

- pauciseta, carbohydrate requirements of, 3116.

– psidii in soil, 192a.

on guava, 192a, 2570.

- sapotae on Achras sapota, 192b. - theae, effect of hormones on, 831.

Pestalotiopsis glandicola on tea, 1791.

- mayumbensis on sesame, 1350d. *- versicolor on mango, 3232e.

Pesticide handbook, 17th revised edition of, and amalgamation of, with 'Entoma', 2973. Pesticides, analytical methods for, book on,

-, application problems in tropics, 2349.

-, recommended common names for, 1770.

-, review of new, 3245.

-, tolerances of, annual revision of, 2347.

-, toxicity data for, 3246.

Petroleum growth substances, effect of, on disease resistance of apple seeds, 3094.

[Petroleum] oil against Mycosphaerella musicola, 1179.

combination against Podosphaera leucotricha, 3095.

- products, bacteria and fungi in, behaviour of, 1396b.

Petroselinum crispum, see Parsley.

Petunia, almond calico virus on, 1756x.

-, Capsicum virus on, 2317.

, cherry rugose mosaic virus on, 1756x.

(?)—, citrus exocortis virus on, transmission of, by dodder, 2141.

-, Datura distortion mosaic virus on, 81.

-, effect of aldehyde irradiation on, 1778; of irradiated car exhaust on morphology of, 1777.

Heterosporium petuniae on, in U.S.A., 3385.

-, peach ringspot virus on, 1756x.

, Phytophthora infestans on, in Mauritius, 3232e.

-, raspberry ringspot virus on, transmission ot, by nematodes and sap, 772.

-, tobacco mosaic virus on, detection of, in

xylem, 379.

-, tomato black ring virus can infect, 2560.

-, turnip mosaic virus on, electron microscopy of, 2408.

Pezicula alba on apple, see Apple. malicorticis on apple, 11, 54, 1613.

ocellata on aspen, 261. Peziza in mushroom beds, 589.

ostracoderma on mushroom casing, 2.

*Phacidiella coniferarum on larch, 1701.

— discolor on apple, 1140. — — on fruit trees, 2529.

— — on pear and quince, 1140. *Phacidium infestans* on pine, 3186. - pini-cembrae on pine, 247.

*Phaeocytostroma sacchari on sugarcane, 599b.

*Phaeosphaerella cydoniae on quince, 2531. Phaeosphaeria palmarum on coconut, 359.

Phakopsora gossypii on cotton, 969a, d. Phalaenopsis, Cymbidium mosaic virus on,

hosts of, and transmission of, mechanically, 464.

, Pseudomonas andropogonis on, in Hawaii, 465.

Phalaris arundinacea, Sclerospora macrospora on, in U.S.A., 398.

minor and P. tuberosa, Puccinia coronata on, in India, 1065.

Phaltan against Alternaria citri on orange, 2792; Botrytis cinerea on vine, 315, 2691; Didymella lycopersici, 1257; Oidium begoniae 2162; Plasmopara on vine, 315; Pseudoperonospora humuli, 3118; Venturia inaequalis, 3092.

-, degradation of, by UV light, 618.

- versus thiram, 315.

- in combination against Podosphaera leucotricha, 3098.

Phasco-mylone against Corticium solani, Fusarium culmorum, and F. solani on cucumber. 2950m; Plasmodiophora brassicae on cabbage, 29501; Sclerotinia sclerotiorum on cucumber, 2950m; as soil disinfectant, 2055.

Phaseolin, formation of, by bean, 29, 2331e, f. Phaseolus, Dactuliophora tarrii on, in Africa,

symptoms of, 362.

-, Fusarium solani f.sp. phaseoli on, testing spp. for resistance to, 3210.

*[Phaseolus], Leptosphaerulina australis on, in India, 1813.

-, Pseudomonas phaseolicola and P. syringae on, specific reaction to, 557d.

, angularis, Vigna sesquipedalis mosaic virus str. on, hosts of, and properties of, 925.

*- aureus, Ascochyta phaseolorum and Macrophomina phaseoli on, in New S. Wales, 2082.

-, Phyllosticta on, in New S. Wales, 3233. —, Sphaerotheca fuliginea on, in Queensland, 1355g.

-, tobacco necrosis virus str. D can infect. 381.

-bracteatus, Sphaerotheca fuliginea on, in Queensland, 1355g.

limensis, tobacco rattle virus str. can infect, 2698e.

- lunatus, bean double yellow mosaic virus on, double bean yellow mosaic virus preferred as name for, 1452.

—, Phytophthora phaseoli on, effect of temp. on colonization of, 557g; transmission of by slug, 6i.

-, Pseudomonas syringae on, in Kenya, 2697a.

-, Pythium aphanidermatum on, endogenous respiration of, 1756c.

, tobacco ringspot virus on, symptoms of, 1465.

mungo, Fusarium sp. on, in India, symptoms of, 391.

vulgaris, see Bean, French and Runner. Phelam against Sclerotinia homoeocarpa on turf, 3076b; Venturia inaequalis, 747.

Phenacridane chloride as seed treatment for Cruciferae, 2654.

Phenazine, inhibition of Xanthomonas oryzae by, 3348.

Phenobarbitone against Sphaerotheca fuliginea on vegetable marrow, 2674.

— injury to vegetable marrow, 2674. Phenol, fungicidal activity of, 1585. p-phenylenediamine against *Sphaerotheca fuli-*

ginea on cucumber, 2356.

Phenyl mercury as seed treatment for tobacco, injury to, 965a.

bromide, see agronal. chloride, see PMC.

- nitrate against Venturia inaequalis, 2538. urea against Phytophthora palmivora on

coconut, 519. o-phenylphenol against Penicillium digitatum

and P. italicum on orange, 2793; P. lilacinum in ozone meters, 1776.
-esters against fungi on fruit and tomato,

616c.

Phialophora melinii on timber, 543a, 2261a. Phix in combination, effect of, on fruit set and

yield of apple, 1617. Phleum pratense mosaic-type virus on pratense, symptoms of, transmission of, by sap, 2947d.

—, Puccinia graminis f.sp. phlei-pratensis and Selenophoma donacis on, 151.

Phlox, Leveillula taurica f.sp. phlogis on, in U.S.S.R., 2815.

*-, Sclerotinia sclerotiorum on, in India, oversummering of, 1582.

-paniculata, Erysiphe cichoracearum on, var. reaction to, 3072.

Phoenix dactylifera, see Date palm.

Pholiota adiposa on forest trees, losses caused by, 544.

- mutabilis, exoenzyme produced by, 3262. Phoma anethi on Angelica, carrot, and Foeni-culum vulgare, 2950j.

- betae, see Pleospora betae.

*— citrullicola on watermelon, 82.

*- cucurbitacearum on Momordica dioica and Sechium edule, 1472.

- destructiva on tomato, 840. - foveata on potato, 203.

-herbarum var. medicaginis, heterokaryosis and parasexuality in, 2744.

———— on lucerne, see Lucerne.
— hibernica on oats, 1535.

— lavandulae on lavender, 389c.

- lingam, Leptosphaeria maculans ascogenous state of, 65.

- medicaginis, taxonomy of, 3395.

- nepetae, Phomopsis emmanuelii suggested as name for, 389c.

name 101, 3030.

— psidii on guava, 192a.

Angelica, 2950j. — rostrupii on Angelica, 29 — on carrot, 949, 2950j.

- on Foeniculum vulgare, 2950j.

- solanicola on potato, 2863. Phomatospora cylindrotheca on Pandanus tectorius, 1644.

*Phomopsis castanea on chestnut, 247.

-emmanuelii the name suggested for P_{\star} nepetae and Phoma nepetae, 389c.

- juniperovora on Juniperus virginiana, 1700, 2904.

- kalmiae, conidial state of Diaporthe kalmiae, 3384.
- · lavandulae suggested for Phoma lavandulae, 389c.

- loti on Lotus corniculatus, 3396.

- nepetae, Phomopsis emmanuelii suggested as name for, 389c.

theae on tea, 1232, 3145.

Phosphate, absorption of, by beech mycorrhiza, 1781.

Phosphorobacterin in combination as seed treatment for wheat, 103.

Phosphorus deficiency in beet, 1314; cacao, 1481b, 1835; citrus, 706; tomato, 2884;

Vaccinium angustifolium, 1624.

-, effect of, on Corticium fuciforme on Festuca rubra, 2819; Erysiphe cichoracearum on tobacco, 1672; fungus antagonists in soil, 2736; Leptosphaeria avenaria on oats, 683; Lophodermium pinastri on pine, 1708; viridiseases and yield of potato, 1645p, 1926.

- in combination, effect of, on Septoria tritici

on wheat, 672.

-32, translocation of, in Corticium solani, 324j, 2727.

- hydrogen fluoride as timber preservative, 273.

Phragmidium in U.S.S.R., list of, 3229b.

— disciflorum on rose, 2160. Phragmites communis, fungi on in Poland, resistance to, 2646.

Phycomycetes in the air, 2720.

-, list of, in U.S.S.R., 2066.

— on fish, 1397c. — on oats, 1535.

-, marine, isolation and pure culture of, 1015. Phygon against Ascochyta pisi, 2658; Cercospora beticola, 566d; Cladosporium fulvum on tomato, 2241; Phyllactinia suffulta f.sp. moricola on mulberry, 1685; Podosphaera leucotricha, 751; Puccinia graminis on wheat, 2091; Pyricularia oryzae, 3345; Rhacodiella vitis, 3226; tomato diseases, 843; Uromyces betae 566a; Valsa sordida on poplar, 2630; Venturia inaequalis, 751; as seed treatment for carrot, 306.

[Phygon], effect of on Venturia inaequalis.

3092.

versus Bordeaux mixture, 566d.
in combination against Podosphaera leucotricha and Venturia inaequalis; toxicity of, to apple, 751.

-XL not controlling Corticium solani on

potato, 5.

Phyllactinia suffulta f.sp. moricola on mulberry, 1685, 3170.

Phyllocnistis citrella associated with Xanthomonas citri on citrus, 1096.

*Phyllosticta bougainvillicola on Bougainvillea, 63.

- cajani on Pigeon pea, 63.

*- camelliae on Camellia, 2693e.

-chrysanthemi on Chrysanthemum maximum.

*- coffeicola on coffee and P. crotalariae on Crotalaria juncea, 63.

-cryptotaeniae on Cryptotaenia japonica, 2015.

--- dahliaecola on Dahlia, 1031.

– digitalis on Digitalis ĺanata, 2574. *— elaeidis on oil palm and P. gladioloides on Gladiolus, 63.

- glumarum on rice, 1081.

*— impatientis on Impatiens balsamina, 63.

— lauri on laurel, 854. — mali on apple, 754, 1148, 2185.

- phaseolina on bean, 918. *— piperis-nigri on pepper, black, 63. *— pirini on pear, 599b.

- populina on poplar, 1031.

- quercicola and P. quercus-ilicis on oak, 89. - rabiei on Cicer arietinum, 939, 940, 2303.

— sacchari on sugarcane, 228. — sojaecola on soybean, 2928. *-- solitaria on apple, 88.

*— sorghiphila on sorghum, 969b.

- zingiberi on ginger, 391.

Phymatotrichum omnivorum, antagonism of fungi in rhizosphere of desert plants to, 2387.

— on bean, 2659. — on pea, 293.

Physalis, Sphaerotheca fuliginea on, in Queensland, 1355g.

floridana mild chlorosis virus on Physalis floridana, symptoms and transmission of,

---, potato leaf roll virus on, effect of other viruses on infection by, 2755; transmission of by vectors, 1021, 1928.

tobacco mosaic virus on, effect of tannic acid on, 2750.

-, turnip latent [P. floridana yellow net] virus on, 2755; transmission of by vectors, 1021.

peruviana, potato spindle tuber and tomato bunchy top viruses on, transmission of by seed, 3128d.

Physalospora kalmiae on Kalmia latifolia, 3384.

— obtusa on apple, see Apple.

— on laurel, 1273. — on pear, 1146, *2023h.

[Physalospora] zeae on maize, 1858.

Physarum cinereum on Stenotaphrum secundatum, 2960.

Physoderma citri on citrus, 3050. — corchori on jute, 147, 1 — maydis on maize, 1077.

Phytoactin against Cronartium ribicola on pine, 2911.

against Phytobacteriomycin Xanthomonas malvacearum on cotton, 1566, 1578; as seed treatment for cotton, 720; for soybean, 1326. – constituent of Bkh.10, 714.

-, effect of on phytoncides of cotton; versus copper trichlorophenolate and formaldehyde, 72Ô.

Phytomycin alone and in combination against Pseudomonas betle on Piper betle, 2575. Phytoncides, effect of on growth of Fomes

annosus, 341.

in barley, effect of on Ustilago hordei, 675. - in extracts of cherry and Ranunculus acer,

in maize, effect of on Ustilago maydis, 434. Phytopathology, Annual Review of, Vol. II, 970; Italian bibliography of for 1962 and 1963, 387.

Phytophthora, effect of light on reproduction in, 2047; of N sources and pH on growth of,

2989.

-, nutritional comparison of spp., 2728. physiology of sexual reproduction in, 44, 45, 2049.

- arecae on areca palm, 2695d. on sisal, 723, (?)2158.

(?)*—boehmeriae on cotton, 1029. - cactorum, antagonism of actinomycetes to,

638. ---, biology of, 319c.

-, effect of light on reproduction in, 2047; of organic fertilizers on, 638; of phenolic compounds on growth of, 2991; of sterols on oospore production in, 6c, 46.

-, factors affecting N content of, 994.

- —, inhibition of, by antibiotics, 638.

— in soil, 1003.

— on apple, see Apple. — on Asparagus, 2308. — — on Incarvillea, 1348a. — on pansy, 3388. — on pear, 2837.

— — on strawberry, 774, 3388. — cambivora in soil, 1003.

— on chestnut, 846.

- capsici, effect of beta-sitosterol on oospore formation in, 6c.

on Capsicum, 321.

- cinnamomi, compatibility types in, 6b, 324b,

- different from P. on raspberry, 2699h. - —, effect of steroid from pea on, 2048c.

----, factors affecting N content of, 994.

- — in soil, see Soil

method for obtaining active zoospores of, 2048a.

–, nutritional studies on, 2990.

*— on avocado pear, see Avocado pear.
— on Camellia, 2806.

- — on chestnut, 846.

- on Coniferae, 2048b.

— — on laurel, 2626. —— on lupin, 2048a. —— on oak, (?)1969, 3172.

— on pine, 2908.

[Phytophthora cinnamomi] on Persea, 2569.

— on pineapple, 1181, 1185. — citricola, effect of beta-sitosterol on oospore formation in, 6c. on hop, 1917.

— citrophthora, C.M.I. description of, 1004.
— on citrus, 1004, 1355k, 2791.

— on fruit, 1390

— — on lemon, 1875, 2791. — on orange, 1875, 2142.

- colocasiae on Colocasia esculenta, 2014. — cryptogea, compatibility types in, 6b, 324b. — in soil, 1003.

— on clover, 474 — on gloxinia, 596a.

— — on lucerne, 474. --- on pear, 2837.

— drechsleri, compatibility types in, 324b. — in soil, 1003.

— — on beet, 2431. — — on cineraria, 461.

- — on safflower, 2431, 2577.

- erythroseptica, effect of beta-sitosterol on oospore formation in, 6c.

——, factors affecting N content of, 994. —— in soil, 215.

-, mineral nutrition of, 346. - on lupin, pea, and vetch, 1598.

-, ultrastructure of sporangia and zoospores of, 2021.

fragariae, different from P. on raspberry, 2699h.

— on strawberry, see Strawberry.

— heveae, effect of beta-sitosterol on oospore formation in, 6c.

*_ - in soil, 1944. - hibernalis on citrus, 1004.

- infestans, degradation of RNA by, 2230.

—, failure to induce virulent mutants of, by UV irradiation, 2328d.
—, inhibition of, by copper oxychloride and zineb in combination, 2041.

-, medium for culture of, 1447; for isolation of, 2229.

-, mineral nutrition of, 346.

— — on Lycopersicon peruvianum, 242. *— — on Petunia, 3232e.

- on potato, see Potato. — on Solanum, 1211.

- on S. guineense, 242 — on S. muricatum, 2316.

— on tomato, see Tomato.
— on tomato, see Tomato.
— oxidation level in relation to sexual reproduction, 2374.

- meadii on Hevea rubber, 221.

- megasperma, effect of beta-sitosterol on oospore formation in, 6c.

- in soil, 2837.

- var. sojae, effect of sterols on oospore production in, 6c, 47.

- in rhizosphere of soybean, 557j.

——— in soil, 557j, 1003. ——— on soybean, 557i, m, 1598. - nicotianae, compatibility types in, 324b.

-, effect of sterols on oospore production in, 47.

— in soil, 723.

-, nutritional studies on, 541.

*— on Agave, 599b. — on sisal, 723, 2158.

- - on tobacco, see Tobacco.

- var. parasitica, C.M.I. description of, 1004.

[Phytophthora nicotianae var. parasitica], compatibility types in, 324b.

- —, effects of phenolic compounds on. 2991.

----, hosts of, 2616. ---- in soil, 1184, 2553.

----, mineral nutrition of, 346.

——— on box, 1884.

——— on Citrus, 1353a, 2489, 2791.

——— on Hibiscus sabdariffa, 1352c. ——— on lemon and orange, 1353a, 1875, 2791.

——— on papaw, 1756z.

——— on pineapple, 779, 1181, 1185.

——— on Ricinus communis, 1029. ——— on sesame, 2856.

---- on tomato, 840, 2616.

----, soil fungistasis in relation to zoospore germination of, 324n.

————, toxicity of papain to, 1758d. —palmivora, compatibility types in, 324b.

— on cacao, see Cacao.

-- on Carica cauliflora, 777b.

- — on coconut, 519.

— on Hevea rubber, 221, 1225. — on papaw, 777b. — phaseoli on Phaseolus lunatus, 6j, 557g. - syringae, effect of light on reproduction in,

2047. - on lilac and Rosaceae, 1004.

Phytoptus ribis transmitting black currant reversion virus, 771, 1625, 1907, 2562. Picea, see Spruce.

Pichia pastoris on elm, 2625.

Piesma cinereum transmitting beet leaf curl virus, 905.

-quadrata transmitting beet leaf curl virus, 3199a, 3200.

Pigeon pea (Cajanus cajan), Bacillus subtilis on, production of bulbiformin by, 2044.

-, Colletotrichum cajani on, in India, 2084b.

-, cowpea virus can infect, 576.

- deficiency diseases, symptoms of, 2302. ---, Fusarium udum on, control, 2044.

*— —, Phyllosticta cajani on, in India, 63 - sterility [mosaic] virus in India, 2695a; inhibition of Fusarium udum by, 2695a.

Pilots, agricultural, handbook for, 70. Pimaricin against Ascochyta rabiei on Cicer

arietinum, 299. -, effect of, on sporangial production in Phytophthora cinnamomi, 2699c.

Pimento (Pimenta officinalis), Calonectria rigidiuscula, Ceratocystis fimbriata, Cytospora, and Guignardia citricarpa on, in Jamaica, 1353d.

-, Puccinia psidii on, in Jamaica, 1353d; C.M.I. description of, 2739.

-, Valsa eugeniae on, in Jamaica, 1353d.

Pine (Pinus), Actinothyrium marginatum on, factors affecting, 1705.

-, Amanita muscaria on, forming mycorrhiza,

morphology of, 3254.

-, Amylostereum on, in Australia and New Zealand, 270; Tasmania, 555; Sirex noctilio associated with, 270, 555, 2914; taxonomy of, 270.

-, antibiotic in extracts from roots and needles of, 28a.

Armillaria mellea on, in Canada, 881; Chile, 552; *Fiji, 1351b.

[Pine], Atropellis on, in Canada, 1679f.

-, - piniphila on, in Canada, 882.

-, Aureobasidium on, associated with needle cast, 2912.

- 'bending' in U.S.S.R., 1285. -, Biatorella difformis on, in U.S.S.R., Biatoridina pinastri conidial state of, symptoms, and transmission of, by insects, 554.

-, Boletus luteus on, forming mycorrhiza,

morphology of, 3254.

, Brunchorstia pinea on, in Italy, 247; Netherlands, factors affecting, geographical distribution, and symptoms of, Scleroderris lagerbergii perfect state of, 1981.

- cabbaging not caused by fungus, symptoms

of, 1297.

, Ceratocystis on, in U.S.A., associated with bark beetles, 884.

- ips and C. minor on, effect on sugars of, $\frac{1706}{1706}$

., Chaetomella on, in Japan, 2907.

— chlorotic dwarf disease, 2638; in U.S.A., (?)ozone injury causing, 249.

-, Coleosporium on, in Canada, 1679c.

—, — eupatorii on, in Japan, 2256. —, — melampyri on, in Yugoslavia, biology of and symptoms of, 885.

-, Corticium solani on, control, 1289. -, Cronartium on, in Ú.S.A., 2908.

-, — asclepiadeum on, in Italy, Vincetoxicum officinale alternate host of, 266.

, - comandrae on, in Canada, Tuberculina maxima hyperparasitic on, 2640.

- filamentosum on, hyphal spread of,

2909. -, - fusiforme on, in U.S.A., 2908; breeding against, and genetics of, 844; reaction to,

- himalayense on, in India, decline in

incidence of, 1291.

- ribicola on, 1979; in Canada, 1679g, 2640: *Norway, 3000; U.S.A., 1963, 2639; U.S.S.R., 888; biochemistry of, 1707; biological control, 1963; control, 2639, 2911; phenolic substances in relation to, 267; physiology of, 1707; reaction to, 887.

_, — stalactiforme on, in U.S.A., 3185; hyphal

spread of, 2909.

- strobilinum on, in U.S.A., 1292.

Crumenula sororia on, symptoms Brunchorstia pinea different from, 1981.

, Cylindrocarpon radicicola on, in England, 1299.

damping-off in Japan, 2907; New Zealand, 2906; U.S.S.R., 1702; control, 1702, 2906.

-, Dasyscypha flavovirens on, in Italy, 247.

- dieback in Hungary, Cenangium ferrugin-osum associated with, 2255.

, Diplodia pinea on, in Italy, 389a; New Zealand, in relation to trunk wounding, 889; Sphaeropsis necatrix synonym of, 389a.

-diseases in N. America and U.S.A., 265; factors affecting, 1001; geographical distri-

bution of, 2633.

, *Dothistroma pini* on, in Kenya, 1293, 2257; Rhodesia, 598d; control, 1704, 2257, 3230a; effect of, on diameter and height increase, 1293; factors affecting, 598d; affecting spread of, 3230a; resistance to, 2951f.

- var. linearis on, 1705.

, effect of mycorrhizal fungi on growth of, 2368.

[Pine], Elytroderma deformans on, in Canada, 882; *U.S.A., 883.

Fomes annosus on, in Finland, 2258; U.S.A., 543h, 876, 878, 1963, 2908, 2913; U.S.S.R., 2629c; associated with weevil-killed branches 1709; beetles in relation to, 2629e; biological control, 1963; control, 1286c; duration of susceptibility of stumps to, 875; effect of tree age on, 1286b; factors affecting, 1286b; growth in roots of, 543g; hosts of, 2258; infection by root-contact with old stumps, 877; relationship between soil micro-organisms and, 878; survival of, in roots, 3188.

, frost damage, 1981; symptoms of Brunchorstia pinea different from, 1981.

-, fungi on, in Canada, 882; control, 2637. on, forming mycorrhiza, in Switzerland, 625.

-, fungus on, in Canada, preventing seed germination, resemblance of, to Costantinella and Nodulisporium, 1703.

Fusarium on, in England, 1299; Germany, 965f; U.S.S.R., 2253; control, 1299, 2252, 2253.

-, — culmorum on, in U.S.S.R., 1290.

- oxysporum on, in Japan, 2907; factors affecting, 2254.

semitectum and F. solani on, in U.S.S.R., 1290.

, Gibberella fujikuroi on, in Japan, 2907; U.S.S.R., 1290.

-, Hebeloma mesophaeum on, forming mycorrhiza, morphology of, 3254.

-, Hendersonia montana on, in Italy, 247. -, Hypodermella on, in Canada, 882.

-, — arcuata on, 1705.

-, - sulcigena on, in Italy, 247.

-, Lecanosticta and L. acicola on, factors affecting, 1705.

-, Leptostroma pinastri on, associated with needle cast, 2912.

— litter, microfungi in, in Scotland, 2998.

-therrorang in, in Scotland, 2998.

-, Lophodermium pinastri on, in Czechoslovakia, 1295; *Fiji, 1351b; Formosa, 2620; Germany, 1708; U.S.S.R., 1294; associated with needle cast, 2912; biology of, 891, 2643; control, 891, 1294, 1295, 2643, 3187; factors affecting, 1294, 1708, 2642; affecting susceptibility to, 890; persistence of zineh on for bility to, 890; persistence of zineb on, for protection against, 3187; resistance to, 556, 1296.

-, - ponderosi on, in U.S.A., 892.

-, Macrophoma sabinea on, in Tasmania, association of, with Amylostereum, 555.

-, Macrophomina phaseoli on, epidemiology and host-parasite relations of, 268; study on, 269.

-, Melampsora on, in Canada, 1970b.

—, — albertensis and M. occidentalis on, 1970a.

-, - populnea on, 1979.

- mycorrhiza, 2997; in Canada, 1679h; N. America, 265; anatomy of, 23; *Cenococcum graniforme* forming, 2366; factors affecting, 1679h, 2366; forking of, 3260; review of, 3256.
- needle blight in Canada, 1679i; U.S.A., (?)ozone injury causing, 249.
- cast, fungi associated with, 2912. —, Ophiostoma roboris on, control, 855.

-, ozone injury to, in U.S.A., 249.

-, Peridermium on, in Canada, 881; hyphal spread of, 2909.

[Pine, Peridermium] harknessii on, in Canada, 2640; U.S.A., 2910, 3185; transmission of, to Castilleja coccinea, 2910.

-, - pini on, symptoms of, 880.

-, - stalactiforme on, in Canada, Tuberculina maxima hyperparasitic on, 2640.

-, Pestalotia on, associated with needle cast, 2912.

-, Phacidium infestans on, control, 3186. -, - pini-cembrae on, in Italy, 247.

*—, — pini-cembrae on, in Italy, 247.
—, physiological disorders of, in N. America, 265.

-, phytoncidal activity in, 966b.

-, Phytophthora cinnamomi on, in U.S.A., 2908.

-, Polyporus schweinitzii on, in U.S.S.R.. reproduction of, by chlamydospores, 1982, - tomentosus and P. t. var. circinatus on,

-, Poria heinrichii on, in U.S.S.R., reproduction of, by chlamydospores, 1982. Pythium on, in England, 1299; control,

1289, 2905. - splendens and P. ultimum on, in Queens-

land, 1355 l. -, Racodium therryanum on, control, 1279.

- red belt and red stain in Canada, 882.

resin canker in U.S.S.R., 1285. —, Scleroderris lagerbergii on, in Sweden,

damage, development, and distribution of, 1298. -, Sclerotinia kitajimana on, effect of, on

germination of, 1279. seedling diseases, control, 879.

Streptomyces fuscus in rhizosphere of, in U.S.S.R., 2245.

-, Sydowia polyspora on, 893.

*—, Thyriopsis halepensis on, in Canada, ...

—, Trichoderma viride on, in Tasmania, association of, with Amylostereum, 555.

Pineapple (Ananas comosus), Ceratocystis paradoxa on, in Martinique, 779; effect of pH and temp. on, 2215. Curvularia eragrostidis on, in

Republic, 3114.

-, Fusarium on, causing resinosis, 778. -, iron deficiency in, symptoms of, 1916.

-, Phytophthora on, in Martinique, 779.

- cinnamomi on, 1184; effect of soil temp. on, 1185.

- nicotianae var. parasitica on, 1184, 2616; in Martinique, 779; effect of soil temp. on, 1185.

-, Pythium spp. can infect, 1181.

-, Thielaviopsis paradoxa on, in Kenya, 2697a.

Pinosylvin in relation to Fomes pini on pine, 1709.

Pinus, see Pine.

Piper aduncum, Phytophthora on, resistance to,

- betle, Pseudomonas betle on, control, 2575.

- blattarum and P. citrifolium, Phytophthora on, 2851.

- nigrum, see Pepper, black.

- scabrum and P. treleaseanum, Phytophthora on, resistance to, 2851.

Piricularia, see Pyricularia.

Pisatin, formation of, by pea, 29, 2331f. -, resemblance of phaseollin to, 2331e. Pistachio (Pistacia vera), Septoria pistacina on, in Morocco, symptoms of, 2852.

Pisum sativum, see Pea.

Pithomyces chartarum in the air, 325b.

Pittosporum tobira, Gibberella fujikuroi on, symptoms of, 2894.

Plant diseases in Cambodia, 1475; Canada, 88, 660, 2953; Egypt, 3287; Finland, 90; France, 964g; Greece, 1830a, b, 3015; Laos, 1475; New Hebrides, 1477; N. Rhodesia, 85; Nyasaland, 84, 2083; Pakistan, 2757; Poland, Nyasarand, 64, 2003, Pakistan, 2737, Poland, 1402, 2427; Samoa, 1476; Sarawak, 1030; Sardinia, 390; S.E. Asia and Pacific Region, *659; Tonga, 2758; U.S.A., 1474, 1829b; U.S.S.R., 1028; Venezuela, 602; Victoria, 86; Vietnam, 1475; Western Australia, 661, 2424; control, 1, 71, 613, 615, 1820a, 2710, 2759, 2974; detection, of 1829a, 2710, 2759, 2974; detection of symptoms by infrared, 2070; factors affecting, 1829c, 2336, 3265; insects in relation to, 597a; role of toxins in, 1784.

—, bacterial, Russian book on, 2033.

- galls, ecology of, monograph on, 331. - immunity, basic principles of, 1763; selected

works on, from Russian journals, 3240.

- material and soil, laboratory quarantine examination of, practical handbook on,

- pathology, disease concept in, 2957; elements of, Danish book on, 329; history of, 2702; in Colombia, historical summary of, 1762; new buildings for, at Glasshouse Crops Research Institute, 317p; perspectives of biochemical, collection of papers on, 971; review of information on, 2700; statistical methods for investigations of 3237 methods for investigations of, 3237.

protectants, effects of, on plant physiology, 2348; risks and precautions in the use of,

2711.

Protection in Austria, 2709; England, 1601; Germany, 22, 1401, 1755f, h, i, 1779; Madagascar, 1663; Poland, 2745, 3247; apparatus for, 336, 979, 1382, 2346; books on, 335, 1365; experiments in, 2745; in cultivation of ornamentals, 1755e; instructions for, 2709; literature, bibliography of 1955-58, 2024; review of, 1403, 3247; warning service for, in Bavaria, 1755f.

-Quarantine Station in E. Africa, activities

of, 2951g.

Plantago major, aster yellows virus strs. on, interaction of, 2751.

- not a host of lettuce big-vein virus, 308. Plantain (Musa paradisiaca), Pseudomonas solanacearum on, in Colombia, Gloeosporium musarum associated with, non-occurrence of, on Musa balbisiana, and transmission of, by vectors, 2568.

Plasmodiophora brassicae in New Zealand, designation of additional races of, 2274.

-, effects of plant diffusates on germination of, 2997.

in soil, 1424.

- on broccoli, 276.
- — on cabbage, see Cabbage.
- — on cauliflower, 276, 1720, 2923.
- -- on rape, 2274, 2922.
- — on swede, 1357, 2274, 2922.

- on turnip, 2274, 3194.

Plasmopara halstedii on sunflower, 968g, 2220,

- viticola on vine, see Vine.

Platanus occidentalis, Gnomonia platani on, in Turkey, 2628.

- orientalis, Gnomonia veneta on, in Italy, geographical distribution, spread, and symptoms of, 1690.

*Pleiochaeta setosa on Cytisus × racemosus,

1117.

Plenodomus meliloti, conidiophores of, 2741. - on Medicago falcata and M. media, 2525. -, pycnidial development and spore

discharge of, 1134.

*Pleomassaria melaleucae on Melaleuca leucadendron, 1965.

*Pleospora bataanensis on coconut, 359.

- betae on beet, see Beet.

bjoerlingii on beet, see Beet.
on swede, 596e.

-, toxicity of amphotericin B, candicidin, and levorin to, 987.

- calvescens on opium poppy, 197. - herbarum, effect of UV radiation on light absorption by, 1756d.

-, extraction of P₃₁₀ from, 1756e. - on broad bean, 2928.

(?)—— on safflower, 2954a.

- papaveracea on opium poppy, 1195.

*— phaecomoides on wheat, 2697c. - pisi on cowpea, 1351b.

Pleurotus juglandinus on walnut, 3178.

Plum (Prunus domestica), Bacillus pumilus on, hosts and symptoms of, 181.

-, Blumeriella jaapii on, in Poland, 2189. on, in U.S.S.R., 2549.

- dwarf virus on cherry, 768.

—, fluorine injury to, 2983b. —, fungi on, in U.S.S.R., 1138a.

-leaf margin scorch virus on plum, resemblance of, to plum rusty blotch in U.S.A.; transmission of, by grafting, 2548.

--- on Prunus salicina, 2548. -line pattern virus on plum in Czechoslovakia, 1902; U.S.S.R., 492; (?)a str. of apple mosaic virus, 162; symptoms of, 492; transmission of mechanically, to cherry and herbaceous hosts, 177.

*—, Linochora ligniaria and Naemospora aurea

on, in U.S.S.R., 2530.

, peach ringspot virus on, in Czechoslovakia, 1902; non-transmission by pollen, 1163; use of bark patches in indexing on cherry, 1162, 1163.

- strs. on, 1162.

-, Polystigma rubrum on, control, 3093.

- pox virus on apricot and peach in Hungary,

—— on plum in Bulgaria, 2527; Hungary, 175; (?)Italy, 2838; (?)U.S.S.R., control, 1619; development of symptoms of, 176; efficiency of tests for, 176; hosts of, 175; indicator for, 493; strs. of, 175; symptoms of, 1619, 2527, 2838; transmission of, 2527; by grafting, 1619.

on Prunus spinosa, 3398.

-, Pseudomonas on, technique for tracing movement of, 1346k.

mors-prunorum on, in the Irish Republic, 320a; Yugoslavia, 178; non-production of bacteriocins by, 2328c; pathogenicity of, 2330a; str. of and symptoms of, 178; technique for tracing movement of, 1346k; var. reaction to, 178.

[Plum, Pseudomonas] syringae on, in U.S.A., 3409; technique for tracing movement of. 1346k.

-, Rhodosticta quercina on, in U.S.A., patho-

genicity and physiology of, 2839.

-rusty blotch virus on plum in U.S.A., resemblance of plum leaf margin scorch virus to, 2548.

on Prunus salicina, 1903.

*-, Sclerotinia laxa on, in Victoria, 2190. -, Stereum purpureum on, morphological and anatomical changes in, 743.

—, strawberry latent ringspot virus on, 773. —, Valsa cincta on, control, 2550.

-, Verticillium alboatrum on, in U.S.S.R., symptoms of, 491.

virus, resemblance of, to beet yellows virus;

transmission of by sap, 1346f.

- , Xanthomonas pruni on, in Bulgaria, hosts and symptoms of, 181; scale of susceptibility to, 2551.
- *Plumeria acutifolia, Cercospora plumeriae on, in U.S.A., 3386.
- *— rubra f.sp. acutifolia, Colletotrichum capsici on, in India, 646.

PMC against Elsinoe veneta on loganberry, 1354g; Taphrina deformans on peach, 1354c;

Venturia inaequalis, 2536.
-injury to apple, 2536; loganberry, 1354g. Poa annua, Septoria macropoda on, in Chile, 1031.

- pratensis, Cochliobolus sativus on, pathogenicity, on roots of, 730.

--, Curvularia pallescens on, in U.S.A.,

-, fungi on roots of, 3391.

Fusarium roseum on, factors affecting, 386g.

Helminthosporium dictyoides on, U.S.A., 386f; pathogenicity on roots of, 730.

-, - triseptatum on, in U.S.A., 386f.

—, — vagans on, control, 3079; pathogenicity on roots of, 730.

-, Puccinia graminis on, var. reaction to, 3389.

, Sclerospora macrospora on, in U.S.A., 398.

-, Ustilago striiformis on, control, 2519. -, wheat striate mosaic virus on, in U.S.A. overwintering of, 2761.

Podocarpus, actinomycetes on root nodules of, isolation and properties of, 26.

Podosphaera leucotricha, factors affecting conidial germination of, 2994.

on apple, see Apple.

Podosporiella verticillata on barley, *2332b, 2438.

on grasses, oats, and wheat, 2438. Poinsettia diseases, bulletin on, 1106.

, Sphaceloma poinsettiae on, in U.S.A., intercepted from Guatemala, 344b. Pollaccia radiosa on poplar, 2895.

Poly-antibiotic against Pythium debaryanum, P. ultimum, and Thielaviopsis basicola on tobacco, 2881.

Polychlorpinene against vectors of beet yellows virus, 566c.

Polyethylene sheeting against Sclerotium cepivorum on garlic, 1735.

Polymyxa betae on *beet and Chenopodiaceae, distinct from P. graminis, 2925.

Polymyxin B, effect of, on sporangial production in Phytophthora cinnamomi, 2699c.

Polyporaceae on forest trees, 845.

Polyporus, morphological characteristics of hyphae of, 2395.

adustus on timber, 968k.

- balsameus on Eucalyptus, 1307.

betulinus, inhibition of, by griseofulvin and janthinellin, 1395.

- on forest trees, 845.

——, spore discharge in, 1409. — cinnabarinus, effect of surfactants on, 324e.

- dryadeus on Eucalyptus, 1307. - fimbriatus on timber, 1984.

- fissilis on oak, 1686. - fumosus on larch,

— on poplar, 3173.

— hirsutus on timber, 968k, 1984.

- hispidus on oak, 1686.
 hydnoides and P. munzii on timber, 1984.
- pargamenus on timber, 2262. - pinsitus on timber, 1984
- populinus on poplar, 3173. — resinosus on larch, 1978. - sanguineus on timber, 1984.
- *— schweinitzii on Abies fraseri, 2635. — on larch, 1978. — on pine, 1982.

- stipticus on timber, 1304.

- sulphureus on larch, 1978.

- tomentosus on Abies, aspen, and birch,

- — on forest trees, 544. — on larch and pine, 1680.

—— on spruce, 894, 1308, 1680. — on timber, 1308.

---, serological technique for detecting, 543e. -— var. circinatus on Abies, aspen, birch, larch, pine, and spruce. 1680.

- volvatus on timber, 1984.

zonalis on Eucalyptus and timber, 1307.

- zonatus on poplar, 3173. - on timber, 2268.

Polyram against Cercosporella brassicae on turnip, 2657.

-combi as soil disinfectant, 1354q.

residues on tobacco, 1952. - M against Peronospora parasitica on flax,

1634.

and polyram 2 residues on tobacco, 1952. Polystictus, morphological characteristics of hyphae of, 2395.

— abietinus on timber, 2251. — gilvus on timber, 1988.

— sanguineus on timber, 2264. — versicolor on timber, 968k, 1988, 2262. Polystigma rubrum on plum, 3093.

Pomarsol forte, see Thiram.

Pome fruit, ascomycetes and basidiomycetes on, in U.S.S.R., host index and survey of, 1138b.

— diseases in Rhodesia, 163. , fungi imperfecti on, in U.S.S.R., host

index and survey of, 1138b. Pomegranate (Punica granatum), Cercospora punicae on, in India 1473.

-, fungi on, in India, list of, 192a.

-, Xanthomonas punicae on, in India, symptoms of, 391.

Poncirus trifoliata, citrus exocortis virus on, in Argentina, 3353. , — tristeza virus on, in Argentina, 2490. Poplar (Populus) [see also Aspen], Aplanobacterium populi on, in (?)Yugoslavia, 3164; geographical distribution; inhibition of by antibiotics, 862.

- brown sap flow in Czechoslovakia, 1269.

—, Cryptodiaporthe populea on, in Czecho-slovakia, 1269, 1278; Estonia, 3173; Spain, 846; U.S.S.R., 859, 2629a; Yugoslavia, 3164; control, 846, 1278; factors affecting, 2629a; geographical distribution of, and hosts of, 846; specific reaction to, 1278; transmission of, by insects, 2629a; types of injury caused by, 1278; var. reaction to, 1278, 1971.

-, Cucurbitaria staphula on, in Canada, microconidial state of, 1693.

diseases in Estonia, 3173.

-, Drepanopeziza populi-albae, D. populorum, and D. punctiformis on, 2896.

, effect of copper oxychloride and folpet on

leaf epidermal tissues of, 12.

-, Fomes igniarius on, in Estonia, 3173.

- —, fungi on, in U.S.S.R., 859, 1471. —, Fusarium on, (?)identical with Fusarium solani f.sp. robiniae on Robinia pseudoacacia, 1972.
- -, Glomerella cingulata on, in U.S.A., dissemination of, by rain; opt. temp. for, 2895; penetration of leaves by, 2632.

 heart rot in Estonia, 3173.

, Hebeloma hiemale on, forming mycorrhiza in Italy, 1405.

Hypoxylon pruinatum on, invasion site of, -, *Hyp*. 543d.

-, Macrophoma tumefaciens on, in *Canada, 1692; Europe and N. America, 968m; transferred to Diplodia, 258.

-, Marssonina on, control, 1348c.

-, — brunnea on, in Italy, overwintering and symptoms of, 860.

- populi on, in Estonia, 3173; difference in symptoms between M. tremulae and, infection, spread, and var. resistance to, 3174.

—, — populicola on, in China, 861.

- tremulae on, difference in symptoms between M. populi and, infection, spread, and var. resistance to, 3174.
- -, Melampsora on, in Canada, 1970b; Europe, and key for identification of, 2631; hosts of, 1970a, b; viability of, 2897.

albertensis on, 1970a, b.

- -allii-populina on, in Spain, geographical distribution and hosts of, 846.
- larici-populina on, in Estonia, 3173; Ú.S.S.R., 2619.

-, - occidentalis on, 1970a.

- mosaic virus on poplar in Germany, control, 2249; effect of on growth, 858; not related to potato virus S or Y groups, 550; properties of, 550, 596d, 2249; specific reaction to, 858, 2249; symptoms of, 550, 2249; transmission of, mechanically, 550; var. reaction to, (?)550, 858.
- -, Phyllosticta populina on, in Chile, 1031. *—, Pollaccia on, in Yugoslavia, symptoms of,

1691. - radiosa on, in U.S.A., 2895.

- -, Polyporus fumosus, P. populinus, and P. zonatus on, in Estonia, 3173.
- —, Septoria populi on, control, 2250.
- trunk scab in Estonia, 3173.

- [Poplar], Valsa nivea on, in Estonia, 3173: U.S.S.R., 2629a; transmission of, by insects, 2629a.
- -, sordida on, in U.S.S.R., 2629a, 2630; transmission of, by insects, 2629a.
- -, virus disease in Italy, symptoms of, 551. Populus tremula and P. tremuloides, see Aspen. Poria ambigua on oak, 1686.

- heinrichii on pine, 1982.
 hypobrunnea on Hevea rubber, 1222g. -, P. punctata previously attributed to, 3142.
- hypolateritia on tea, 830, 1232, 3146.
- -monticola, agar plug inocula in testing chemical inhibition of, 260.

on Eucalyptus, 1307.

on timber, see Timber.

- punctata on tea, 3142 - subacida on larch, 1978.

- *-- on spruce, 1983.
- vaillantii on timber, 273, 2263, 3193. — vaporaria on Phragmites communis, 2646.

on timber, 2263.

- weirii on Acer macrophyllum and alder, 1711. — — on Pseudotsuga menziesii, 1679k, 1711.

on timber, 1712. - xantha on larch, 1978.

Potassium deficiency in cacao, 1481b, 1835, 2436; citrus, 706; maize, 3341; potato, 1941; Vaccinium angustifolium, 1624.

- raccinam angustionam, 1024.
 -, effect of, on cabbage tipburn, 2651;
 Cercospora beticola, 1317; Corticium fuciforme on Festuca rubra, 2819; Erysiphe
 cichoracearum on tobacco, 1672; fungus
 antagonists in soil, 2736; Leptosphaeria
 avenaria on oats, 683; Lophodermium pinastri on pine, 1708; Pseudomonas solanacearum on tomato, 2886; Rhizopus arrhizus and R. stolonifer on peach, 1354b; vine black leaf, 3227; vine leaf roll virus, 1354o; virus diseases and yield of potato, 1926.
- in combination, effect of, on Septoria tritici on wheat, 672.
- nitrate in combination, effect of, on Fusarium solani f.sp. phaseoli on bean, 2001a.
- permanganate against tomato blossom-end rot, 1268; as bulb dip for hyacinth, Narcissus, and tulip, 3062; as seed treatment for apple, 3094; clover, 155b; tomato, 3162.
- in combination against tomato diseases, 843.
- sulphate, effect of, on vine black-leaf, 3227. -, see also Fertilizers.

Potato (Solanum tuberosum) acropetal necrosis

virus, see Potato virus Y str. Alternaria solani on, 1645a; in Canada, 5;

- Germany, 1755c; antagonism of Streptomyces griseus to, 989; control, 805, 1755c, 2232; var. reaction to, 5.
- -Andean latent virus on potato in Bolivia, Colombia, and Peru, hosts, relationships, symptoms and transmission of, 2327c.
- , bacteria on, in Portugal, 1645l.
- black spot in U.S.A., 3137; factors affecting, 1659, 3137.
- -, boron deficiency in, in Tasmania, 356. -, Cercospora concors on, in India, 2589.
- . Cochliobolus carbonum on, steroid alkaloids in relation to resistance, 386r.
- -, Colletotrichum atramentarium on, 1645a.

[Potato], copper toxicity in, 2860.

- corky ringspot virus on potato in U.S.A., comparison of, with other viruses, 2858.

Continuation of, what other virtues, 2555.

-, Corticium solani on, 1034, 1645a; in Canada,
5; Denmark, 1645d; India, 218; N. Ireland,
2948b; breeding against, 217; control, 5,
216, 784h, 1645c, d, e, 1939, 2590, 2948b;
effect of on yield, 1346m; epidemiology of, 1939; not controlled by phygon XL, 5; pathogenicity of, 218, 13461; strs. of, 218; symptoms of, 218, 1939; var. reaction to, 5, 217.

-, Corynebacterium sepedonicum on, 1645a; in Canada, 5; control, 968h; factors affecting, 535; riboflavin content of, 1657; serological diagnosis of, 535, 816; symptoms

of, 535; var. reaction to, 5.

curly dwarf virus on potato in U.S.S.R., 3129c.

-, Cylindrocarpon tonkinensis on, symptoms of, 219.

ot, 219.

- degeneration in China, 1202; Hungary, 786b; U.S.S.R., 788, 789, 790, 1925, 2222; biochemical effects of, 790; causes of, 788; control, 789, 1202, 2222, 3129b; diagnosis of, 2222; effect of mycorrhiza on, 1925; factors affecting, 786a, b, 787, 789, 1202; symptoms of, 788, 2222; types of, 789, 790; yar, reaction to, 787 var. reaction to, 787. diseases, 1829a; in S. Africa, 2581.

-dwarf [stunt] virus on potato in U.S.S.R.,

-, effect of excreted substance from leaves of. on decomposition of zineb, 1391; of extracts from, on Corynebacterium michiganense, 1645m.

-, Erwinia on, control, 815. -, — aroideae on, in N. Ireland, effect of on yield, 2948c; factors affecting, 386v.

yleid, 2948c; factors affecting, 386v; incidence of, 2948c; leaflet on, 3136; serological

diagnosis and symptoms of, 535.

"Erwinia carotovora on, in N. Ireland, 2948c; U.S.A., 1923; control, 1645k; effect of on yield, 2948c; factors affecting, 386v, 1645k; study on, 536; var. reaction to, 536, 1923.

-, fungi in rhizosphere of, in U.S.S.R.,

estimation of, 53.

, Fusarium in rhizosphere of, effect of trichodermin on, 3267c. ,— on, 1645a; in Victoria, 1354i; factors

affecting, 811.

- , caeruleum on, distinction of Sclerotinia sclerotiorum from, 2863; var. reaction to, 203.
- -, culmorum on, var. reaction to, 203. *_, _ redolens on. in New S. Wales, 2082. -, - roseum on, effect of chilling on, 810.

- solani f.sp. eumartii on, var. reaction to, 1924.

- — radicicola on, effect of chilling on, 810.

-, — — *robiniae* can infect, 1972.

gothic virus on potato in U.S.S.R., 790, 3129c, d; biochemical effects of, 790; control, 3129; factors affecting, 3129c; type of degeneration, 790.

, Helicobasidium purpureum on, factors affecting, 2429; host specialization of strs. of, 2760.

[Potato] internal rust spot on potato, symptoms of, 2227.

leaf curl in U.S.S.R., type of degeneration,

789.

roll virus on Physalis floridana, 1021, 1928, 2755.

potato in Canada, 1929: England, 2946d; Germany, 2582; Hungary, 204; India, 2583; Poland, 1645r, 2223, 3247; U.S.A., 1923; U.S.S.R., 1199, 2222, 3129c, f; Victoria, 1354p; absence of DNA in, 797; control, 212, 1199, 2222, 2695b, 3129f; detection of hy phenol test, 1647; diagnosis of tion of, by phenol test, 1647; diagnosis of, 2222, 3129k; diphenylamine reaction in, 797; effect of defoliation date on spread of, 797; effect of defoliation date on spread of, 1929; of haulm mowing on, 1199; of, on metabolism, 1645y; on yield, 965g, 2582, 2583, 3247; extraction of nucleic acids from, 2413; factors affecting, 213, 1927, 2223, 3129c, g; identification of, 1451; spread of, 212, 1645r; symptoms of, 2222, 2227; transmission of, by vectors, 1928, 1354p; var. reaction to, 1923, 1924, 2223, 2582, 2946d.

— mosaic virus (virus K) on potato, serological identification of, 794.

lucerne mosaic virus on, in Italy, 3228d;

Japan, host range, mechanical transmission, and symptoms of, 528. + potato virus X+tobacco mosaic

virus on, separation of, by zone electropho-

resis, 3012.

-, magnesium deficiency in, in Italy, factors affecting, 1220. microflora in rhizosphere of, effect of

trichodermin on, 1219, 3267c.

mosaic virus on potato in U.S.S.R., effect

of haulm mowing on, 1199.
-mottle mosaic [virus X] on potato, 787; in U.S.S.R., biochemical effects of, 790; control, 1926; type of degeneration, 790.

virus on potato in U.S.S.R., 3129c.

 mottling virus on potato in U.S.S.R., control, 1199, 3129f; effect of haulm mowing on, 1199.

mycorrhiza in U.S.S.R., effect of, on degene-

ration, 1925. net necrosis symptom of potato leaf roll virus, 2227.

-, Oidium on, in Chile, 1031.

- , *Oospora pustulans* on, 812, 1645a; in England, 1213; U.S.S.R., 812, 1214; Wales, 1213; control, 812, 1214; effect of, on yield, 1214, 2327l; factors affecting, infection by, and sclerotia of, 2591; var. reaction to, 203, 1213.
- paracrinkle virus on potato, review of, 2327r.
- , Penicillium in rhizosphere of, in U.S.S.R., 53; effect of trichodermin on, 3267c; estimation of, 53.

-, *Phoma* on, 1645a.

—, —foveata on, var. reaction to, 203.

-, - solanicola on, distinction of Sclerotinia sclerotiorum from, 2863.

Scierottorum Holli, 2005.
-, Phytophthora infestans on, 1645a; in Canada, 5, 616b; Ceylon, 1653; Colombia, 2862; Denmark, 1645j; Germany, 965d, 1755c, f; India, 2585; Italy, 388a, 3228h; Mexico 1645g; *N. Nigeria, 1350b; Norway, 1645f; Poland, 1468, 1935, 2756; Portugal, 1645h; U.K., 1207, 2350, 2693a,

2948b; U.S.A., 1923; aerial control of, 2350; aerial photography in detection of, 1207; breeding against, 1651, 1652; character of oospores of, 1655; chromatographic analyses of purine break-down by, 801; control, 616b, 804, 805, 1653, 1755c, 2327o, 2860, 2861, 2862, 2948b, 3133, 3134, 3228h; distribution of, 2756; effect of B and Cu on, 803, 2231; of gibberellin on, 529; of mineral nutrition on, 1209; of sodium phosphate nutrition on resistance to, 1208; enzyme activity in relation to, 5, 1210; factors affecting, 388a, 965d, 2327j, 2693a, 2860, 2861, 2862, 3133; forecasting outbreaks of, 1468, 1937, 2756, 2860, 2861; genetics of, 1654; history of, 800; hyperseptitic resistance to 2135 of, 800; hypersensitive resistance to, 3135; infection by, 214; infection periods, 2585; inhibition of, by adenine, 801; multigenic resistance to, 1938; penetration by, 1655; physiologic races of, 1645h, 1935, 1936; 1936; production of disease-free seed of, 1645f; relation of phenol activity to resistance, 531 role of peripheral layer in development of necrosis on, 2586; survival of, 1655; technique for inoculating, 530; for testing resistance, 802, 1645i; tenacity of spray formulaance, 802, 10451, tenacity or spany formations against, 3134; transmission of, by plant debris, 1655; use of hygrographs in studies of, 652; var. reaction to, 203, 784i, 803, 1208, 1210, 1652, 1923, 2329c; warning service for, 1755f.

[Potato], potassium deficiency in, symptoms

of, 1941.

, Pseudomonas solanacearum on, 1645a; in Kenya, effect of, on yield, 220; factors affecting, 1658; survival of, in soil, 2034.

-, Rhizoctonia on, control, 784d; effect of on tubers and on yield, 2022f; factors affecting, 784g.

- ring spot in U.S.S.R., 3138.

'rubbery tuber wilt' (?) caused by stolbur or related viruses, not by Colletotrichum atramentarium, 1650.

-rugose mosaic [viruses X+Y] on potato in U.S.S.R., 1199, 3129 c, d, f; control, 1199, 3129d, f; factors affecting, 1927, 3129c; type of degeneration, 789, 790.

—, Sclerotinia minor on, in Italy, 1212.

-, — sclerotiorum on, in Colombia, 2863; Italy, 1212; control, 1212, 2863; distinction of, from Fusarium caeruleum and Phoma solanicola, and effect of, on yield, 2863.

- spindle tuber virus, hosts of, 799.

- on Physalis peruviana, 3128d.

-——— on potato in U.S.A., 3128e; U.S.S.R., 3129e; characterisation of, 784a; effect of, on yield, 3129e; similarity of tomato bunchy top symptoms to, 3128d; (?) str. of potato virus X, 209, 386s, 3128e; symptomless hosts of, 799; transmission of, by grafting and sap, 3129e; use of tomato as indicator for, 784c; var. reaction to, 1933. --- on tomato, 784b, 798, 3128a, b, c.

, Spongospora subterranea on, in Austria, 2592; N. Ireland, 2948b; control, 1939, 2592, 2948b; epidemiology of, 1939; symptoms of, 1939; tuber blight in relation to, 2329c; var. reaction to, 1215.

-spraing in Netherlands, 2858; potato stem mottle virus str. causing, 2948d; symptoms

of, 2227, 2948d.

[Potato] stem mottle virus on potato in Netherlands, comparison of, with other viruses, 2858.

—— str. on lettuce, 2022a. – — — — on *Narcissus*, 463.

———— on potato, causing spraing, 2948d.

— on tobacco, 1459.

- ---, see also Tobacco rattle virus. -, stolbur virus on, in Bulgaria, 2078; Czechoslovakia, ecology of, 1645u; booklet on, 2078; (?) causing rubbery tuber wilt, 1650.

- storage disorders, 1354i.

- streak mosaic virus on potato in U.S.S.R., 3129c, f; control, 3129f; factors affecting, 1926, 3129c.

-, Streptomyces aureofaciens and S. griseus on, in Switzerland, geographical distribution

and pathogenicity of, 1656.
-, — scabies on, 1645a; in Denmark, 1645d; Germany, 1755i; India, 1351a; Switzerland, 1656; U.K., 2693b, 2948b; U.S.A., 1923; control, 814, 815, 1216, 1217, 1218, 1645d, 1939, 1940, 2592, 2693b, 2948b; effect of crop rotation and green manures on, 813, 1758b; epidemiology of 1939; factors 1758b; epidemiology of, 1939; factors affecting, 2327k; geographical distribution of, 1656; inhibition of, by *Bacillus subtilis*, 1758b; pathogenicity of, 1656; symptoms of, 1939; toxicity of urea-formaldehyde to, 814; var. reaction to, 203, 1216, 1923, 1924. - stunt virus on potato in U.S.S.R., 3129d.

, Synchytrium endobioticum on, 1645a; in Belgium, 2587; Canada, 806; Czechoslobeigithi, 2587, Calada, 800, Czechosło-vakia, 807; Denmark and France, 2587; Germany, 532; Lithuania, 808; U.S.S.R., 533, 2587; biotypes of, 806; control, 807, 968i; laboratory diagnosis of resistance to, 809; map of distribution and severity of, 807; physiologic races of, 532; unusual symptoms of, 533; var. reaction to, 806, 808.

-, tobacco rattle virus on, 1645; in U.S.A., comparison of, with pea early browning

virus, 1756g.

, tomato bunchy top virus on, similarity of, to potato spindle tuber virus, 3128d.

*—, — spotted wilt virus on, in Argentina, potato viruses X and Y associated with, 1206.

-, Trichoderma in rhizosphere of, effect of trichodermin on, 3267c.

-, — on, persistence of, 966e.

-, Verticillium on, 1645a; control, 784d; var. reaction to, 1198.

-, - alboatrum on, in New Zealand, 3007; control, 784h; effect of insecticides on, 784e; morphology of, 3007; var. reaction to, 1924. — nubilum on, control, 2588; symptoms of,

534.

virus, new, in China, on potato and other hosts, properties of, relationship to potato virus Y, and transmission of by vectors, 2228.

— diseases, 203, 206; in Germany, 1755f; Hungary, 204; Poland, 2756; U.S.S.R., 792, 2074b, 2222; Victoria, 1354p; characteristics and classification of, 204; control, 1645t, 2074b; diagnosis of, 3129h; by serology, 3129i; distribution of, 2756; elimination of, by apical merister culture, 1020; forecasting outbreaks of, 2756; manual on, 2222; study on, 1354p; survey of, 1645n; technique for

obtaining stock free from, 791, 792; warning service against vectors of, 1755f.

[Potato virus] 5 [yellow dwarf] on potato,

factors affecting, 3129g.

— A on potato, 2224; in Germany, 2582; U.S.A., 1923, 2859; U.S.S.R., 527, 789, 3129a; association with potato viruses X and Y, 527; control, 2859; determination of, 965g; effect of, on yield, 965g, 2582; var. reaction to, 1198, 1923, 2582.

— D [potato virus X str.] on potato in India, properties of, 210.

-- F on potato in U.S.S.R., 789, 3129a.

— K on potato in U.S.S.R., 792, 1203; diagnosis of, 792, 794, 1203, 2950p; symptoms of, 1203.

--- on Solanum ballsii x potato, 794.

- — on S. demissum, 205.

- — on S. microdontum \times potato, 794.

---- on tomato, 3158.

- viruses K + S on potato, serological identification of, 794.

- - + X and + Y on potato, causing

degeneration, 205.

- virus L on potato in U.S.S.R., 789, 3129a.

- M on potato in *Argentina, 796; England, 2946d; Yugoslavia, preparation of antisera for diagnosis of, 793; symptoms of, 2946d.

for diagnosis of, 793; symptoms of, 2946d.

— S on potato in England, 2946d; S.
America, intercepted in England, 526;
U.S.S.R., 527, 790, 792, 1203, 2222, 3129a,
d, f; Yugoslavia, 793; association with
potato viruses X and Y, 527; biochemical
effects of, 790; control, 526, 2222, 3129d, f;
diagnosis of, 2222, 2226, 2950p; effect of
mineral and peaty soils on, 1200; of planting
dates on 1201; of on metabolism 206; dates on, 1201; of, on metabolism, 206; preparation of antisera against, 793, 1934; serological diagnosis of, 792, 1934, 3129d, j, 3131; symptoms of, 2222; transmission of, by grafting, 3132; type of degeneration, 790; var. reaction to, 1648, 3132.

—— on tomato, 3158.

- viruses S+K on potato, serological identification of, 794.
- virus X on Chenopodium amaranticolor, 2584.

_ — on *Datura*, 2950q.

- ___ on D. stramonium, 1204, 3013.
- _ _ _ on D, tatula, 324s.
- —— on Gomphrena globosa, 386t, 1205, 2584.
- on *Nicotiana*, 80.
 - — on *N. rustica*, 207.
- — on N. sylvestris, 80.

—— on potato, 791; in Argentina, 1206; Germany, 2582; India, 2583; Portugal, 207; S. America, intercepted in England, 526; U.S.A., 1923; U.S.S.R., 527, 787, 789, 790, 792, 1203, 2222, 3129a, d, f; Yugoslavia, 793; acridine orange fluorescence in, 372; association of viruses A and S with, 527; in the state of the sta with potato virus Y and tomato spotted wilt virus, 1206; (?) causing spindle tuber, 209, 3128e; control, 526, 1926, 2222, 3129d, f; detection of, by bentonite flocculation test, 795; by paper electrophoresis, 1645x; diagnosis of, 208, 965q, 2222; differentiation of strs. of, 207; effect of mineral and peaty soils on, 1200; of planting dates on, 1201;

of temp, on infectivity and length of particles in, 3013; of, on metabolism, 206; on potassium absorption, 1930; on yield, 2582; factors affecting, 386u; hosts of, 386u; hypersensitive reaction to, 1932; inhibition of, by substances from potato sap, 1931; phosphorus and potassium content in, 1645p; preparation of antisera against, 793; properties of, 207; purification of, by zone electro-phoresis, 371; resistance to, 1354p; serological diagnosis of, 527, 792, 3129d, j; compared with assessment based on sprout colour, 3130; similarity of X-bodies in, to potato virus Y, 3129h; symptoms of, 2222; var. reaction to, 527, 787, 1201, 1923, 2582. [Potato virus X] on Spirodela polyrhiza, 2075.

- — on tobacco, see Tobacco.
- — on tomato, 3013, 3158.
- — str. on potato, in India, 210; serology of, in relation to potato spindle tuber virus, 386s.

viruses X+K on potato, causing degenera-

tion, 205.

+ Y on potato in U.S.S.R., 527, 1199 3129c, d, f; association of viruses A and S with, 527; serological diagnosis of, 527; compared with assessment based on sprout colour, 3130.
- virus Y on Capsicum, 955.

-- on Chenopodium amaranticolor, 2584.

- — — on Gomphrena globosa, 2584.

— on potato in Argentina, 1206; Austria, 3014; England, 2946d; Hungary, 204; India, 2583; Israel, 16450; Poland, 1645r; S. America, intercepted in England, 526; U.S.A., 1923; U.S.S.R., 527, 789, 2222, 3129a; Yugoslavia, 793; association of viruses A and S with, 527; of potato virus X and tomato spotted wilt virus with, 1206; control, 212, 526, 2222, 2225, 2583; diagnosis of, 527, 793, 965g, 2222, 2226; serological, compared with assessment based on sprout colour, 3130; effect of, on potassium absorption, 1930; on potato spindle tuber virus, 784c; method of detecting infection in seed tubers, 2225; phosphorus and potassium content in, 1645p; possibility of economy in A6 test for, 2224; purification of, by zone electrophoresis, 371; relationship of, to virus causing veinbanding, 2228; resistance to, 1354p; similarity of X-bodies in, to potato virus X, 3129h; spread of, 212, 1645o, r; symptoms of, 2222; translocation of, 1645g; transmission of, by tubers, 1645o; var. reaction to, 527, 1198, 1923, 2946d.

on tobacco, 1241, 2403.

 $-Y^{N}$ on potato, detection of, on Solanum demissum, 211.

YR necrotic str. on potato in Hungary, 204.

- Y str. on Nicotiana megalosiphon, 965j. -— strs. on potato, virulence of, 1645z. -— on tobacco, 1645z.

—— tobacco necrosis str. on potato in Germany, 2582.

S. America, intercepted in England, 526. ———— on tobacco, 598a.

— viruses Y+K on potato, 205.

- witches' broom virus on tomato, 1251.

yellow dwarf virus on potato, 3129g; lipid in particles of, 1649.

[Potato] × Solanum ballsii and S. microdontium, potato virus K on, 794.

Pratylenchus minyus in relation to Verticillium

dahliae on peppermint, 2850.

- penetrans in relation to maize root rot complex, 120; to Verticillium dahliae on eggplant and tomato, 597a.

Preparation AB against Oospora pustulans on potato, 1214; as seed treatment for wheat, 1056.

- No. 158 against Puccinia graminis on wheat, 2091.

- 948 in combination as seed treatment for

maize, 2125.

- Primula, aster yellows virus str. on, in Czecho-slovakia, 3073; causing green petal disease, hosts of and transmission of by vectors, 3073.
- -, viruses on, review of and world distribution of, 2169

- malacoides, genetic and physiological dis-

orders, 466.

- virus disease in Czechoslovakia, distinct from green petal, named witches' broom green petal, 3073.

-obconica, genetic and physiological disorders, 466.

· vulgaris virus diseases, 2169.

Privet (Ligustrum) infectious variegation, privet virus in Germany resembling, 965i.

- mosaic virus on privet in Poland, properties and symptoms of, 1883.

necrotic ringspot virus on privet in U.S.A., 2955d.

- virus in Germany, resemblance of, to privet infectious variegation, 965i.

Procaine against Sphaerotheca fuliginea on cucumber, 2356.

, effect of, on Erysiphe graminis on wheat, 1054.

 hydrochloride against Sphaerotheca fuliginea on vegetable marrow, 2674.

Proceedings, see Conferences.

Proline, stimulation of germination of Rhizopus arrhizus by, 2051b.

Propane gas flaming against Puccinia menthae on peppermint, 2849.

Propionaldehyde, effect of irradiation of, in air on bean, Petunia, and tobacco, 1778.

Propylene oxide for sterilizing media, 1815. Protomyces macrosporus on coriander, 1190, 1635.

Protomycopsis thirumalacharii on Sesbania grandiflora, 2857.

Prototheca ciferri, P. moriformis, and P. zopfii on elm, 2625.

Prune (Prunus domestica) dwarf virus identical with cherry (sour) yellows virus, 182, 183; with [peach] necrotic ring spot virus, 183. —— on cherry, 495, 2558.

——— on Prunus tomentosa, 2558.

— — + [peach] necrotic ringspot virus on cherry, 2558.

- + raspberry ringspot viruses on cherry, 2528.

-, see also Plum.

Prunus, apple chlorotic leaf spot virus on, not transmitted by seed, 2205.

-, peach rosette virus on, in Victoria, peach ringspot virus unrelated to, 1354m.

- ringspot virus, see Peach ringspot virus.

- [Prunus] viruses, resemblance of, to beet yellows virus, transmission of, by sap, 1346f.
- -, virus-free stocks of, for release in U.S.A., 2188.
- , Xanthomonas pruni on, C.M.I. description of, 1768.
- amygdalus, see Almond. — armeniaca, see Apricot.

- avium, see Cherry.

-cerasifera, cherry [peach] ringspot and cherry [plum] line pattern viruses on, 1902. -, Pseudomonas mors-prunorum on, in

Yugoslavia, symptoms of, 178. var. divaricata, Acerbiella acicularis on,

in U.S.S.R., 2530.

------, fungi on, in U.S.S.R., 1138a.

- cerasus, see Cherry.

*— demissa, Eutypa armeniacae on, in U.S.A.,

- domestica, see Prune and Plum.

- insititia, see Damson.

- mahaleb, Blumeriella jaapii on, in Poland, spread of, 2189.

-, cherry [peach] ringspot virus on, 1902. -, Prunus [peach] ringspot virus str. A alone or with str. G. and prune dwarf virus on, effect on nucleic acid, 760.

- virus diseases in Bulgaria, 3108.

padus, cherry [peach] ringspot virus on,

pennsylvanica, Leucostoma kunzei can infect, 1284. - virus, (?)str. of cherry [peach] necrotic

ringspot virus, 1679a. - persica, see Nectarine and Peach.

salicina, plum leaf margin scorch virus on, 2548.

-rusty blotch virus on, in U.S.A., 1903.

- serotina, Dibotryon morbosum on, effect of temp. on ascospore germination in, 2699j.

- spinosa, plum pox virus on, in Czechoslovakia, 3398. -, Pseudomonas mors-prunorum

Yugoslavia, symptoms of, 178. - tomentosa, Cochliobolus carbonum on, hyper-

sensitive reaction to, 749.

-, peach necrotic ringspot virus on, relationship of rest period to symptom expression, 1620; symptoms of, 2558.

-. prune dwarf virus on, symptoms of, 2558.

triloba, cherry [peach] ringspot virus on, 1902.

- virginiana, peach X-disease virus on, in Canada, 497.

-vulgaris, cherry [peach] ringspot virus on, 1902.

Psammotettix confinis (?)transmitting maize rough dwarf and stripe virus, 3034.

striatus transmitting wheat ear disease, 3298.

Pseudo-allicin analogues as seed treatment for soybean, 1326.

*Pseudocercospora vitis on vine, 646. Pseudomonas andropogoni on orchid, 465.

- on Sorghum bicolor var. technicum and Sudan grass, 3042.

angulata on tobacco, 2598.

- apii, P. cichorii distinct from, 2940. - betle on Piper betle, 2575.

- [Pseudomonas] caryophylli on carnation, 964a,b, *1113, *1886.
- cerasi on apple and pear, 1614. —— f.sp. *pyri* on pear, 490.
- cichorii on cabbage, 1311, 2954b. — on celery, Chrysanthemum, and escarole,
- 1311. -- fluorescens, β-glucosidase activity in, 973. on Puccinia graminis uredospores, 404.
- glycinea on soybean, see Soybean.

— lachrymans on cucumber, see Cucumber. (?)— maculicola on cabbage, 2954b.

*— on cauliflower, 1721.

- marginalis, P. oryzae on rice related to, 2139. — marginata on Gladiolus, 2160, 3070.
- medicaginis f.sp. phaseolicola, see P. phaseo-
- mors-prunorum, biochemistry and physiology of, 2330c.
 - on bean, 1346k.
- on cherry, see Cherry.
 on fruit trees, 2532.
 on plum, see Plum.
- on Prunus cerasifera and P. spinosa, 178.
- on stone fruit, 2330a. — oryzae on rice, 2139.
- oryzicola on rice, similarity of symptoms of Erwinia carotovora to, 2139.
- phaseolicola on bean, see Bean.
- on *Phaseolus*, 557d. pisi on pea, 1319, 2927. $\stackrel{\frown}{-}$ — on vetch, 2927.
- pyocyaneus, effect of high partial pressures of oxygen on, 2379.
- rimaefaciens on aspen, 2629b.
- rubi on raspberry, 3113.
- rubrilineans on sugarcane, 821, 2034.
 savastanoi, β-glucosidase activity in, 973.
- — on Achillea ptarmica, 974.
- — on bean, 1186.
- on cucumber, Datura stramonium, and oleander, 974.
- on olive, 974, 1186.
- on tomato, 974.
- sesami on sesame, 599d, 1922. siccata on onion, 977.
- solanacearum, cellulase in, in relation to pathogenesis, 2035.
 —, classification of, 1373a.
- ---, flagella of, 1373b. -, hosts of, 608.
- in soil, 3242
- *_ on bean, 3232c.
- on Bougainvillea, 724.
- — on eggplant, 236, 609, 2697a.
- -- on ginger, 1678. — on plantain, 2568.
- on potato, 220, 1645a, 1658, 2034.
- — on Solanaceae, 600d.
- — on soybean, 1326.
- — on Strelitzia reginae, 1678.
- — on tobacco, see Tobacco.
- — on tomato, see Tomato.
- —, root-to-root spread of, 2036.
- —, survival of, in soil, 2034.
- —, synthesis of indoleacetic acid by, 975.
- --- str. on ginger and Hedychium, 2812. - stizolobii on Bougainvillea, 724.
- syringae, C.M.I. description of, 1768.
- —, β-glucosidase activity in, 386m, 973, 1900.

- [Pseudomonas syringae], heat-killed suspensions of, against P. tabaci on tobacco, 2240.
- in soil, 1756s.
- on apricot, 3409. on bean, 1346k, 2964.
- on Capsicum, 957.
- on cherry, (?)2199, 2328c. on citrus, 2330c, 3051.
- -- on cotton, 1756s.
- on fruit trees, 1756s, 2532.
- — on lilac, 1368. — on peach, 3409.
- on pear, 1354f, 2330a, b, c.
- on Pennisetum typhoides, 3233. on Phaseolus, 557d. *-- on P. lunatus, 2697a.
- — on plum, 1346k, 3409. — — on safflower, 783.
- -, physiology of, 2330c.
- technique for tracing in plant tissue,
- tabaci, heat killed suspensions of, against P. tabaci on tobacco, 2240.
 — on tobacco, see Tobacco.
- tolassi, differentiation of, from P. on mushroom in New S. Wales, 2332c.
- tomato on tomato, 840.
- Pseudonectria rousseliana on box, 457, 1884. Pseudoperonospora cubensis on cucumber,
- 3232c.
- — on Cucurbitaceae, 1736. — on melon, 1740, 3232c. — on pumpkin and squash, 2085.
- on vegetable marrow, 3232c.
- humuli on hop, see Hop.
- Pseudopeziza medicaginis on clover, 741.
 on lucerne, 475, 2520, 2824.
- on Medicago, Melilotus, and Trigonella, 741.
- meliloti on clover and Medicago, 741. on Melilotus and Trigonella, 741, 2824. ribis on currant, 185, 320c, 2202, 3111.
- on gooseberry, 320c.
 tracheiphila on vine, 1338.
 trifolii on clover, see Clover.
 on lucerne, 2823.
- on Medicago, Melilotus, and Trigonella,
- Pseudoplea trifolii, see Sphaerulina trifolii.
- Pseudotsuga menziesii, Armillaria mellea on. spread of, in patchily-infected forest stands, 2260.
- -—, Dothichiza pityophila on, imperfect state of Sydowia polyspora, 893.
- -, Fomes annosus on, in Canada, causing root rot, 1679k.
- ---, --- pini on, growth-time temp. characteristics of, 1696.
- -, logging injury to, in Canada, 1679k. Melampsora albertensis and M. occiden-
- talis on, 1970a. -, mycorrhiza of, in U.S.A., 3257.
 - -, Poria weirii on, in Canada, causing root rot, 1679k; penetration, spread, and survival of, 1711.
- -root disease, association of Fusarium oxysporum, Penicillium, and Trichoderma viride with, 3189. -, Sydowia polyspora on, Dothichiza pityo-
- phila imperfect state of, 893. --, Valsa kunzei on, in US.A., 2915.
- Psidium guajava, see Guava.

Psylla pyricola transmitting pear decline virus,

Puccinia in U.S.S.R., 2065, 3229b.

— agropyri, European form of, 401b. - on cereals and Gramineae, 3020b.

*— agrostis on grasses, 469.
— allii, fusion bodies in germ tubes of, 345b. — on garlic, 946, 2307.

— on onion, 2739.

- antirrhini on Antirrhinum, see Antirrhinum. arachidis on groundnut, 2007,

* arenariae on carnation, 3000

- asparagi on Asparagus, 2308, 2739, 2941.

*— bechmanniae on grasses, 469.

- brachypodii on barberry and Brachypodium sylvaticum, 2518.

- bromina, see P. recondita. - carthami on safflower, *2082, 2219, 2577, 2854.

— coronata as test fungus, 981.

-—, effect of uredospore diffusates on barley and wheat, 2096.

-, fusion bodies in germ-tubes of, 345a.

– in the air, 2763.

— on Gramineae, 3020d.

— on Lolium perenne, 151, 2820.

on oats, see Oats.

on Rhamnus cathartica, 1063, 1064, 1853, 3020d.

on Vulpia myuros, 3020d.

*— cynodontis on Cynodon dactylon, 3232e. *— diarrhenae on grasses, 469. - digitariae-vestitae on Digitaria, 3078.

– dispersa, see P. recondita. *— elymina on grasses, 469

*— erianthi on sugarcane, 599a. — glumarum, see P. striiformis.

graminis, amino acid composition of uredospores of, 3300. ---, detection of uredospores in rain, 397c.

-—, effect of certain fatty acids on respiration of uredospores of, 1492; of uredospore diffusates on barley and wheat, 2096.

-, fusion bodies in germ tubes of, 345b.

—, hosts of, 3020a. — in the air, 2763.

-- on Agropyron repens, 3301.

- on barberry, 401a, e, h, i, l, 1495, 1755b. -- on barley, see Barley.

— on *Briza minor*, 2465. — on *Bromus*, 401i.

— — on cereals, 1755b, 1839.

--- on grasses, 401a, f.

- on oats, see Oats.
- on Phleum pratense, 151. on Poa pratensis, 3389. on rye, 1348a, 2443, 2764. — on Vulpia myuros, 2465.

-- on wheat, see Wheat - —, self-inhibitors in, 2699a.

*— guizotiae on Guizotia abyssinica, 515.

- helianthi on artichoke, 2739.

- on sunflower, 1821, 2739. hordei on barley, 2112, 2329j, 2459, 3316.
- *- horiana on Chrysanthemum, 1115, 2504, 2807, 3378. — on *C. indicum*, 2503.
- karelica on Carex, 2060. - kuehnii on sugarcane, 1947, *3139f.
- malvacearum on Malva parviflora, 998.
- menthae on Mentha spicata, 1193.
- — on peppermint, 2217, 2849.

[Puccinia menthae], self-inhibitors in, 2699a.

- miscanthi on grasses, 469.

- panici-montani on Setaria plicata, 3078. - penniseti on Pennisetum typhoides, 693.

* __ poae-pratensis on grasses, 469.

- polysora, effect of fungistatic principle on, 324m.

— — on maize, see Maize.

- —, self-inhibitors in, 2699a.
- pringsheimiana on currants, 500.

— psidii on guava, 2739. — on pimento, 1353d, 2739. *— rangiferina on grasses, 469. - recondita as test fungus, 981.

, effect of uredospore diffusates on barley and wheat, 2096.

- —, fusion bodies in germ tubes of, 345b.

—— in the air, 2763.

— on Aegilops umbellulata, 2329h. — on Anemonella thalictroides, 397d.

— on barley, 409. — on cereals, 414, 1839.

— — on grasses, 409 — on rye, 1031, 2443.

— — on Thalictrum, 397d, 2698c.

— — on T. dasycarpum, 2698c. — — on T. speciosissimum, 397d.

- on wheat, see Wheat. - rubigo-vera, see P. recondita.

*— sessilis on grasses, 469.

- sorghi, immuno-fluorescent staining germinated uredospores of, 117.

- on maize, see Maize.

-- on Oxalis corniculata, 1067. —, self-inhibitors, in, 2699a.

striiformis on barley, see Barley.
on cereals, 414, 1756m. — on Dactylis glomerata, 151.

— on grasses, 409.

*— on Muehlenbergia hugelii, 154. — on wheat, see Wheat.

-, preservation of uredospores by vacuumdrying, 1507.

-, self-inhibition of uredospore germination, 1506.

- triseti and P. triticina, see P. recondita.

— zoysiae on Zoysia spp., 2822. *— on Z. japonica, 2181.

Pucciniastrum in U.S.S.R., 3229b.

--- epilobii on Abies, 2902.

— — on *Fuchsia*, 2508.

goeppertianum on Vaccinium caespitosum, 1756f.

- vaccinii on Vaccinium membranaceum, 2742. *Pueraria thunbergia, unidentified rust on, in New S. Wales, 3233.

Pullularia pullulans should be retained as name for Aureobasidium pullulans, 2116.

Pumpkin (Cucurbita pepo), Cladosporium cucumerinum on, var. reaction to, 2673.

- mosaic virus on pumpkin in India, relationships of, to other viruses, symptoms, and transmission of, by sap and vectors, 1738.

—, Mycosphaerella melonis on, in Brazil, 2677. -, Pseudoperonospora cubensis on, 2085.

*--, Sclerotium rolfsii on, in Italy, 390.

-, watermelon mosaic virus on, 2008. Punica granatum, see Pomegranate.

Puratized agricultural spray against Phomopsis juniperovora on Juniperus virginiana, 2904.

Pyrenochaeta oryzae on rice, 1081.

- terrestris as test fungus, 2712.

—, effect of surfactants on, 324e.

— — on onion, 2670. - on tomato, 244.

Pyrenomycetes, conservation of generic names in, 55.

Pyrenophora avenae on oats, stored, 2.

- graminea on barley, 425, 674, 678, 2112.

on oats, 1535.

, production of orange-yellow pigment by, 595.

— lolii on Festuca, 151.

- teres on barley, 426, 2112, 2427, 2462.

*— tritici-repentis on Cynodon dactylon, 89. Pyricularia grisea on Digitaria sanguinalis, 2133. — on maize, 2469.

- — on Panicum miliaceum, 1545.

- — on Stenotaphrum secundatum, 1129.

- ff.sp. brachiariae on Brachiaria mutica, digitaria setigera on Digitaria setigera, and panicae on Panicum repens, 2133. - leersiae on Leersia hexandra, 2133

- oryzae, C and N nutrition of, 2135. - —, effect of blasticidin S on carbohydrate metabolism of, 440; of low temp. and drying

methods on viability of, 1871. -, heterocaryosis in, 2784.

- —, hosts of, 2785. — — in the air, 2479b.

- —, inhibition of by pea phytoalexin, 30. —, mechanism of pathogenicity in, 632.

- on rice, see Rice.

, (?)spore discharge mechanism in, 1411. Pyridines, 1-substituted, fungicidal properties of, 982.

Pyridoxine, effect of, on Fusarium oxysporum f.sp. cumini, 1192.

Pyronema omphalodes, effect of UV radiation on light absorption by, 1756d.

——, extraction of P₃₁₀ from, 1756e.

Pyrus communis, see Pear.

Pythiogeton, stimulation of growth and sexual reproduction in by lipids, 2049.

Pythium, physiology of sexual reproduction of,

45, 2049.

- aphanidermatum, C.M.I. description of, 1004.

-, factors affecting respiration of, 2050; saprophytic growth of, 355.

- —, flagella of, 1443. - — in soil, 51, 2837.

-, inhibition of, by Anagallis arvensis extracts, 2718.

*-- on Agave, 599b.

- on bean, 557m.

- — on Chrysanthemum, 2808.

- - on cucumber and Lolium, 557m.

- - on maize, 2469.

— on Phaseolus lunatus, 1756c.

*— — on sisal, 723, 2158.

*— — on soybean, 557m.

--- on Tephrosia vogelii, 518.

■— — on tobacco, 3232e.

- arrhenomanes can infect pineapple, 1184.

— in soil, 1184.

– on Gramineae, 1004.

*— — on maize and (?)rice, 600b.

--- on sugarcane, *600b, 826, 2595.

- butleri, C.M.I. description of, 1004.

— (?)carolinianum on Chrysanthemum, 2808.

[Pythium] debaryanum as test fungus, 2712. -, decomposition of by Arthrobacter, 1804.

---, factors affecting growth of, 2375, 2377.

— in soil, 1805.

— on bean, 2659.

— — on beet, 3202. - on Capsicum, 392.

— — on Chrysanthemum, 2808.

— on Cruciferae, 392.

— — on cucumber, 3221. — on lucerne, 474.

— — on maize, 2118.

— on ornamentals, 2160.

— — on tobacco, 2881. — — on tomato, 840.

— on turnip rape, 2385.

- graminicola can infect pineapple, 1184. - in soil, 1184, 2386, 2735.

— on Gramineae, 1004.
— intermedium, C.M.I. description of, 1004.

- irregulare can infect pineapple, 1184.

-, effect of nutrition on growth and reproduction of, 2375; of toxin from, on cabbage, Chenopodiaceae, and oats, 288.

- in soil, 14, 52, 1184, 2553.

on beet, 288.

on lucerne, 474. — mammillatum in soil, 52.

paroecandrum on Chrysanthemum, 2808.

on lucerne, 474.

- periplocum, effect of sterols on oospore production in, 47.

on Chrysanthemum, 2808.

polymorphon, conspecific with P. debaryanum, 3006.

on pea, 916b.

- polytylum and P. spinosum on Chrysanthemum, 2808.

- splendens can infect pineapple, 1184.

-, effect of pentaerythritol derivatives on, 2979.

- in soil, 1184.

– on pine, 1355l. - torulosum can infect pineapple, 1184.

in soil, 1184.

- ultimum, differentiation of vars. in, 3006.

-, effect of nutrition on growth and reproduction of, 2375.

in soil, 2553, 2837.

- on Chrysanthemum, 2808.

— on lucerne, 474.

--- on pea, 916b, c, 917.

- — on pine, 1355l.

— on Senecio squalidus, 623. — on soybean, 557k, m. — on tobacco, 2881.

-, toxicity of mercury to, 1387.

— vexans in soil, 2553, 2837.

Quaternary ammonium bactericide against Pseudomonas mors-prunorum on stone fruit, versus Bordeaux mixture, 2330a.

salts, interaction of, with turnip yellow mosaic virus, 2410.

Quercus, see Oak.

Quince (Cydonia oblonga), apple chlorotic leaf spot virus can infect, 480.

cherry [peach] ringspot and cherry [plum] line-pattern viruses on, resistance to, 1902.

[Quince] diseases in Rhodesia, 163; U.S.S.R., 1138b.

-, Gymnosporangium clavipes on, life-history

and symptoms of, 1977.

*-, Linochora ligniaria on, in U.S.S.R., 2530. pear latent virus on, in Denmark, resemblance of, to quince viruses, 596b.

-, Phacidiella discolor on, in U.S.S.R., pathogenicity of, 1140.

-, Phaeosphaerella cydoniae on, in U.S.S.R., 2531.

- sooty ring spot virus on, on pear, 3104.

and quince stunt virus quince, pear latent virus symptoms resembling, 596b.

- yellow leaf spot virus on quince in Romania, symptoms of, 3105.

- Quinolate against Elsinoe fawcettii on lemon,
- Quinolines, effect of on Valsa cincta on plum, Quinone in combination as seed treatment for
- flax, 3370.
- Quinoxaline-2,3-diyl trithiocarbonate, see thioquinox.
- Quintozene against Corticium solani on beet, 1994a; on cotton, 453; on flax, 2698d; on potato, 1645c, 2590; Fomes lignosus on Hevea rubber, 1221; Plasmodiophora brassicae on broccoli, cabbage, and cauliflower, 276-Sclerotinia bulborum on Iris, 2813; S. homoeo: carpa on turf, 3076b; S. minor on cabbage and Foeniculum vulgare, 278; on potato, 1212; S. sclerotiorum on potato, 1212; Sclerotium cepivorum on garlic, 304; on onion, 2671; S. rolfsii on Iris, 1888; Streptomyces scabies on potato, 1216, 1218; Tilletia contraversa on wheat, 1509; as seed treatment for wheat, 1509; as soil disinfectant, 14, 306, 780, 1216, 1217, 1299, 1346c, 1645c, d, 2590.

- injury to broccoli, cabbage, and cauliflower,

276; potato, 1217; rubber, 1221.

in combination as seed treatment for cotton, 1575.

Racodium therryanum on Abies sachalinensis, Cryptomeria japonica, and pine, 1279. α-radiation, effect of, on Verticillium dahliae

on cotton, 1572.

Radicinin, production of, by Stemphylium radicinum, 619.

Radish (Raphanus sativus), Alternaria raphani on, aldolase activity in, correlated with

Aphanomyces raphani on, in U.S.A., germination of oospores of, 283; study on, 564.

- -, Botrytis cinerea on, inhibition of, by rhizosphere isolates of Penicillium janthinellum, 1421.
- -, cabbage black ringspot virus on, in India, causing mosaic, transmission of, by vectors, 1722.
- *—, Colletotrichum capsici on, in India, 1472. , Corticium praticola and C. solani on, virulence of, 1806b.
- cucumber mosaic virus strs. on, in China, hosts of and properties of, 899.
- Fusarium oxysporum f.sp. raphani on, biological control of, 282.

[Radish], Helicobasidium purpureum on, inhibition of, by rhizosphere isolates of Penicillium janthinellum, 1421.

- mosaic virus on radish in U.S.A., serological

relationships of, 557r.
—— on turnip, 1309.
—— No. 14 on *Nicotiana glutinosa*, 3282.

—, Nicotiana ringspot virus on, in China, 899. -, Peronospora parasitica f.sp. raphani on, in China, 903.

-, turnip mosaic virus strs. on in China.

hosts and properties of, 899.

-, Japanese (Raphanus sativus var. raphanistroides), turnip mosaic virus, Daikon mosaic str. on, in Japan, comparison of, with cabbage black ringspot virus, and properties of, 896.

Radosan, effect of, on flower development in hyacinth, Narcissus, and tulip, 3062.

Ramidothion against vectors of potato viruses,

Ramularia, culture of, on leaf autolysates, 997.

- carthami on safflower, 782.

- coleosporii on Coleosporium melampyri, 885. * deusta on bean, 2697a.

*— gossypii on cotton, 1099.

pusilla on Bromus catharticus, Lolium multiflorum, and L. perenne, 731.

variabilis on Digitalis purpurea, 2574.

Ramulispora holci-lanata on Holcus lanatus, 731. - sorgĥi and R. sorghicola on sorghum, 1078,

Ranunculus mottle virus on Adonis autumnalis and R. asiaticus, 2816.

- acer, phytoncides from, 341.

- asiaticus, Peronospora ficariae on, in Argentina, symptoms of, 363.

-, R. mottle virus on, in U.S.A.,; relationship of to anemone mosaic and R. mosaic viruses; symptoms of, 2816.

-, tobacco rattle virus on, in Italy, 1646b. Rape (Brassica napus var. oleifera) diseases in Switzerland, symptoms, transmission by seed, 2426.

Plasmodiophora brassicae on, in New Zealand, 2274, 2922; physiologic races of, 2274, 2922; var. reaction to, 2922.

-, Chinese (Brassica napella), turnip mosaic virus strs. on, in China, symptoms, transmission by vectors, 2270.

Raphanus sativus, see Radish.

- var. raphanistroides, see Radish, Japanese. Raspberry (Rubus), Alternaria on, control, 1173.
- -, apple chlorotic leaf spot virus on, symptoms, transmission by pollen and seed, 2205. -, Arabis mosaic virus on, genetics of, 186.
- str. on, in Germany, symptoms of, 1170.

-, Botrytis on, control, 1173.

- bushy dwarf virus on raspberry identical with apple chlorotic leaf spot virus, 2205; citrus tristeza virus particles resembling, 1346h; spread of, 1346g.
- -, certification of, in England, 1601. -, Cladosporium on, control, 1173.
- , Didymella applanata on, in Bulgaria, 501; U.S.S.R., 1909; control, 501, 1909; factors affecting, 501; symptoms of, 1909; var. reaction to, 501.

-diseases in Canada, 1627; manual on, 770.

[Raspberry], Elsinoe veneta on, in New Zealand, 1908.

, Hapalosphaeria deformans on, in Scotland, infection of stamens, overwintering and spread of, 1346j.

-leaf curl virus on raspberry, not transmitted

by vectors, 2207.

-mosaic virus complex on raspberry in U.S.A., 1171; detection of two viruses of, 3860, 2206; systemic invasion by, 3112.

-, Phyiophthora on, in U.S.A., different from P. cinnamomi and P. fragariae, 2699h.

-, Pseudomonas rubi on, in Bulgaria, symp-

toms of, 3113. , red currant spoon leaf virus on, in Netherlands, 2200.

— ringspot virus in soil, 2564.

——— on bean and cucumber, 772.

- — on currants, red, 596c.

— on Datura metel, Gomphrena globosa, Nicandra physaloides, and Petunia, 772.

on raspberry in Scotland, 1346a: differentiation of cherry Eckelrade disease from, 2201; of red currant spoon leaf virus from, 2200, 2201; factors affecting, 1346a; genetics of, 186; pathogenicity of, 1346b; red currant virus in Denmark closely related to, 596c; serological identification of, 1172; var. reaction to, 1346b.

on strawberry, 1346a, 2564.

--+ cherry viruses on cherry, 2562.

— — + prune dwarf viruses on cherry, 2528.

-, storage disorders of, 502.

—, strawberry latent ringspot virus on, 773.

-, tomato black ring virus on, 3414; genetics of, 186.

- viruses in Germany, 1170; resemblance of, to beet yellows virus, 1346f; symptoms of, 1170; transmission of, by sap, 1346f; mechanically, to Chenopodium quinoa, 1170.

*Rauwolfia serpentina, Corticium solani on, in

India, 198.

*---, Glomerella cingulata on, in Mexico,

symptoms of, 781.

Reports (see also Conferences), Bristol Agric. Hort. Research Station, 169, 170, 185, 337; Cambridge National Institute of Agricultural Botany, 2946; Cambridge Plant Breeding Institute, 2329; Canada (Agriculture), 5, 1357; (Forestry), 1679, 2261; Canberra, C.S.I.R.O., 2331; Ceylon (Rubber Research), C.S.I.R.O., 2331; Ceylon (Rubber Research), 221; (Tea Research), 1232; Cocoa Research Institute (Ghana), 393; Commonwealth Conference on Plant Pathology, 1345; Cotton Growing Corporation, Exp. Stns, 452; Cyprus (Agriculture), 3231; Denmark State Phytopath, Exp. Stn, 596; Dublin (Agriculture), 24 (Horticulture), 25 (Horticulture), 25 (Horticulture), 27 ((Agriculture), 3; (Horticulture and Forestry, 320; E. Africa (Agric. and Forestry), 2951; (Tropical Pesticide Research), 707, 2931; (Propical Festicide Research), 707, 3230; East Malling, 2330; Edinburgh School of Agriculture, 2591; European and Mediterranean P.P.O., 2949; F.A.O. Plant Prot. Comm. S.E. Asia and Pacific, 969, 1351, 2333; Florida, 2954, 2955; France, Market Garden Plant Improvement Stn, 221; Germany, Federal Biol. Inst. Agrical Processing Proping Street, 2011. 321; Germany, Federal Biol. Inst. Agric. Forestry, 965; Plant Protection Service, 1349; Glasshouse Crops Research Institute, 317; Hawaiian Sugar Exp. Stn, 2593; India (Agriculture, New Delhi), 1352, 2695;

(Coffee Board), 448, 3052; (Jute), 144; (Mycology and Plant Pathology, New Delhi), 2023; (Rice, Cuttack), 3343; (Sugarcane Research), 820; (Tea, Tocklai), 3142; (S. India), 1233; John Innes Hort. Inst., 2328; International (Rice Research), 2479; (Seed testing), 1358; (Sugar Beet Research), 1313; (6th Workshop on Seed Pathology), 595; (6th Workshop on Secul Tathology), 388; Jamaica (Agriculture), 1353; Jersey, Sts. exp. Stn, 2693; Kenya (Agriculture), 2697; (Coffee), 1560; Kerala (Arecanut Research), 2580c; Malaya Reraia (Arecanut Research), 2580c; Malaya (Rubber), 1221; Mauritius (Agriculture), 3232; (Sugar Research), 3139; National Veg. Res. Stn. 2692; Netherlands (Outdoor Vegetable Growing), 2694; (Horticultural Res.), 322; (Wageningen Yearbook 1963), 1348; New S. Wales (Biol. Branch), 2332; (Pl. Dis. Survey), 3233; New Zealand, D.S.I.R., 323; N. Ireland (Agriculture), 2, 2538; (Plant Path. Div.), 2948; N. Nigeria 2538; (Plant Path. Div.), 2948; N. Nigeria (Samaru), 1350; N. Rhodesia, 2952; Queensland (Department Primary Industry), 1355; (Sugar Exp. Stns), 1664; Rhodesia and Nyasaland, 598; Rothamsted, 2327; Samoa (W.) Regional Plant Quarantine Conf., 1404; Sarawak (Agriculture), 4; Scottish Horticultural Research Institute, 1346; S. African Sugar Exp. Stn, 1946; Surinam, 601; Tanganyika (Agriculture), 599; (Sisal), 723; Thailand (Empire Cotton Growing Corp.), 1579; Trinidad (Cacao Research, I.C.T.A.), 1480; Uganda (Agriculture), 967; (Empire Cotton Growing Corp.), 1580; Victoria Cotton Growing Corp.), 1580; Victoria (Agriculture), 1354; Waite agric. Res. Inst., 1356; Welsh Plant Breeding Stn (Plant Path.), 111, 2947; West African Cocoa Res. Inst. (Nigeria), 2432; World Consultation in Forest Genetics and Tree Improvement, 844.

Rhacodiella vitis on vine, 3226.

Rhamnus, Puccinia coronata on, in France, 3020d.

cathartica, P. coronata on, in Canada, 1063; France, 3020d; source of infection and relationship of races to those on oats, 1063; variation in races compared with those on oats, 1853.

-, use of in producing telia of Puccinia

coronata in culture, 1064.

Rhapis flabelliformis, Cercospora rhapisicola on, symptoms of, 2817.

Rheum, see Rhubarb.

Rhipsalis virus disease, transmission of by sap, 2498.

Rhizatan against Corticium solani on potato, 1645e.

Rhizoctol against Corticium solani on cottol 140; Sclerotium rolfsii, 986; as seed treatment for wheat, 1837b.

combi as seed treatment for wheat, 1837b. *Rhizoctonia dimorpha on Tephrosia vogelii,

goodyerae-repentis on orchid, 2512.

- leguminicola on clover hay, 1132. - microsclerotia on bean, 918, 2659.

– *praticola* in soil, 635.

 repens on orchid, 2512. – solani, see Corticium solani.

- tuliparum on tulip, 1348b. -violacea, Leptosphaeria circinans perfect state of, 2524.

- zeae on maize, 1540.

Rhizophora mangle, Cercospora rhizophorae on, in U.S.A., symptoms of, 863.

Rhizopus arrhizus, effect of 2,6-dichloro 4-nitroaniline on, 2051a.

-, non-inhibition of, by dichloran, 1354a.

on cotton, 1577.

— on groundnut, 2697a. — on peach, 765, 1354b. — on stone fruit, 765.

, stimulation of germination of by proline, 2051b.

— betavorus on beet, 569. — maydis on maize, 1540, 1541. *— oryzae on vine, 599b.

- stolonifer, inhibition of, by dichloran, 1354a: by extracts from Anagallis arvensis, 2718.

— on Coccinia indica, 1472. — on cotton, 1577.

- - on Feronia limonia, 82. - — on groundnut, 1729.
- on nectarine, 2192a. - - on peach, see Peach.

- on sweet potato, 537.

Rhizothyrium abietis on Abies balsamea and *Tsuga canadensis, 1697.

Rhodane as seed treatment for rice, 1084, 3345; for wheat, 2103.

*Rhododendron, Cercospora handelii and Diplodina eurhododendri on, in Canada, 2953. -, Exobasidium japonicum on, in Chile, 1031.

, mycorrhiza of, Deleadenus associated with, 622

- indicum, Fusarium spp. on, factors affecting: Nectria radicicola in relation to, 2818. Rhodosticta quercina on plum, 2839.

Rhopalosiphum fitchii transmitting barley yellow

dwarf virus, 663.

-maidis transmitting Amonum subulatum mosaic virus, 386q; barley yellow dwarf virus, 663, 3321; sugarcane mosaic virus, 226; sorghum red stripe str., 125.

- padi, effect of barley yellow dwarf virus on reproduction of, 1454.
- transmitting barley yellow dwarf virus, 596e, 662, 1036, 1530, 1531, 1837f, 2774, 3322, 3323.

-pseudobrassicae transmitting Chinese cab-bage 'tszyane' virus, 2269; turnip mosaic virus strs., 2270.

*Rhubarb (*Rheum*), *Phytophthora* on, in Canada, 2943.

- virus 1 on rhubarb, properties of, 2692d.

- - 2 on rhubarb, identified as turnip mosaic virus, 2692d.

-6 on rhubarb, serologically related to cherry leaf roll virus, 2692d.

Rhynchosphaeria cupressi on forest trees, 3166. *Rhynchosporium orthosporum on Lolium perenne, 3285.

- secalis on barley, 1527, 2329k, 2946a.

Rhytisma acerinum on Acer platanoides and A. pseudoplatanus, 1463.

Ribes, black currant reversion virus on, 2330j. dikuscha, C U.S.S.R., 888. ribicola on, Cronartium

- grossularia, see Gooseberry.

procumbens, C. ribicola on, in U.S.S.R., 888. Riboflavin, content of, in Corynebacterium sepedonicum-infected potato tubers, 1657.

, effect of on growth of Fusarium oxysporum f.sp. cumini, 1192.

Rice (Oryza sativa), Alternaria on, in storage,

, Arthrobacter in rhizosphere of, decomposition of Fusarium oxysporum f.sp. lycopersici by, 1804.

-, Aspergillus on in storage, 2788.

- candidus and A. glaucus on, 133.

-, bacteria on in storage, 2788.

- black-streaked dwarf virus on barley and maize, 2480g.

-——— on rice in Japan, hosts of and transmission of by vectors, 2480g.
-——— on wheat, 2480g.

- bronzing disease in Ceylon, effect of, on respiration, 3350a.

-, Cercospora oryzae on, effect of K nutrition

on susceptibility to, 1549.

- -, Cladosporium miyakei on, in India, 1081. Cochliobolus miyabeanus on, in India, 3343a; antagonism of actinomycete to, 3343a; control, 3343b; effect of soil nutrients on, 3343c; factors affecting, 3343a; in storage, 2788; resistance to, 2786; starch decomposition-inhibiting effect of filtrates of, 3344; technique for detecting, 1548; varreaction to, 2786, 3343a.
- Curvularia on stored, 2788. - lunata on, control, 1478.

diseases in India, 1081.
dwarf virus on rice in Japan, 2480b.

, Ephelis oryzae on, in India, transmission of by seed, 2787.

-, Epicoccum on stored, 2788.

-, Erwinia carotovora on, in Indonesia, symptoms of, 2139.

Eurotium heterocaryoticum on stored in Mexico, Aspergillus heterocaryoticus conidial state of, 3347.

-, fungi on stored, control, 133. -, Fusarium on stored, 2788.

-, Gibberella fujikuroi on, in Kenya, *2697a; effect of germinating seeds on, 131; tissue respiration in relation to, 2996g.

- 'grassy stunt' in Philippines, serologically related to rice 'tungro' virus, 2481.

-, Helicoceras oryzae on, in India, 3343a. Helminthosporium halodes on, in Kenya, 2697a.

hoja blanca virus on rice, distribution of,

2480h; var. reaction to, 2483. -Japanese dwarf (stunt) virus, rice tungro

virus distinct from, 1868.
- 'khaira' disease (?) caused by Zn deficiency,

'kresek' disease symptoms caused by Xanthomonas oryzae, X. kresek a synonym of, 1088.

, Leptosphaeria salvinii on, in India, 1081, 1352b; pathogenicity of, 1082; var. reaction to, 1082.

- f.sp. *irregulare* on, in India, 1352b.

*—, Leptosphaerulina oryzae on, in India, 1813. 'mentek' disease, resemblance of rice 'penyakit merah' symptoms to, 3043.

-, microflora in rhizosphere of, effect of urea sprays on and role of indoleacetic acid in, 2996a.

-, Mucor on stored, 2788.

orange leaf virus on rice in Philippines, 1546, 2479d, 2480e, 3043; Thailand, 2480e; relationship of, with rice 'tungro' virus, 2481; resembling rice 'penyakit merah',

3043; symptoms of, 2479d; transmission of by vectors, 2479d.

[Rice], Penicillium on stored, 2788.

- 'penyakit merah' in Malaysia, caused by a virus, resemblance of, to other diseases, symptoms and transmission of by vectors, 3043.
- -, phycomycetes on, technique for evaluation of seed treatments against, 2698b.
- Phyllosticta glumarum on, in India, 1081. -, Pseudomonas oryzae on, in Japan, relationship of, to P. marginalis, 2139.
- Pyrenochaeta oryzae on, in India, 1081.
- , Pyricularia oryzae on, in Australia, 1086; Formosa, 2485; Hungary, 2486; India, 3045; Philippines, 1546, 2479; U.S.S.R., 2134, 2950e, 3345; antagonism of an actinomycete to, 3343c; assessment of losses caused by, 439; breeding against, 1869; control, 1084, 2479c, 3343c, 3345; factors affecting, 2134, 2485, 2699e, 3044, 3046, 3345; affecting concentration of spores in air, 2479; forecasting outbreaks of, 2699e; genetics of, 1547, 1869, 2484; genetical studies on variation in, 3346; hosts of, 2133; in storage, 2788; mode of penetration by, 3343a; morphological variation in, 2486; non-observance of in S. Indochina, 1475; nutritional requirements of, 2479; physiologic races of, 1086, 1547, 1870, 2479a, 3045; research on, 1546; resistance of to drugs, 130a-g; resistance testing in, 1085; review of in Maharashtra, 2132; symposium on in Philippines, 2131; technique for detecting, 1548; var. reaction to, 1086, 1547, 1869, 1870, 2484, 2950c, 3343b.
- *(?)—, Pythium arrhenomanes on, in Brazil,
- Research Institute, Philippines, research programme, 1546; symposium on Pyricularia oryzae, 2131.
- -, Rhizopus on stored and storage disorders of, 2788.
- -stripe virus on rice, not recorded outside Japan, 2480f.
- -, sugarcane mosaic virus on, in Japan, transmission of, by sap, 2480i.
- -, Tilletia barclayana on, relationship between severity of infection by and duration of rice vars., 3343a.
- -transitory yellowing [virus] disease in Formosa, 2482. 3043; resemblance of rice penyakit merah' to, 3043; of, to rice tungro virus, symptoms and transmission of by vectors, 2482.
- *—, Trichoconis padwickii on, in Egypt, 595.
- tungro virus on rice in Philippines, 1546, 2479d, 2480d, 3043; distinct from rice Japanese dwarf stunt and other viruses, 1868; (?) related to transitory yellowing virus in Formosa, 2480d; resemblance of rice 'penyakit merah' to, 3043; serological relationship to rice 'grassy stunt' and rice orange leaf and yellow dwarf viruses, 2481; symptoms of, 2479d; technique for obtaining antisera to, 2481; transmission of by vectors, 1868, 2479d.
- , Ustilaginoidea virens on, in India, 3343a; factors affecting, and var. reaction to, 1087.
- virus diseases in the world, review of, 2480.

[Rice], Xanthomonas oryzae on, 2138; in Ceylon, 443; India, 132, 442, 1352b, 1550; Philippines, 1088; correlation between pathogenicity and antibiotic susceptibility in strs. of, 3349; epidemiology of, 442; inhibition of, by phenazine, 3348; necessity of sulphur containing amino acids for growth of, 2137; phage typing of, 2479e; symptoms of, resembling Indonesian 'kresek' disease, 1088; technique for detecting infected area of, before symptom appearance, 2138; transmission of by seed, 442; by water, 443; var. reaction to, 2479e; X. kresek synonym of, 1088.

- oryzicola on, in China, control and factors affecting, 2488; phage typing of 2479e; var. reaction to, 2479e.

- yellow dwarf virus on rice in Japan, 2480c; antigenic relationship of with rice 'tungro virus, 2481; confusion of with rice dwarf virus; effect of on yield; geographical distribution of, 2480c.

*Ricinus communis, Alternaria tenuissima on, in India, 646.

Cercospora ricinella on, in Somalia,

3121. -, Leptosphaeria ricini on, in India, 1813. -, Phytophthora nicotianae var. parasitica

on, in China, 1029. —, Sclerotinia ricini on, pectin and phenols in relation to, 199; (?)relationship between gallic acid in and susceptibility to, 2576. -, Thielaviopsis basicola on, var. reaction

to, 1921.

Rimocidin against Fusarium spp., 478.

, effect of on clover, lucerne, pea, and soybean, and production of by Streptomyces rimosus, 1805.

Robinia pseudoacacia, Fusarium solani f.sp. robiniae on, hosts of, (?)identical with F. on

poplar, 1972.

— mosaic virus on R. pseudoacacia in Hungary; 3 types of, (?) related to cucumber mosaic virus and strs. of tomato black ring type virus, 864.

Rochea coccinea, Colletotrichum fuscum on, in

in Germany, 965n.

Rodatox 60 against Venturia inaequalis, 2540. Roestelia brucensis on Juniperus horizontalis, 2061.

Rosaceae, Agrobacterium tumefaciens on, effect of dichlone on, 2198.

- , Phytophthora syringae on, C.M.I. description of, 1004.
- Rose (Rosa), Agrobacterium tumefaciens on, detection of, 2955g; effect of antibiotics on,
- -, boron deficiency in, in U.S.A., symptoms of, 1590.
- -, Cylindrocladium scoparium on, 467.
- -, Diplocarpon rosae on, control, 617, 729.
- diseases, bulletin on, 1106.
- -, Marssonina rosae on, control, 2160.
- *-, Monochaetia turgida on, in India, 2514.
- mosaic virus on rose in New Zealand, new form tentatively named 'chlorotic mottle', 2513.
- *—, Peronospora sparsa on, in U.K., 2693e.
- -, Phragmidium disciflorum on, control, 2160. -, Sphaerotheca pannosa on, in U.K., 2693e; control, 729, 982, 2355.

[Rose, Sphaerotheca pannosa] var. rosae on, in Austria, 3014; control, 2160,

-veinbanding virus on rose in New Zealand, symptoms of, 2513.

Verticillium dahliae on, in New Zealand, 3007; *U.K., 2693e,

- bengal against conidia of Mycosphaerella on banana, 1351d.

Rosellinia arcuata on tea, 2996d. - necatrix on laurel, 854, 2626.

Rowan, see Sorbus aucuparia. Rubber (Hevea brasiliensis) bark cracking in

Ceylon, virus causing, 1942a, b. -, boron toxicity in, symptoms of, 225.

Botryodiplodia theobromae on, control, 1223.

-, Corticium salmonicolor on, control, 1224.

–, Diplodia on, in Brazil, 3234b.

-, Dothidella ulei on, in Brazil, 3234b; Trinidad, 1221; inositol and nicotinic acid required by, 1221; physiologic races of and var. reaction to, 1943.

-, Elsinoe heveae on, in Brazil, 3234b.

- , Fomes lignosus on, in Ceylon, 221; Congo, 223; Ivory Coast, 222; Malaya, 1221; control, 222, 1221, 1222d; development of, 223; factors affecting, 222; growth of, 221; study on, 222.
- -, noxius and Ganoderma pseudoferreum on, in the Ivory Coast, 222; control, 222, 1222d; factors affecting, 222.

Helminthosporium heveae on, in Malaya, 1221.

- -, mineral deficiencies in, planter's handbook on, 1226. - mycorrhiza, Endogone type of, Macro-
- phomina phaseoli not associated with, 3259. , Oidium heveae on, in Brazil, 3234b; Ceylon, study on, 221.

Periconia manihoticola, Phomopsis, and Phytophthora on, in Brazil, 3234b. -, Phytophthora meadii on, in Ceylon, growth

of, 221 palmivora on, in Ceylon, 221, 1225;

control, 1225; growth of, 221.

-, Poria hypobrunnea on, 1222g. - root diseases, conference on in Malaya, 1222. -, Sphaerostilbe repens on, in the Ivory Coast, control, 222; factors affecting, 222, 1222g.

Ustulina zonata on, 1222g.

Rubus idaeus, see Raspberry.

— laciniatus, resistance of, to Verticillium alboatrum, 3415.

- occidentalis, see Raspberry.

-procerus, R. ulmifolius var. inermis, and R. ursinus, resistance of, to Verticillium alboatrum, 3415.

Rugose leaf curl virus, see Datura rugose leaf

curl virus.

Rusts, see Uredinales.

Rye (Secale cereale), Agropyron mosaic virus on, 1125.

, Claviceps purpurea on, mutant of, 1855; production of alkaloids by, 1536. -, Cochliobolus sativus on, development of,

in relation to soil treatment, 2110.

-, Corticium solani on, factors affecting, 101. -, Dilophospora alopecuri on, in U.S.S.R., 1596.

- diseases in Argentina, 3017; U.S.A., 1836; control, spread, and symptoms of, 1836; var. resistance to, 3017.

-, effect of phytoncides from, on fungi, 966b.

*[Rye], Erysiphe graminis on, in U.K., 2693e.

Fusarium on, in U.S.S.R., factors affecting, 3313; reproduction of conditions for infection by, 3330.

-, Gibberella zeae on, in China, 1055.

, Griphosphaeria nivalis on, in Finland, 90; *New Zealand, 3297; effect of on yield and var. reaction to, 90.

-, micro-organisms in rhizosphere of, effect of on development of plants, factors affecting,

-, ozone toxicity in, symptoms of, 1487.

-, Puccinia on, in Argentina, var. resistance to, 3017.

-, — *dispersa* on, in Chile, 1031.

- graminis on, in Canada, 2764; Netherlands, 1348a; control, 2443; effect of on yield and factors affecting, 1348a. ,—recondita on, control, 2443.

-root rot, development of, in relation to methods of soil treatment, 2110.

, wheat striate mosaic virus on, in U.S.A., overwintering of, 2761.
- 'white ear', in U.S.S.R., Fusarium causing,

2110.

Ryegrass, see Lolium.

- mosaic virus, see Lolium mosaic virus.

Sabithane, effect of, on Puccinia striiformis on wheat, 3304.

-, toxicity of, to wheat, 406.

- M against *Puccinia graminis* and *P. recondita* on rye and wheat, 2443.

-Z against P. graminis on wheat, 406; P. recondita on wheat, 1841, 2444.

- in combination against P. recondita on wheat, 1841.

Saccharomyces cerevisiae, review of somatic recombination in, 2743. -fragilis, uptake of cycloheximide by, 990.

- pastorianus, effect of captan on S content of. **18**.

-, uptake of cycloheximide by, 990. Saccharum officinarum, see Sugarcane.

spontaneum, Stagonospora sacchari on, in Philippines, 828.

Sadasivania girisa, in vitro interactions between

other fungi and, 3239. Sadoplon against *Peronospora parasitica* on flax, 1634.

Safflower (Carthamus tinctorius), Botrytis cinerea on, biochemical factors affecting patho-

genicity of, 516.

—, Cercospora (?) carthami on, in New S. Wales, 2082.

- diseases in U.S.A., circular on, 2577.

-, lettuce mosaic and lucerne mosaic viruses on, identification of, 2853.

*—, Phytophthora on, in New S. Wales, 2332a. drechsleri on, control and factors affecting, 2577; growth rate and pathogenicity of isolates of, 2431.

, (?)Pleospora herbarum on, effect of zineb on, 2954a.

-, Pseudomonas syringae on, in U.S.A., pathogenicity of, 783.

-, Puccinia carthami on, in New S. Wales, 2082; control, and factors affecting, 2577; penetration by, 2219; resistance to, 2854. , Ramularia carthami on, in U.S.S.R., distribution and symptoms of, 782.

'Safokarpin' as soil treatment against Verticillium dahliae on cotton, 1566.

Sal, see Shorea robusta.

Salix, Ciborinia foliicola on, in Canada, 1679c. , Hebeloma hiemale on, forming mycorrhiza, in Italy, 1405.

virus chlorosis of, in Czechoslovakia and Hungary, symptoms of, 865.

Salmonia malachrae on cotton, a new genus, Erysiphe malachrae renamed, 139.

Sambucus, see Elder.

Sandalwood (Santalum album) spike virus on sandalwood, amino acids in relation to, 866. Sandovit, use of, on pine, 1295.

Sandox banacopper against Mycosphaerella

musicola on banana, 3234f.

*Sansevieria macrophylla, Ascotricha chartarum and Torula herbarum on, in India, 1832. Santalum album, see Sandalwood.

Santobrite against timber blue stain, 1986.

in combination against timber blue stain, 2917.

Santomerse, fungicidal activity of, 981.

Sapindus emarginatus and S. trifoliatus, Phyllosticta on, in India, 1973.

Sarcina lutea, inhibition by antibiotic from Cochliobolus victoriae, 397m.

Scaphoideus littoralis transmitting vine golden

flavescence, 2685. Schinus molle, Botrytis (?)cinerea on, in Chile, 552.

Schizolachnus pini-radiatae, Entomophthora

aphidis on, in Canada, 2039. Schizophyllum commune, biochemical processes and morphogenesis in, 2397.

-, inhibition of, by griseofulvin janthinellin, 1395.

spore discharge in, 2397.

Sciadopitys, actinomycetes on root nodules of, isolation and properties of, 26. Scindapsus pictus, Colletotrichum capsici on,

physiology of, 993.

Scleroderris lagerbergii on pine and spruce,

-, perfect state of Brunchorstia pinea, 1981. Sclerophoma pityophila on timber, 3190.

Sclerospora, the genus, 648.

graminicola on Pennisetum typhoides, 1078, 2023d.

- macrospora in U.S.A., hosts of, 398.

 on barley, 2085. *— on Bromus, 88.

– on oats, 2085.

sacchari on sugarcane, 2593c.

- sorghi on sorghum, 1350a.

Sclerotinia aucupariae on Sorbus sambucifolia, 1591.

— bulborum on Iris, 2813.

- draytonii on Gladiolus, 1118, 13541, 2810.

- fructicola as test fungus, 981.

— on apricot, 766, 1354a, 2191.

— on bean, 29.

— on Ginkgo biloba, 1976.

— on nectarine, 2192a.

— on pea, 29.

— on peach, see Peach.

- — on stone fruit, 765, 1354a, 2190.

-, toxicity of m-dioxanes to, 1759a.

-fructigena, arabanases in, 2725. - in U.S.S.R., distribution and specialisation of, 1139.

[Sclerotinia fructigena] on apple, 1149.

-, production of α-L-arabinofuranosidase by, 2369; pectinolytic enzymes by, 3403.

- gladioli on Gladiolus, 728.

- homoeocarpa, effect of toxin from, on root tips of Agrostis, 732, 3392; of barley, Lolium multiflorum, and onion, 732.

— on Agrostis palustris, 732. — on Cyperus rotundus, 470.

*(?)— on Pennisetum clandestinum, 2082.

on turf, 3076b.

- kitajimana on pine, 1279.

laxa, adaptability of growth of, 992.
in U.S.S.R., distribution and specialization of, 1139.

— on apple, 1139, 3401. — on apricot, 1904, 1905. — on cherry, 3110. *— on stone fruits, 2190.

- mali on apple, 3099. *— minor on cabbage and Foeniculum vulgare, 278, 390.

— on lettuce, 357a, b. - on potato, 1212

*— — on sunflower, 2953.

*— — on tomato, 390, 840. — *porri* on garlic. 945.

- ricini, effect of gallic acid on, 2576. — on Ricinus communis, 199, 257 — sclerotiorum, arabanases in, 2725.

——, inhibition of, by Mo, 2929.

on Acrodinum album and A. roseum, 1582.

- on bean, see Bean.

*— — on Brachycombe iberidifolia, 1582.

— — on cucumber, see Cucumber. — — on Cucurbitaceae, 1736.

— on hop, 1917.

*— — on *Ocimum basilicum*, 390.

- on pea, 2928. *— — on *Phlox*, 1582.

— on potato, 1212, 2863.

- — on soybean, 2928. — on sunflower, 517.

on tomato, 840, 1265. - squamosa on onion, 943a, b, 944, 1719.

- trifoliorum, amino acids in relation to thermoperiod-cycling in, 1416.

— in soil, 319b.

— on clover, 158, 733, 2823. - — on lucerne, 158.

Sclerotium cepivorum, hosts of, 305. on garlic, 304, 1735, 2307.

on onion, 2671.

– use of as test fungus, 2712.

- rolfsii, adaptation of, to Cu compounds, 340.

antagonism of antibiotic produced by, to Bacillus and B. subtilis, 1773; to Aphelen-

chus avenae, 1380. -, chlorinated nitrobenzene-tolerant strs. of, 2993.

-control, 986.

effect of pentaerythritol derivatives on,

-, factors affecting sclerotial production by, 2992a, b.

– in soil, 51, 1807.

— on bean, 918, 1793, 2659.

--- on Capsicum, 2320.

— on clover, 737, 1894. *-- on Dieffenbachia, 2954d.

GENERAL INDEX

[Sclerotium rolfsii] on groundnut, 936, 3217.

— on Iris, 1888.

- — on laurel, 2626.

- on Lolium multiflorum and oats, 2821,

*— — on onion, 942. — — on orchid, 1890.

(?)—— on ornamentals. 1479.

— on pumpkin, 390. — — on *Vanda*, 2167.

-—, production of oxalic acid and polygalacturonase by, 1793.

-, technique for locating fatty acids in sclerotia of, 631.

Scopularia phycomyces on timber, 1303, 2265.

Scopulariopsis fimicola in mushroom beds. 589, 2322,

parvula in soil, 3272.

Scutellinia scutellata on turf, 2.

Scytalidium album and S. aurantiacum on wood pulp, distinct from S. lignicolum, 2918.

Seashore, fungi from substrata on, 2391,

Secale cereale, see Rye.

Sechium edule, Geotrichum candidum and Phoma cucurbitacearum on, in India, symptoms of, 1472.

Securon forest concentrate for eradicating barberry, 1755b.

Sedrogen against Pythium and Rhizoctonia on beet, 1314.

Selenophoma donacis on Phleum pratense, 151. — on wheat, 2109.

Semesan as seed treatment for pea, 1320,

*Senecio confusus, Alternaria senecionis on, in U.S.A., 2955a.

- cruentus, see Cineraria.

- squalidus, micro-organisms associated with roots, 623.

vulgaris, beet mild yellowing virus on, 2275, 2329d.

-, Verticillium alboatrum on, inhibition of, by soil fungi, 2022d; not transmitted by seed, 2022d; toxicity of Penicillium to, 2022d. -dahliae on, 1429, 2330h.

*Septomyxa tulasnei on mulberry, 88. Septoria agropyri on Agropyron repens, 414,

apii on Apium australe, 951.

- — on celery, 951, 965e. - apii-graveolentis, S. apii identical with, 965e.

on Apium australe, 951. on celery, 951, 1719.

- bromi on Bromus tectorum, 414.

-chrysanthemella on Chrysanthemum, 1882, 2160, 3069.

- citri on orange, 2398.

- depressa on citrus, 2143 - dianthi on carnation, 458.

- digitalis on Digitalis spp., 1636. gladioli on Gladiolus, 1031, 216 glycines on soybean, 932, 2928.

-, resemblance of soybean chocolate spot to, 557o.

graminum on wheat, 414.

– linicola on flax, 2953. - lycopersici on tomato, see Tomato.

- macropoda on Poa annua, 1031.

- nodorum, see Leptosphaeria nodorum. - paeoniae on peony, 1348a.

- passerinii on barley, 1528.

- pistacina on pistachio, 2852. *– populi* on aspen, 3175.

on poplar, 2250.

- tritici on wheat, see Wheat.

- zingiberis on ginger, 391.

Serin in combination, effect of, on fruit set and yield of apple, 1617

Serpula lacrimans, inhibition of, by griseofulvin and janthinellin, 1395.

on Phragmites communis, 2646.

on timber, 273, 1717.

- pinastri, inhibition of, by griseofulvin and janthinellin, 1395.

Serratia marcescens on soybean, 2301.

Sesame (Sesamum indicum), Alternaria sesami on, in U.S.A., 200; (?) effect of, on yield, 200; geographical distribution of and morphological characteristics and symptoms of, 1196. -, Corynespora cassiicola on, in U.S.A., 200.

-, fungi on, in Northern Nigeria, pathogenicity

of, 1350d.

-, Fusarium oxysporum f.sp. sesami on, in U.S.A., resistance to, 2855.

-. Phytophthora nicotianae var. parasitica on, effect of temp. on, 2856.

-, Pseudomonas sesami on, in Tanganyika, 599d; effect of N and photoperiod on var. reaction to, 1922.

-, Thielaviopsis basicola on, in U.S.A., 1921,

-, watermelon mosaic virus on, 571.

-, Xanthomonas sesami on, effect of N and photoperiod on var. reaction to, 1922.

Sesamum phyllody virus on Amaranthus edulis and lupin, 1352a.

Sesbania aegyptiaca, Uromyces poonensis on, telial stage of Uredo sesbaniae, 479. exaltata, passion fruit woodiness virus on.

512.

- grandiflora, Protomycopsis thirumalacharii on, in India, symptoms of, 2857.

Setaria chevalieri, Sorghum concentric ring blotch virus on, 690.

- italica diseases, information on, 2127 -, Sclerospora macrospora on, in U.S.A.,

-, Uromyces setariae-italicae on, heteroecism associated with, 128.

- plicata, Puccinia panici-montani on, 3078. - verticillata, Uromyces setariae-italicae on,

heteroecism associated with, 128. Shale ash against Plasmodiophora brassicae on

cabbage, 562. Shallot (Allium ascalonicum), Sclerotium cepivorum on, in Norway, 305.

virus diseases, 2648.

Shorea robusta, Fomes caryophylli and Hymenochaete rubiginosa on, technique for inoculating, 3177.

Shrubs, mycorrhiza of, in Caucasus, anatomy

and morphology of, 1408.

Sida rhombifolia, non-transmission of Wissadula amplissima mosaic virus to, 1027.

Simazine, effect of, on cellulose-destroying soil micro-organisms, 1800; soil fungi, 640; Ustilago maydis on maize, 1539.

Sinapis alba, beet mild yellowing virus on, 2275.

Sinningia speciosa, see Gloxinia.

Sirex transmitting Stereum chailletii on Abies balsamea, 2251.

noctilio, association of, with Amylostereum on pine, 270, 555, 2914.

Sisal (Agave sisalana), Aspergillus niger and Botryodiplodia theobromae on, in E. Africa, 2158.

, Colletotrichum agaves on, in Tanganyika, 723.

- diseases in E. Africa, 2158.

[Sisal] parallel streak (?virus) in E. Africa,

2158; Kenya, 2697b.

-, Phytophthora (?) arecae and P. (?) nicotianae on, in Tanganyika, causing zebra disease, 723, 2158.

Pythium aphanidermatum on, in E. Africa,

2158; *Tanganyika, 723. - 'zebra' disease in E. Africa, control, Phytophthora (?)arecae and P. (?)nicotianae causing, 723, 2158.

Sitobium fragariae transmitting barley yellow dwarf virus, 2329b.

β-sitosterol, effect of, on oospore formation in

Phytophthora, 6c.

Skimmia ringspot virus on Skimmia, serologicindistinguishable from Vaccinium necrotic ringspot isolate of tobacco ringspot virus, 1759e.

Slime fungi in paper mill in Canada, interrela-

tionships between, 2721.

moulds, characteristics of, 2960.

Slugs transmitting Phytophthora phaseoli, 6j. Smuts see Ustilaginales.

Sodium as seed treatment for barley, 678. determining resistance of beet to Cercospora beticola, 567.

- injury to Chrysanthemum, 386e.

arsenate tolerance of Ustilago maydis and U. scitaminea to, 2378.

-arsenite against root diseases of Hevea rubber, 1222d; as timber preservative, 3193. - borate as soil treatment against B deficiency

in beet and swede, 2737.

- carbonate as seed treatment for larch, 870.

-chlorate for killing potato haulms, 1645b. - dibutylnaphthalene-sulphonate, use of, in serological diagnosis of barley stripe mosaic virus, 1057

- dimethyl dithiocarbamate, metabolism of, by cucumber, 10.

- dinitro-o-cresolate against Sclerotinia laxa on sour cherry, 3110.
- dioctylsulphosuccinate, use of, on citrus, 1558.
- -fluoborate as timber preservative, 3191, — fluoride as timber preservative, 273.
- , effect of, on growth of pathogenic fungi, 2377.

- injury to wheat, 2097.

fluoro-silicate injury to wheat, 2097.

- hypochlorite against Phytophthora palmivora on cacao, 3290; as seed treatment for carrot, 1331; as soil disinfectant, 1429.

- methyl dithiocarbamate see Vapam.

- -molybdate in combination against cauliflower 'whip-tail', 3228i.
- orthophenylphenate in combination against Penicillium digitatum on lemon, 2496.
- pentaborate against B deficiency in beet and swede, 2737.
- pentachlorophenate, adaptation of Cephalo-ascus fragrans and Trichoderma viride to, 2261b.
- against Sclerotinia laxa on cherry, 3110.

- - as timber preservative, 2261b.

- -o-phenylphenate against decay of citrus, 2794; Diaporthe citri on orange, 1095; Penicillium digitatum on lemon, 3359; on orange, 1095; Rhizopus stolonifer on sweet potato, 537.
- phosphate, effect of, on resistance of potato to Phytophthora infestans, 1208.

[Sodium] propionate against Aspergillus candidus and other fungi on stored rice, 133.

- salicylanilide against Colletotrichum musae on banana, 1355j; Diaporthe citri on orange, 446.

- salt of 2,4-D in combination against barley stripe mosaic virus, 108.

of 2-methyl-4 chlorophenoxyacetic acid, see 2M-4KH.

of sulphated alkyl compounds, effect of, on fungi, 324e.

sulphanilate against Puccinia striiformis on wheat, 2097.

Soil, Absidia spinosa in, in New Zealand, association of, with roots of clover and Lolium perenne, 3271.

-, actinomycetes in, in U.S.S.R., 455, 3267h; antagonism of, to *Pseudomonas lachrymans* on cucumber, 3267h; production of antibiotics by, 455; use of antibiotics for enumeration and selective isolation of, 1809.

, (?) Aphanomyces in, in U.S.A., associated with peach tree decline, 2553.

, Arthrobotrys spp. in, distribution in relation to Tylenchulus semipenetrans on orange, 1756r.

- oligospora in, 1378; in Canada, 2707. -, -Asia, 3267i; U.S.S.R., 966c, 1422; antagonism of to fungi, 3267i; distribution of in relation to local altitude, 1422; effect of on plants, 966c; factors affecting, 2999; survival of, 1803.

amstelodami in, in U.S.A., salt tolerance

of, 3272.

, - flavipes in, in U.S.S.R., effect of atrazin and simazin on, 640.

- glaucus group spp. in, in U.S.A., salt tolerance of, 3272. niger in, effect of 'cyanamide fluid' on,

1423.

restrictus in, in U.S.A., salt tolerance of, 3272. -terreus and A. ustus in, in U.S.S.R.,

effect of atrazin and simazin on, 640.

bacteria in, in U.S.S.R., 3229g; effect of cyanamide fluid on, 1423; inhibition of, by streptomycin, 1803; relationship of, to Fusarium solani f.sp. phaseoli on bean, 1324; list of, 3229g.

bacteriophages, antagonism of, to Pseudomonas lachrymans on cucumber, 3267h.

basidiomycetes, importance of, 14
 Botrytis cinerea in, control, 2055.

Cenococcum graniforme in, containing antibiotic, 28a.

, Chaetomium piluliferum in, in Greece, conidial state of, 2730. - seminudum in, in Trinidad, 2868a.

-, Cladosporium in, in U.S.S.R., 966c

, Cochliobolus sativus in, effect of stable dung and straw manuring on, 1424. -, coconut wilt virus in, in India, 1352d.

Corticium praticola in, in U.S.A., 2058; -, Corticium praticola III, III CO₂ tolerance, competitive ability, and survival of, 1806a. saprophytic

- solani in, in Aden, 2147; U.S.A., 2058; CO2 tolerance and competitive saprophytic ability of, 1806a; control, 14, 216, 2055; ecology of, 51; enzyme production by, in relation to parasitism, 2996f; factors affecting antagonism of Aspergillus and Penicillium

spp. to, 2736; formation of perfect state by, 635; inhibition of, by rimocidin, 1805; isolates of, 1356b; survival of, 1356b, 1806a. [Soil], Cylindrocarpon in, in England, distribution and status of, 1427a.

- album in, in England, behaviour of,

,—radicicola in, in England, 1427; New Zealand, associated with roots of clover and Lolium perenne, 3271; behaviour of, 1427b; distribution and status of, 1427a.

-, Dactylella candida and D. gephyropaga in, distribution of, in relation to Tylenchulus semipenetrans on orange, 1756r.

-, Dematiaceae in, in U.S.S.R., 966c.

- disinfection against Botrytis cinerea, 2055; Cochliobolus sativus on wheat, 1518; Corticium solani, 2055; on cauliflower, 2652; on olive, 780; on potato, 216, 784h, 1645c, d, 2590; on tomato, 1259; cucumber diseases, 2221; Collindron property of the control of 3221; Cylindrocarpon on laurel, 2626; C. radicicola on pine, 1299; Cytospora, 491; Fomes noxius on Hevea rubber, 224; fungi associated with Pseudotsuga menziesii root disease, 3189; Fusarium on laurel, 2626; on pine, 1290, 1299, 2253; on sweet cherry, 2197; F. oxysporum, 2055; F. o. f.sp. lycopersici, 1259, 1757a; F. o. f.sp. phaseoli, 2692h; F. o. f.sp. psidii, 511; lettuce big vein virus, 1354q; Lophodermium pinastri, 891; Meloidogyne incognita on tomato, 1263; Peronospora anemones, 3065; Phytophthora cinnamomi on laurel, 2626; Plasmodiophora brassicae, 2692b, 2923, 2950l; Poria hypolateritia on tea, 1232; potato viruses, 1645t; Plasmoras leahrymans on cognitato 952; Pseudomonas lachrymans on cucumber, 952; P. solanacearum on potato, 1658; on Solanaceae, 600d; Puccinia menthae, 2217; Pythium on pine, 1299; raspberry ringspot virus, 2564; red currant spoon leaf virus, 2200; Rhizoctonia, 784d; Rosellinia necatrix on laurel, 2626; Sclerotinia sclerotiorum on cucumber, 952; Sclerotium rolfsii on laurel, 2626; spruce pathogens, 2327m; strawberry viruses, 1346c; Streptomyces scabies, 1217, 1645d; Thielaviopsis basicola on tobacco, 2239; Tilletia contraversa on wheat, 413; tomato black ring virus, 2564; Verticillium, 1844. 784d; on laurel, 2626; on (?)tomato, 968c; *V. alboatrum*, 491; on laurel, 2627; on peppermint, 1194; on potato, 784h; on tomato, 1757a; V. cinerescens, 964a; on carnation, 3067; V. dahliae, 2055; on barley, oats, and wheat, 1429; on tomato, 1263.

- by aardisol, 2590; acetic acid, 641; aretan, 224; borax, 1518; Burgundy mixture, 558; carbathion, 491, 2055, 2923, 3221; ceresan wet, 224; chloropicrin, 784h, 1259; chloropicrin in combination, 1259; copper sulphate, 891; dazomet, 1299; DD, 1232, 2220; DD in combination, 1259; diffolatan, 1757a; EP-201, 968c; formaldehyde, 491, 558, 641, 891, 1299, 2327m; formaldehyde on phosphate, 1290; formaldehyde-sorbent S, 2253; formol, 780; granosan, 2197; gypsum, 511; hexachlorobenzene, 413; lime, 511; maneb, 14, 1299, 2217; metham-sodium, 1299; methyl bromide, 3189; methyl isothiocyanate in combination, 1194; mylone, 14, 339, 3189; nabam, 14, 780; panogen, 14; phascomylone, 2055; quintozene, 14, 306, 780, 1216, 1217, 1299, 2590; sodium hypochlorite, 1429; sodium N-methyldithiocarbamate, 3065; terraclor, 216; thiram, 558; trapex, 879; trichloronitromethane, 641; vapam, 14, 780, 964a, 964i, 1233a, 3067, 3189; vorlex, 968c, 1259; vorlex in combination, 1194; WN/12, 3067; zineb, 14.

[Soil disinfection], see also Soil sterilization. -, Endogone in, effect of plant roots on, 1783.

-, factors affecting release of methylisothio-

cyanate from, 339.

fungi, 2383; in Bulgaria, 2999; Central Asia, 3267; Hawaii, 2381; Netherlands, 2694; U.S.S.R., 54, 3229g, 3267h; antagonism of, to Pseudomonas lachrymans on cucumber, 3267h; of Trichoderma to, 1394; associated with 'blackleg' of vegetables, 558; distribution of, 54; dynamics of, symposium on in India, 2996; ecology of, in relation to root diseases, 1420; effect of CuSO₄ and Son, 221; of 'cyanamide fluid' on, 1423; of soil cultivation on, 54; enzyme production by, in relation to parasitism. 2996f: factors in relation to parasitism, 2996f; factors affecting, 2999; inhibition of, by mycostatin, 1803; in relation to Fusarium solani f.sp. phaseoli on bean, 1324; isolation of insecticidal antibiotics from, 616a; modification of immersion tube method for isolating, 1808; moisture relations of, 351; relationship of, to inorganic nutrition of host plants, 2996c; to plant roots, review, 2731; substrate relationships in, 2996b; technique for counting nematode-trapping, 636; for isolating, 2382, 2732; 'weary carrot' in relation to, 2694.

- in beech forests, 1797

- fungistasis in Malaya, 1425; assay method for, 324m; exudates from fungus spores in relation to, 637; relationship of, to germination of conidia of Glomerella cingulata and of zoospores of Phytophthora nicotianae var.

parasitica, 324n.

Fusarium in, in Greece, 2730; Trinidad, 2868a; U.S.S.R., 640, 1422; control, 2929; distribution of, in relation to local altitude, 1422; effect of atrazin and simazin on, 640; enzyme production by, in relation to parasitism, 2996f; inhibition of, by rimocidin, 1805; medium for isolation of, 1801; *Praty*-

lenchus in relation to, 2027; survival of, 968c.,—culmorum in, in New Zealand, association of, with roots of clover and Lolium perenne, 3271; effect of 'cyanamide fluid'

on, 1423.

- oxysporum in, in New S. Wales, 3233; New Zealand, association of, with roots of clover and Lolium perenne, 3271; with Pseudotsuga menziesii root disease, 3189; comparison of technique for analysing, 357d; control, 2055; effect of 'cyanamide fluid' on, 1423; isolation of, 357c; Pratylenchus in relation to, 2027.

., — — f.sp. callistephi in, isolation of, 49. - cumini in, in India, variation in,

2848.

——— raphani in, control, 282. -, --- sesami in, in U.S.A., 2855.

- roseum in, factors affecting antagonism of Aspergillus and Penicillium spp. to, 2736.

-, — f.sp. cerealis in, inhibition of F. solani f.sp. phaseoli by, 1802.

-, — solani in, comparison of techniques for analysing, 357d; effect of 'cyanamide fluid'

on, 1423; of streptomycin on, 48; factors affecting antagonism of Aspergillus and Penicillium spp. to, 2736; inhibition of, by rimocidin, 1805; isolation of, 357c; survival

of, 1803.

[Soil, Fusarium solani] f.sp. phaseoli in, dissemination of by bean seed, 294; effect of soil amendments on conidial germination of, 634; inhibition of, by F. roseum f.sp. cerealis, 1802.

- piperis in, technique for isolating,

3234c.

- pisi in, inhibition of, by rimocidin, 1805.

, Gibberella fujikuroi f.sp. subglutinans in, in New S. Wales, 3233.

-, Gliocladium in, in Trinidad, 2868a.

-, - fimbriatum in, effect of soil amendments

on conidial germination of, 634.

, - roseum in, in New Zealand, association of, with roots of clover and Lolium perenne, 3271.

-, Humicola fusco-atra in, in Greece, 2730.
-, Longidorus in, in U.S.S.R., transmission of plant viruses by, 3009.
- micro-organisms, biochemical ecology of, 1366; concepts of autochthonous and zymogenous, 1419; effect of atrazine and simazine on, 1800; of, on nutrient supply of plants, 2057; in pinewood soil in U.S.S.R., 1810; interrelations with roots, review, 2731; interrelations with roots, review, 2731; phytotoxic substances in, review of, 50; soil amendments in relation to, 2996e.
-, (?)molybdenum deficiency in, in France,

594.

-, Mortierella in, survival of, 1803.

- alpina in, in New Zealand, association of, with roots of clover and Lolium perenne, 3271.

-, Mucor in, survival of, 1803.

, Olpidium in, attempts to obtain non-viruliferous forms of, 2692e.

Ophiobolus graminis in, effect of stable

- -, Opniobolus grammis in, effect of stable dung and straw manuring on, 1424.
 -, Penicillium in, in Bulgaria, 2999; Central Asia, 3267i; New Zealand, 3271; U.S.A., 3272; U.S.S.R., 966c, 1422; antagonism of, to fungi, 3267i; association of, with Pseudotsuga menziesii root disease, 3189; roots of clover and Lolium perenne, 3271; control, 2929; distribution of in relation to local 2929; distribution of, in relation to local altitude, 1422; effect of copper sulphate on, 221; of, on plants, 966e; factors affecting, 2999; salt tolerance of, 3272; survival of, 1803.
- cyclopium in, in U.S.S.R., 966c; effect of on plants, 966c; on sugar content of pea, 1799.
- -, janthinellum in, in U.S.S.R., effect of atrazin and simazin on, 640.
- martensii in, in U.S.S.R., toxicity of, 966c.

—, — *nigricans* in, 2383.

- -, purpurogenum in, in U.S.S.R., effect of, on plants, 966c; on sugar content of pea, 1799.
- –, *Pestalotia psidii* in, in India, 192a. -, Phymatotrichum in, 2387.

-, Phytophthora in, survival of, 221. -, - cactorum and P. cambivora in, in Canada; attraction of zoospores of by apple and pear rootlets; pathogenicity of, to apricot, cherry, peach, and pear, 1003.

[Soil, Phytophthora] cinnamomi in, in Hawaii, 1184; U.S.A., 2553; association of, with peach tree decline, 2553; factors affecting sporangial production in, 2699c, 2729; variation in, 1184.

- cryptogea in, in Canada, pathogenicity of to apricot, cherry, peach, and pear, 1003. -, — drechsleri in, in Canada, 1003.

—, — erythroseptica in, behaviour of, 215. *—, — heveae in, in U.S.A., 1944.

- megasperma in, not cause of pear decline, 2837.

sojae in, in Canada, 1003; isolation of, 557j.

-, — (?)nicotianae in, in Tanganyika, 723. - var. parasitica in, in Hawaii, 1184; U.S.A., associated with peach tree decline, 2553; pathogenicity of, to tomato, 2616; variation in, 1184.

Plasmodiophora brassicae in, effect of stable dung and straw manuring on, 1424.

, Pseudomonas solanacearum in, survival of; virulence of, to tobacco and tomato, 3242.

-, — syringae in, inhibition of Geotrichum candidum by, 1756s.
-, Pythium in, 2387; in S. Australia, 52; Trinidad, 2868a; U.S.A., associated with peach tree decline, 2553; survival of, 1803; technique for isolating, 52, 1426.

-, — aphanidermatum in, ecology of, 51; not cause of pear decline, 2837.

-, - arrhenomanes on, in Hawaii, 1184. - debaryanum in, inhibition of, by rimocidin, 1805.

, - graminicola in, in Hawaii, 1184; Agropyron cristatum as indicator of, 2735; fungistasis of, 2386.

, — irregulare in, in Hawaii, 1184; S. Australia, 52; U.S.A., 2553; association of, with peach tree decline, 2553; control, 1, — mammillatum in, in S. Australia, 52.

., - splendens and P. torulosum in, in Hawaii,

1184.

-, - ultimum and P. vexans in, in U.S.A., associated with peach tree decline, 2553; not cause of pear decline, 2837.

, raspberry ringspot virus in, transmission of, by vectors, 2564.

-, Rhizoctonia in, 2387; in U.S.A., identification of, 2058; survival of, 1803. -, — praticola in, perfect state of, 635.

—, Sclerotinia bulborum in, in U.S.A., 2813. - trifoliorum in, association of, with clover,

factors affecting survival of, 319b. -, Sclerotium rolfsii in, ecology of, 51; factors affecting growth and sporulation of, 1807.

-, Scopulariopsis parvula in, in U.S.A., salt tolerance of, 3272.

-, Stemphylium in, in U.S.S.R., 966c.

- consortiale in, effect of 'cyanamide fluid ' on, 1423.

sterilization against Cylindrocladium scoparium, 467; Pectobacterium parthenii var. dianthicola, 964b; Peronospora anemones, 3065; Phytophthora cinnamomi on Camellia, 2806; Pseudomonas caryophylli, 964b.

- by steam, 238a, 467, 3065.

---, see also Soil disinfection.

-, Streptomyces in, antibiotic production by, 2387.

, - albochromogenes in, in Japan, production of orymycin by, 1774.

[Soil, Streptomyces] albus, S. aromaticus, and S. globisporus in, in U.S.S.R., antagonism of, to fungi, 3267d.

griseus in, in India, 989; U.S.S.R., 2245; antagonism of new str. of, to Alternaria solani on potato; physical properties of, 989.

, — ruber and S. verticillatus in, in U.S.S.R. antagonism of, to fungi, 3267d.

, streptomycetes in, effect of 'cyanamide

fluid' on, 1423.

-, survival of Aspergillus spp., Fusarium, Penicillium corylophilum, and Trichoderma in sterile, 3268.

-, Thielaviopsis basicola in, technique for

isolating, 1428.

-, tomato black ring virus in, transmission of, by vectors, 2564.

-, toxin from, inhibiting rhizomorph formation in Armillaria mellea, 353.

- -, Trichoderma in, in Trinidad, 2868a; U.S.S.R., 966d, 1422, 3267a; antagonism of, 966d; distribution of, 1422, 3267a; effect of atrazine on, 1800.
- -, viride in, 2383; association of with Pseudotsuga menziesii root disease, 3189; control, 14; effect of allyl alcohol and for-

maldehyde on, 2365; survival of, 1803.

-, Trichodorus in, in U.S.S.R., transmission of plant viruses by, 3009.

-, Trichothecium in, control, 2929.

- roseum in, effect of 'cyanamide fluid' on, 1423.
- -, Verticillium in, 2149; effect of crop rotation on, 1102
- alboatrum in, antagonism of Aspergillus and Penicillium spp. to, 2736; inhibition of, by rimocidin, 1805.

-, — cinerescens in, in U.S.A., 3066. -, — dahliae in, control, 2055; effect of on rhizosphere microflora, 966a; inhibition of by rimocidin, 1805; saprophytic growth of, 2699d; survival of, 1429, 2699d.

-, Xanthomonas citri in, antagonism actinomycetes to; survival of, 136a.

malvacearum in, survival and infectivity of, 1581. Xiphinema in, in U.S.S.R., transmission of

-plant viruses by, 3009.

- , yeasts in, 2383. Solanaceae, Colletotrichum atramentarium and dematium on, 365.
- -, Fusarium on, var. reaction to, 2827. potato Andean latent virus can infect, 2327c.

-, - virus, new, on, in China, 2228.

-, Pseudomonas solanacearum on, antagonism of Streptomyces and S. griseus to, 600d. Solanum, Phytophthora infestans on, nature of

partial resistance to, 1211.

- virus 1 [potato virus X], serological diagnosis of, 651.
- ballsii × potato, potato virus K on, 794. chaucha, potato Andean latent virus on, in Bolivia, Colombia, and Peru, 2327c.
- -demissum as test plant for potato virus Y^N, 211; for breeding against *Phytophthora* infestans, 1651; for identifying physiologic races of P. infestans, 1935.

—, potato virus K on, splitting into viruses K+X and K+Y after passage through, 205.

[Solanum] dulcamara mottle virus on S. dulcamara in England, relationships of,

- guineense, Phytophthora infestans on, specific reaction to, 242.

-luteum, tobacco mosaic virus on, detection of, 379.

- melongena, see Eggplant.

- microdontum × potato, potato virus K on, 794.

*— muricatum, Phytophthora infestans on, in Peru, 2316.

nigrum, Datura distortion mosaic virus on. 81.

-, Capsicum mosaic virus on, symptomless host of, transmission of, mechanically, 2012. -virus 2 [potato virus Y] on Nicotiana glutinosa, 3282.

viruses in Jammechanically, 1353f. Jamaica, transmission of

phureja, potato Andean latent virus on, in Bolivia, Colombia, and Peru, 2327c. polyadenium and S. stoloniferum for breed-

ing against *Phytophthora infestans*, 1651.

- stoloniferum for identifying physiologic races of *Phytophthora infestans*, 1935.

---, Thecaphora solani on, in U.S.A., intercepted from Mexico, 344a.

torvum, immunity of, from Pseudomonas solanacearum, 609.

- tuberosum, see Potato.

verrucosum, use of, for breeding against Phytophthora infestans, 1651.

Solar treatment against Ephelis oryzae, 2787. Sonchus asper, sugarcane mosaic virus on, in U.S.A., transmission of, by vectors, 227.

oleraceus, beet yellow stunt virus on, in U.S.A., 1757c.

Sorbus, Isariopsis on, in Canada, 1679c. aucuparia, apple latent virus on, in Denmark,

immunity from, 596b.

-, cherry [peach] ringspot and cherry [plum] line pattern viruses on, resistance to, 1902

-, Fusicoccum on, 1974.

sambucifolia, Sclerotinia aucupariae on, in

U.S.S.R., overwintering of, 1591. Sordaria fimicola, effects of high partial pressures of O on, 2379.

-, viability of, after storage in liquid N, 630.

Sorghum (Sorghum vulgare), Alternaria and Aspergillus on seed of, control, 2129.

Cephalosporium on, in the Upper Volta, 1078. Cercospora sorghi on, in Fiji, 969a; India,

127. -concentric ring blotch virus on Sorghum

caffrorum, 690. Africa, in

-, Dactuliophora harrisii on, symptoms of, 362. Diplodia maydis on, discoloration caused

by, 1867. diseases in Central Asia, 2128; India, 2439;

Upper Volta, 1078; U.S.S.R., control, 2128; reference book on, 2127. , effect of, on Pythium graminicola in soil, 2735.

Gibberella zeae on, discoloration caused by, 1867.

Gloeocercospora sorghi on, 2695a; in N. Nigeria, 1350a; U.S.A., 1597.

*[Sorghum], Helminthosporium rostratum on, in India, 969b, 2130.

—, Macrophomina phaseoli on, 3264. -, maize dwarf mosaic virus on, 3333.

- virus on, in U.S.A., 397o.

Phyllosticta sorghiphila on, in India, 969b.

-, Ramulispora sorghi and R. sorghicola on, in N. Nigeria, 1350a; Upper Volta, 1078.

- red stripe [sugarcane mosaic virus str.] on maize, sorghum, and wheat, 3293; (?) related to sorghum concentric ring blotch virus, 690.

—, Rhizopus on seed of, control, 2129.

— root disorder in N. Nigeria, 1350a. *—, Sclerospora on, in New S. Wales, 2082. —, — macrospora on, in U.S.A., 3198. —, — sorghi on, in N. Nigeria, 1350a.

-, Sphacelia sorghi on, effect of sterility on resistance to, 3342

Sphacelotheca reiliana on, in Upper Volta, 1078; effect of sodium propionate on, 397b.

-, — sorghi on, in India, 1865; Upper Volta, control, 1078; genetics of, 1080; losses caused by, 1865.

sugarcane mosaic virus on, in S. Africa, 3293; U.S.A., identification of and relationship to maize streak, 2117a; transmission of, by vectors, 1227, 2117a.

Tolyposporium ehrenbergii on,

biology, distribution, and symptoms of, 2128.

Volta, 1078. Trichometasphaeria turcica on, in Upper

- virus diseases in Bulgaria, 3040.

-, Xanthomonas rubrisorghi on, survival of, in soil, 2034.

Sorghum almum, *Sphacelotheca cruenta, S. reiliana, and S. sorghi, on, in Argentina, 691.

-bicolor var. saccharatum (Sugar sorghum), sugarcane mosaic virus sorghum red stripe str. on, in Czechoslovakia, transmission of, by sap and vectors, 125.

– technicum (Broomcorn), Pseudomonas andropogoni on, in Japan, symptoms of,

3042.

-, Trichometasphaeria turcica

genetics of, 2478.

caffrorum, Sorghum concentric ring blotch virus on, in S. Africa, hosts, symptoms, and transmission of, mechanically, 690.

halepense, maize virus on, 3970; in U.S.A., 431.

-, red stripe virus [sugarcane mosaic virus str.] on, in Romania, 126.

Sorghum concentric ring blotch virus on,

-, sugarcane mosaic virus on, in U.S.A., identification, relationship to maize streak, and transmission of, by vectors, 2117a.

—— str. on, 2779; in Romania, 126. - virus disease, resemblance of, to maize

virus in U.S.A., 684.

- Ustilago wynaadensis on, - nitidum, India, 1866.
- sudanense, see Sudan grass.

- vulgare, see Sorghum.

- Soybean (Glycine max), Alternaria on, 301; in Taiwan, 931.
- Arthrobotrys oligospora in rhizosphere of, 1378.
- -as test plant for cowpea chlorotic mottle virus, 300.

[Soybean], Ascochyta sojaecola on, in U.S.S.R., 2928.

-, Aspergillus, A. glaucus, and A. niger on stored seed of, viability of, 301.

, bacteria on, causing bacterial leaf crinkle, 2668; chocolate spot, 5570; var. reaction to, 2299.

-, Cercospora on, in Formosa, 931. -, - sojina on, in U.S.S.R., 2928.

*- chocolate spot, symptoms of, and properties of causal bacterium, 557o.

-, Cochliobolus carbonum on, hypersensitive reaction to, 749.

*--, Colletotrichum on, in Rhodesia, 598a. *-, - truncatum on, in Canada, 2953.

-, Dactuliophora glycines on, in Africa, symptoms of, 362.

-, Diaporthe phaseolorum and D. p. vars. caulivora and sojae on, in U.S.A., effect of, on germination and growth, 2003.

-, effect of rimocidin on, 1805; of root systems on Pythium graminicola in soil, 2735; of, as cover crop, on Streptomyces scabies on potato, 1758b.

Fusarium on, 301, 557k; in Formosa, 931; U.S.S.R., control, 2928; symptoms of, 557k. oxysporum on, interrelationship of nema-

todes with, 2298.

-- f. sp. glycines on, in U.S.A., distinct from cotton and cowpea forms, 2004.

-, Macrophomina phaseoli on, var. reaction to, 302

-, Penicillium on stored, 301.

-, *Peronospora* on, oospores in dissemination of and infection by, 1756a.
-, — *manshurica* on, in U.S.S.R., control, 2928; factors affecting, 2005.

-, Phyllosticta sojaecola on, in U.S.S.R., 2928. -, Phytophthora megasperma var. sojae, in rhizosphere of, isolation of, 557j.

on, 1598; var. reaction to, 557i, m.

-, Pseudomonas on, 2668. glycinea on, in U.S.A., 557n; U.S.S.R., 1326; comparison of, with chocolate spot, 5570; with leaf crinkle bacterium, 2668; control, 1326; synergism between Septoria glycines and, 932; tolerance of freezing, 2300; transmission of, by plant remains and seed, 1326; variability in pathogenicity of, 557n; var. reaction to, 557n, 2299.

— solanacearum on, in U.S.S.R., transmission of, by plant remains and seed, 1326.

-, Pseudoperonospora on, oospores in dissemination and infection by, 1756a.

—, Pythium on, effect of O conc. on growth

of, 5571.

*--, -- aphanidermatum on, virulence of, 557m. , — ultimum on, symptoms of, 557k; var. reaction to, 557m.

—, Rhizoctonia on, symptoms of, 557k.

- Rhizopus on, in production of tempeh, 1396c.
- Sclerotinia sclerotiorum on, in U.S.S.R., ., scie 2928.
- Septoria glycines on, in U.S.S.R., control. 2928; synergism between Pseudomonas glycines and, 932.
- -, Serratia marcescens on, effect of UV radiation on, 2301.
- storage disorders, 301.
- -, Thielaviopsis on, symptoms of, 557k.

[Soybean], tobacco ringspot virus on, in Formosa, 931; transmission of, by seed, 931, 9680.

-, Uromyces sojae on, in U.S.S.R., 2928.

witches' broom virus, non-transmission of, by Cuscuta, 2951c.

-, Xanthomonas on, 2668.

—, — phaseoli on, var. reaction to, 2299.
—, — var. sojense on, in U.S.S.R., 1326; comparison of, with soybean chocolate spot, 5570; control, 1326; effect of UV radiation on, 2301; should be described as X. sojae, 976; transmission of, by plant remains and seed, 1326.

Spathoglottis, Cymbidium mosaic virus can

infect, 464.

Spergon as seed treatment for pea, 2281, Spergula arvensis, beet mild yellowing virus on, 2275.

Sphacelia sorghi on sorghum, 3342.

Sphaceloma perseae on avocado pear, 2211. poinsettiae on poinsettia, 344b.

Sphacelotheca cruenta on Sorghum almum, 691.

- destruens on maize, 2126.

— on Panicum miliaceum, 692, 1526, 2126. —, serological tests for, 361.

- reiliana, chlamydospore germination of,

1079. *— on Cleistachne sorghoides, 598a.

- on maize, see Maize.

— on sorghum, 397b, 1078. — — on Sorghum almum, 691

- sorghi on sorghum, 1078, 1080, 1865.

- on Sorghum almum, 691.

*Sphaeropsis ellisii on spruce, 2953.

necatrix, syn. of Diplodia pinea, 389a. Sphaerostilbe repens, effect of hormones on,

on *Hevea* rubber, 222, 1222g.

Sphaerotheca, conidial germination of, 2994. -fuliginea on bean, Calendula officinalis, and cowpea, 1355g. on cucumber, 626, 2313, 2356.

on Cucurbitaceae, 1355g.

- on Phaseolus aureus, P. bracteatus, and Physalis, 1355g.

on vegetable marrow, 2674.

on Veronica longifolia var. subsessilis, 3285.

— on *Vigna*, 1355g - on watermelon, 954.

humuli, see S. macularis.
macularis on hops, 196h, 1632, 1917.
on strawberry, *505, 2208.

- mors-uvae on currant, 185, 3111.

— on gooseberry, 3413.
— pannosa on rose, 729, 982, 2355, 2693e.
— var. persicae on peach, 179, 1167.
— — rosae on rose, 2160, 3014.

Sphaerulina in Japan, monograph of, 3276.

- subglacialis on clover, 89. - trifolii on clover, 733.

Spicaria fumoso-rosea on Crossocosmia tibialis, 2344.

Spilocaea eriobotryae on loquat, 510.

*Spinach (Spinacia oleracea), Albugo occidentalis on, in Canada, 2953. -, beet mild yellowing virus on, 2275.

—, — pseudo-yellows virus on, in U.S.A., 2277. —, cucumber mosaic virus on, in Italy, 3228d. — virus in U.S.A., similar to spinach yellow

dwarf virus, transmission of, by vectors, 2926.

Spinacia oleracea, see Spinach.

Spirodela polyrhiza, potato virus X on, indications of multiplication of, in, 2075.

---, tobacco mosaic virus tomato streak str. and yellow streak str. on, symptomless multiplication of, in, 2075.

Spongospora subterranea on potato, see Potato. Sporobolomyces, spore discharge mechanism in, 1410.

Sporotrichum destructor on Eucalyptus calo-

phylla and E. ficifolia, 547.
Spraying apparatus, 337, 964g, 980, 1354d, 1560b, 2647, 2688, 2975a, b.
Spruce (Picea), Chrysomyxa arctostaphyli on,

in N. America, 553.

decay in Canada, 1679j.

—, Fomes annosus on, in U.S.S.R., 873. —, fungi on, in Switzerland, 625; U.S.S.R., 845; control, 2637; forming mycorrhiza, 625.

, fungus on, in Canada, causing germination failure of seeds of, resemblance of, to Costantinella and Nodulisporium, 1703.

—, Melampsora on, in Canada, 1970b. — micro-organisms, spread of, 2327m. — mycorrhiza in U.S.S.R., Cenococcum graniforme forming, 2367.

-, Ophiostoma roboris on, control, 855.

formation of IAA derivatives by, 2364.

-, Polyporus tomentosus on, 1680; in Canada, 894; effect of, on yield, 894; inoculum carrier

for, 1308.

var. circinatus on, 1680.

, Poria subacida on, in Poland, cultural study on, 1983.

, Scleroderris lagerbergii on, in Sweden, damage, development and distribution of,

*--, Sphaeropsis ellisii on, in Canada, 2953. -, Streptomyces chrysomellus in rhizosphere of, in U.S.S.R., 2245.
-, tomato black ring virus on, transmission

of, by vectors, 1819.

Squash (Cucurbita maxima), almond calico virus and cherry rugose mosaic virus on, 1756x.

-, cherry virus can infect, 1756w.

-, Cladosporium cucumerinum on, in Mauritius, 2010; var. reaction to, 2673.

—, Cymbidium mosaic virus can infect, 464.

Fusarium solani f.sp. robiniae can infect, 1972.

— mosaic virus (?)on cantaloure, 321.

——— on melon, 3218.

-- on squash, distinct from Ononis and turnip yellow mosaic viruses, and related to clover red mottle and cowpea mosaic viruses, 2327d; to radish mosaic virus, 557r, 1309.

—, peach ringspot virus on, 1756x.

-, Pseudoperonospora cubensis on, 2085.

-, tobacco ringspot virus on, symptoms of, 1465.

, watermelon mosaic virus on, in Hungary,
 2311.

Stagonospora curtisii, Colletotrichum crassipes on Amaryllis confused with, 1587.

— on *Narcissus*, 3170.

— recedens on clover, 733.

- sacchari on Miscanthus sinensis, and Saccharum spontaneum, 828.

on sugarcane, 828, *2867.

Staphylococcus albus, effect of high partial pressures of oxygen on, 2379.

aureus, inhibition by antibiotic Cochliobolus victoriae, 397m.

-citreus, effect of high partial pressures of oxygen on, 2379. Stauffer MV119A against *Blumeriella jaapii* on

cherry, 769.

Stellaria media as bait plant for detecting nematodes, 1346a.

(?)——, beet mild yellowing virus on, 2275. - virus on cucumber and Nicotiana glutinosa, 2022c.

— on S. media, relationship of, to cucumber mosaic virus and tomato 'aspermy' virus, symptoms of, and transmission of, by vectors, 2022c.

on tobacco, 2022c.

Stemphylium, antagonism of Bacillus from cereals to, 2698g.

- botryosum on lucerne, 2182a, b.

— chlamydosporum on wheat roots, 1515.

— consortiale in soil, 1423.

on oats, 1535.

- ilicis in nests of Vespula, 2970.

- paxianum, association of, with white clover mosaic virus, 386j.
- radicinum on carrot, 948, 949, 2692g. -, production of radicinin, by, 619.
- sarciniforme, occurrence of P₃₁₀ in, 1756e.
- on clover, 471, 733.

— — on Ginkgo biloba, 1976.

— solani on lupin, 3084. — — on tomato, 617, 2954c.

Stenotaphrum secundatum, Physarum cinereum on, 2960.

Pyricularia grisea on, effect of N on, 1129.

Stereum chailletii on Abies balsamea, 2251.

- on timber, 2251.

- murrayi on forest trees, 544.

— — on larch, 1978.

— purpureum, legislation against in U.K., revocation of, 3252.

- - on apple, apricot, and plum, 743.

-, toxicity of dodecyl trimethyl ammonium bromide to, 2330f.

- sanguinolentum, antagonism of Scytalidium album and S. aurantiacum to, 2918.

— on Abies balsamea, 1698. — on timber, 1304, 1985, 2251, 2268.

Steroid alkaloids in relation to disease resistance of potato, 386r.

Stigmina carpophila on almond, 1756y, 2195a, b.

— on apricot, 2556, 2953. — on peach, 2953.

on stone fruit, 759.

Stock mosaic virus, see Matthiola virus 1. Stolbur virus, nomenclature of, 1452.

- on Capsicum, 586, 2011.

- on carrot, celery, and eggplant, 2078.

- — on potato, 1645u, 1650, 2078. - on tobacco and tomato, 2078.

-, symptoms of aster yellows virus on tomato resembling, 3228d.

Stone fruit, ascomycetes on, in U.S.S.R., host index and survey of, 1138a.

bacteriosis, control, 2194.

-—, basidiomycetes on, in U.S.S.R., host index and survey of, 1138a.

-, Cytospora on, in U.S.S.R.,

diseases of, in Canada, 1602; Rhodesia, 1618.

[Stone fruit], fungi imperfecti on, U.S.S.R., host index and survey of, 1138a.

- viruses in Rhodesia, incidence of, 598b. Stopmold B, see sodium o-phenylphenate.

Storage disorders of apple, 2, 485, 486, 487, 1152, 1613; banana, 192a; cabbage, 561; Chrysanthemum, 2809; fruit, 82; grapes, 1342; lemon, 704; potato, 1354i; raspberry, 502; rice, 2788; soybean, 301; sweet potato, 2865; wheat, 2773.

Strawberry (Fragaria), Botrytis cinerea on, in Canada, 506; Irish Republic, 320b; Netherlands, 1348a; U.S.S.R., 3419; control, 189, 320b, 506, 2209, 2330e, 3419; effect of, on yield, 1348a; var. reaction to, 320b.

Byssochlamys fulva on tinned, in Queens-

land, 1629.

- certification in England, 1601.

Corynebacterium fascians on, in Latvian S.S.R., effect of antibiotics on, 9.

crinkle virus on strawberry, alone and with other viruses, 3416.

Cylindrocarpon radicicola on roots of, in England, 1427a.

-, Diachea leucopoda on, 2960.

Diplocarpon earlianum on, in Romania, 505; isolation of, 386n. diseases in U.S.A., 1628; books on, 770,

1628. effect of toxin from Leptosphaerulina

briosiana on, 2831. -, Gliocladium roseum on, in Canada, (?)

parasitizing Verticillium dahliae, 1177.

green petal virus on clover, 735, 1892.
——— on strawberry in Canada, 503;
Victoria, 1354n; effect of barriers on spread of, 504; transmission of, (?) by vectors, 1354n.

latent A virus on strawberry, 1175.

· C virus on strawberry, 3416; in Canada, 503; control and eradication of, 2565.

- ringspot virus on clover, association of with Arabis mosaic virus, 2327.

on strawberry, hosts of, identification of, serologically, properties and transmission of, 773.

-leaf roll virus on strawberry in Canada, symptoms of, 503.

lethal decline (?)virus in U.S.A., symptoms and transmission of by grafting, 1176.

mild mottle virus on strawberry alone and in complexes, 3416.

yellow edge virus on strawberry in Victoria, 1354n.

- mottle virus on strawberry in Canada, 503. - multiplier virus on strawberry, amino acid

and amide content of leaves of, 188.

-, Phytophthora cactorum on, in U.S.A., 774; P. on pansy different from, 3388.

,—fragariae on, 2085, 3418; in U.S.S.R., 507; control, 507; physiologic races of, 13460; var. reaction to, 3418.

, raspberry ringspot virus on, in Scotland, 1346a; control, 2564; transmission of, by vectors, 1346a, 2564.

-, Rhizoctonia on, in Canada, 2953.

Sphaerotheca macularis on, in *Romania, 505; germination of conidia of, 2208.

tomato black ring virus on, in Scotland, 1346a; control, 2564; transmission of, by vectors, 1346a, 2564. [Strawberry] veinbanding virus on strawberry in Canada, 503.

-, Verticillium on, factors affecting, 3417. -alboatrum on, in New Zealand, mor-

phology of, 3007.

- dahliae on, in Canada, 1177; New Zealand, 3007; infectivity of soil associated with, 2330h.

-virus diseases in Canada, 503; elimination of by apical meristem culture, 1020; leaflet on, 1174; review of, 187; transmission of, by vectors, 1346c.

witches' bro Canada, 503. broom virus on strawberry in

Strelitzia reginae, Fusarium roseum on, control,

—, Pseudomonas solanacearum on, 1678; pathogenicity and serological relationships of 3 strains of, 608.

Streptococcus lactis type E as seed treatment

for watermelon, 1741.

Streptomyces albochromogenes in soil, 1774.

- albus in soil in U.S.S.R., 3267d.

-, isolation of almarcetin from str. of, 2716.

- aromaticus in soil, 3267d.

- aureofaciens on potato, 1656.

- chrysomellus in spruce rhizosphere, 2245. - fuscus in birch and pine rhizospheres, 2245. - globisporus in soil, 3267d.

griseus, antagonism of, to Alternaria solani on potato, 989; to Pseudomonas solanacearum, 600d.

- in oak rhizosphere, 2245.

- in soil, 989, 2245.
-, isolation of flavensomycin and humidin from strs. of, 2717.

- on potato, 1656. - —, physical properties of, 989.

- in combination as soil treatment, 600d. - rimosus, production of rimocidin by, 1805.
- ruber and S. verticillatus in soil, 3267d.

- scabies on potato, see Potato.

Streptomycetaceae, classification of, and key to, 69.

Streptomycin, absorption of, by apple, 1616.

- against cabbage black leg, 559; (?)Pseudoperonospora humuli on hops, 196g; Xanthomonas juglandis on walnut, 2900; X. vesicatoria on tomato, 324h; as seed treatment for watermelon, 1741.

-, effect of, on Corynebacterium fascians on strawberry, 9; on Fusarium solani in soil, 48; on Xanthomonas oryzae on rice, 3349.

-, inhibition of Aplanobacterium populi on poplar by, 862; Erwinia amylovora by, 978; of soil bacteria and fungi by, 1803.

- injury to pea, 3205.

-, popular account of discovery, production, and uses of, 2043.

-, resistance of mutants of Xanthomonas campestris to, 2965.

-sulphate against Pseudomonas lachrymans on cucumber, 1757d; Xanthomonas phaseoli on bean, 297; X. vesicatoria on Capsicum, 958.

-, effect of, on pea Wisconsin streak virus on pea, 3205; on Pythium, 2593d.

-, inhibition of Phytophthora cactorum by, 638.

-, resistance of Xanthomonas citri and X. malvacearum to, 1374.

Streptoverticillium, criteria used in distinction

Succinic acid as seed treatment for beet, 1315. *Sudan grass (Sorghum sudanense), Macrophomina phaseoli on, in New S. Wales, 3233.
—, maize virus on, 3970.

symptoms of, 3042. ——, Trichometasphaeria turcica on, genetics of, 2478.
Sugar beet, see Beet.

Sugarcane (Saccharum officinarum), Achlya on, in Brazil, 2595.

Acrostalagmus glaucus on, in Argentina,

2867.

-, bacteria on, in Trinidad, 2868b.

-basal stem rot in Queensland, 1665; factors affecting, survival of, and symptoms of, 1665; unidentified basidiomycete causing, 1664g; var. reaction to, 1664g, 1665.

Cephalosporium sacchari on, in India, 969g; 3140; differentiation of symptoms of, from Gibberella fujikuroi and Glomerella tucumanensis, 3140; factors affecting, 969g; method for testing for resistance to, 1666. Ceratocystis paradoxa on, 3140; in Mauri-

tius, 1663; control, 1663.

-, Cercospora koepkei on, in *Mauritius, *1947, 3139e; New Caledonia, 969d; Queensland, 1664b; factors affecting, 3139e.

- longipes on, effect of, 2593a.

- vaginae on, in the Ivory Coast, 1228. - Augusta off, in the tvoly coast, 1228. - chlorotic streak virus on sugarcane in Mauritius, 1663, 3139d; Peru, 822; Queensland, 1664b, c; Venezuela, 821; breeding against, 1664c; control, 1663; factors affecting, 1664b; symptoms of, 3139d; transmission of, by (?)chytrid, 3139d; var. reaction to, 821, 1664c. c, Cytospora sacchari on, var. reaction to, 1229.

- Dictyuchus on, in Brazil, 2595. - diseases in Argentina, 2867; Mauritius, 1663; Peru, 822; Venezuela, 821; world quarantine methods against, 1945.

-, Elsinoe on, in Venezuela, 821.

- Fiji virus on sugarcane in Madagascar, 1663, 3139g.

- frost damage, 1945.

-, fungi on, in Trinidad, 2868b.

-, Fusarium on, in Brazil, 2595; in rhizo-

sphere of, in Trinidad, 2868a.

-, Gibberella fujikuroi on, in India, 3140; Peru, 822; *Rhodesia, 598a; differentiation of symptoms of, from Cephalosporium sacchari and Glomerella tucumanensis, 3140. Gliocladium in rhizosphere of, in Trinidad,

2868a.

Glomerella tucumanensis on, 1945; in Dahomey, 1228; India, 1948, 2023c, 3140; the Ivory Coast, 1228; Mauritius, 1663; Venezuela, 821; changes in virulence of, 2023c; control, 1663; differentiation of symptoms of, from Cephalosporium sacchari and Gibberella fujikuroi, 3140; factors affecting, 2869; genetics of, 2870; growth of, on juice of, 820b; mode of entry of, 820b; nuclear condition of conidia of, parasitism and senescence in, 3141; pathogenicity of, 2869; perithecial production by different strs. of, 1948; synergism between

Cephalosporium sacchari and, 820a; technique for inoculating, 820a, b; var. reaction to, 820b.

[Sugarcane], Lacellinopsis and Leptodiscus on, in Brazil, 2595.

- lightning damage, 1945.

-, maize dwarf mosaic virus on, 3333.

— mosaic virus on maize, see Maize.

——— on rice, 2480i.

—— on *Sonchus asper*, 227. —— on sorghum, 1227, 2117a.

—— on Sorghum halepense, 2117a.
—— on sugarcane, 1945; in Peru, 822; Queensland, 1664f; U.S.A., 226, 227; control, 226; maize virus in relation to, 431, 3970; technique for testing for resistance to, 1946a; transmission of, by vectors, 226, 227; var. reaction to, 1664f.

-, sorghum red stripe str. on maize, 125. — on Sorghum bicolor var.

saccharatum, 125.

- str. on Sorghum halepense, 2779.

-, Mucor on, in Brazil, 2595.

-, Pectobacterium carotovorum var. graminarum on, in Queensland, 1664b.

-, Periconia sacchari on, in Assam, previously described from Puerto Rico, 228.

—, Phaeocytostroma sacchari on, in Tanga-

nyika, 599b.

, Phyllosticta sacchari on, in Assam, previously described from Argentina, 228.

Pseudomonas andropogonis on, in Hawaii, 465.

-, — rubrilineans on, in Venezuela, 821; survival of, in soil, 2034.

*-, Puccinia erianthi on, in Tanganyika, 599a. -, — kuehnii on, in Mauritius, 1947, 3139f.

Pythium in rhizosphere of, in Trinidad,

2868a. - on, in Brazil, 2595, 3234d; distribution

of and str. variation in, 2593d. -, - arrhenomanes on, in Brazil, 600b, 2595;

- factors affecting, 826.
 -ratoon stunting virus on sugarcane, 1945; in the Ivory Coast, 1228; Mauritius, 1663; Queensland, 823, 1664e; Venezuela, 821; control, 823, 824, 1663, 1664e, 3139c; inhibition of translocation of sugar by, 2593b; var. reaction to, 821, 823, 1228, 2593b.
- Rhizoctonia and Rhizopus on, in Brazil, 2595.

- root-rotting in Queensland, 1664d.

-, Sclerospora on, in Peru, 822.

_, _ sacchari on, var. reaction to, 2593c. - sooty mould in Queensland, 1664b.

*-, Stagonospora sacchari on, in Argentina, 2867; the Philippines, 828.

- stem rot in S. Africa, unidentified fungus causing, 1946c.
- virus on sugarcane in Dahomey, streak 1228; S. Africa, var. reaction to, 1946b.
- striate mosaic virus on sugarcane in Queensland, spread of, 1664b.

-, Thraustotheca on, in Brazil, 2595.

- Trichoderma in rhizosphere of, in Trinidad, 2868a.
- , Ustilago maydis on, non-hybridization of, with U. scitaminea, 686.
- scitaminea on, 1945; in India, 1231; Kenya, 229; factors affecting, 229; germination of, 229, 1230; physiology of, 2871;

physiologic races of, 1231; technique for inoculating, 820a.

[Sugarcane] viruses, effect of heat treatment on, 2951c.

-white leaf disease, effect of, on phloem, masking of symptoms of, and spread of, 825.

wind damage, 1945.

-, Xanthomonas albilineans on, in Argentina, 2872; Ceylon, 829; Mauritius, 1663, 1947, 3139b; Queensland, 1664a; aluminium-cap method for inoculating, 2596; control, 1663, 3139b; differentiation of Mauritius from British Guiana str., 3139b; history of, 1620h; decidering against in Mauritius Xanthomonas albilineans on, in Argentina, 3139b; legislation against, in Mauritius, 1947; symptoms of, 829, 2872; var. reaction to, 829, 1664a, 1947, 2872, 3139b.

— vascularum on, 1945; in Mauritius, 1947,

1663, 3139a; apparatus for inoculating, 3139a; control, 1663; factors affecting, 3139a; legislation against, in Mauritius, 1947; new str. of, 3139a; var. reaction to, 1947, 3139a.

, Zygorhyncus on, in Brazil, 2595.

Sulphanilate, inhibition of Puccinia recondita on wheat by, 2092.

Sulphanilic acid against Puccinia striiformis on wheat, 2097.

Sulphate ions, effect of, on susceptibility of potato to Phytophthora infestans, 1209.

Sulphex against Podosphaera leucotricha on apple, 1144.

Sulphur against Corticium solani on potato, 2948b; Didymella applanata on raspberry, 1909; Mycosphaerella on groundnut, 3232d; Phyllactinia suffulta f.sp. moricola on mulberry, 1685; Phytophthora infestans on potato. 2948b; Puccinia allii on garlic, 946; P. recondita on wheat, 664, 2444; P. striiformis on wheat, 664; Spongospora subterranea and Streptomyces scabies on potato, 2948b; Venturia inaequalis 1897; as seed treatment for cereals, 13; as soil treatment against Pseudomonas solanacearum on potato, 1658.

- deficiency in citrus, 706.

- , effect of, on fungi in soil, 221; on Phyllosticta mali on apple, 1148.
- -for fumigating greenhouses against Cladosporium fulvum on tomato, 2241.

injury to apple, 2537.

-, report on combinations of, 2353.

- -, uptake of, by barley, 13; fungi, 2352; maize, oats, Puccinia graminis, and wheat,
- in combination against Diplocarpon rosae, 729; Leveillula taurica on Capsicum, 2942; Oidium mangiferae, 1183; Podosphaera leucotricha, 3098; Sphaerotheca pannosa on rose, 729; Uncinula necator, 592, 1338; Venturia inaequalis, 1897.
- -, colloidal, against Colletotrichum lagenarium and Erysiphe cichoracearum on watermelon, 954; Oidium begoniae, 2162; Phacidium infestans on pine, 3186; Podosphaera leucotricha, 482, 3097, 3098; Puccinia graminis on wheat, 2091; Sphaerotheca fuliginea on watermelon, 954.

-, in combination against Podosphaera leucotricha, 751; Streptomyces scabies on potato, 1218; Venturia inaequalis, 751. -, — —, toxicity of, to apple, 751.

[Sulphur] compounds against Plasmopara on vine, 315; Tranzschelia pruni-spinosae on peach, 1354c; Uncinula necator, 315.

- versus karathane, 1145.

- dioxide against Alternaria and Botrytis on raspberry, 1173; B. cinerea on grapes, 1342; Cladosporium on raspberry, 1173; storage disorders of raspberry, 502

- dust as soil disinfectant, 952.

- mercury preparation against Podosphaera leucotricha and Venturia inaequalis, 2537. Sulphuric acid against Pseudoperonospora

humuli on hop, 1633; as seed treatment for

cotton, 1576.

Sunflower (Helianthus annuus), artichoke latent, cabbage mosaic, and cucumber mosaic viruses on, effect of Puccinia helianthi on multiplication of, 1821.

-, Erysiphe cichoracearum on, thermal and translocated induction of endophytic myce-

lium of, 626.

-, Helminthosporium helianthi on, in India, 2084a.

—, Phoma on, symptoms of, 201.

- . Plasmopara halstedii on, factors affecting, 968g; method for estimating resistance to,
- 2221; polymorphism in, 2220.

 *—, Pseudomonas on, in Rhodesia, 598a.

 —, Puccinia helianthi on, C.M.I. description

of, 2739; effect of, on multiplication of viruses in, 1821. *-, Sclerotinia minor on, in Canada, 2953.

- sclerotiorum on, Botrytis cinerea associated with, 517.

, tobacco necrosis virus on, effect of Puccinia helianthi on multiplication of, 1821.

*__, Verticillium on, in Canada, 5.

-, - alboatrum on, genetics of, 1197. - virus disease in Uganda, differentiation of, from S. America virus disease, symptoms of, and transmission of by grafting, 2951b.

Swede (Brassica napobrassica), bacteria on, cabbage maggot in relation to, causing necrotic rot, 904.

-, boron deficiency in, in France, 2737; Tasmania, 356.

- -, Plasmodiophora brassicae on, in Canada, 1357; New Zealand, 2274, 2922; physiologic races of, 2274, 2922; var. reaction to, 1357, 2922.
- Pleospora bjoerlingii and Pythium on, in Denmark, 596e.

Sweet corn, see Maize.

- pea (Lathyrus odoratus), Corynebacterium fascians on, 9.

-, pea enation mosaic virus on, effect of insecticides on, and spread of, 1891; transmission of, by vectors, 1891, 2752.

-, - mosaic virus on, effect of insecticides on, spread of, and transmission of, by vectors, 1891.

-, watermelon mosaic virus on, 571.

*- potato (Ipomoea batatas) blister, effect of, on stored roots of, 1662.

-, Ceratocystis fimbriata on, antigenic components induced by, 817; protein and isozyme patterns in relation to acquired immunity to, 386x, 1661; tissue respiration in relation to, 2996g.

--, Cercospora timorense on, in Fiji, 969a.

---, Fusarium on, in storage, 2865.

[Sweet potato, Fusarium] oxysporum on, in storage, 2865; production of hydrolytic enzyme and toxin by, 2866.

- f.sp. batatas on, carry-over of, on harvest-infected roots, 819; effect of inoculum potential on pathogenicity of, 2698h; maintenance of virulence of, in culture, 818; production of hydrolytic enzyme and toxin by, 2866.

solani f.sp. robiniae on, 1972.

---, Rhizopus stolonifer on, control, 537. ---, russet-crack virus on, transmission of, by vectors to Ipomoea setosa, 386w.

storage disorders, 2865.

- vein clearing virus on sweet potato in Nigeria, hosts of, resemblance of symptoms of, to strs. of chlorotic streak virus and str. of virus B, 1660.

virus infection, effect of heat treatment

on, 2951c.

yellow dwarf virus on sweet potato, transmission of, by grafting and vectors,

Swietenia, Nectria swieteniae-mahoganii on, in Formosa, 2620.

Sydowia polyspora on pine and Pseudotsuga menziesii, 893.

Sympathomimethin against Verticillium dahliae on cotton, 1570.

Symposia, see Conferences and Reports.

Synchytrium, monograph on, 64.

endobioticum, germination of resting spores of, transference of, from Mesochytrium to Microsynchytrium, 2022e.

- on potato, see Potato. Syringa vulgaris, see Lilac.

2,4,5-T against Eutypa armeniaca on apple, 1354d; Fomes lignosus, F. noxius, and Ganoderma pseudoferreum on Hevea rubber, 1222d.

-, effect of, on fungi on fruit, 1390.

- injury to apple, 1354d.

Tabacin against Peronospora tabacina on tobacco, 1244.

- versus aspor, 1244.

Tagetes, Fusarium oxysporum f.sp. callistephi race 2 on, 3387.

Talaromyces spiculosum, inhibition of Pythium

graminicola by, 2386.

Tangelo (Tangerine × Grapefruit), citrus stub-born disease virus on, in U.S.A., 1554, 3354; excessive seed abortion as diagnostic characteristic of, 3354; symptoms of, 1554., 'fovea' disease on, in Venezuela, (?) related

to xyloporosis virus, 2489.

Tangerine, see Citrus and Orange. Tannic acid, effect of, on tobacco mosaic virus on cucumber and Physalis floridana, 2750.

Tannin against Curvularia on areca palm. 2580b.

-, effect of captan on breakdown of, in soil, 2384.

Tapes decussatus and T. pullastra, inhibition of tobacco mosaic virus by, 1671.

*Taphrina deformans var. armeniaca on apricot, 494.

– kruchii on oak, 846.

maculans on turmeric, 1638.

*— *mume* on apricot, 2023h.

— tosquinetii on alder, 1348a.

Tar as timber preservative, 1990. Taxonomy, computer, 2738. Taxus baccata, see Yew.

TB 4613 dry as seed treatment for wheat, 2100. Tea (Camellia sinensis), Armillaria on, in Mauri-

tius, (?)small form of A. mellea, 3232b. , branch and collar canker on, in Ceylon,

(?) associated with Phomopsis theae, 232. -, Cephaleuros parasiticus on, in India, *—, Cercospora theae on, in U.S.A., 2955a. —, Cercosporella theae on, in Ceylon, 830. -, Corticium invisum on, in India, 3142.

-, - solani on, in Ceylon, 830. Cryptospora on, in India, 1233a.

- diseases in Ceylon, 830.

-, Exobasidium vexans on, in Ceylon, 830, 1232; India, 1233a; accumulation of Ni in, 1233a; aerial spraying against, 3143; control, 830, 1232, 1233b, 1234, 3144; factors affecting, 1232; review of, 3144.

—, Fomes noxius on, in India, 1233a. —, 'Hattiali' disease of, in India, 3142.

-, Hypoxylon nummularium on, in India, causing tarry root rot, 3142.

-, Leptothyrium theae and Macrophoma theicola on, in Ceylon, 830; not associated with collar and branch canker, 1232.

Pestalotiopsis glandicola on, effect of C and

N compounds on, 1791.

-, Phomopsis theae on, in Ceylon, associated with branch and collar canker, 1232, 3145.

-, Poria hypolateritia on, in Ceylon, 830, 1232; control, 830, 1232, 3146.

-, — punctata on, in India; previously attributed to P. hypobrunnea, 3142.

- Rosellinia arcuata on factors affecting

-, Rosellinia arcuata on, factors affecting spread of, 2996d.

, Ustulina zonata on, in Mauritius, association of Thyronectria pseudotrichia with, 3232b.

Technique (see also Apparatus) for culturing leaf spot fungi, 997; mushrooms, 2678; Taphrina maculans, 1638; Verticillium dahliae microsclerotia on cotton, 1876; detecting Alternaria dauci on carrot, 1331; barley stripe mosaic virus, 427, 3314; causal agents of bacterial and virus diseases of plants, 651; Cladosporium fulvum on symptomless host, 1676; Cochliobolus miyabeanus, 1548; depolymerases, 1370b; Fomes annosus on pine, 1286d; multiplication of beet leaf curl virus in Piesma quadrata, 3199b; peach ringspot virus strs., 761; Polyporus tomentosus, 543e; potato leaf roll virus, 1647, 3129k; potato virus Y in seed tubers, 2225; Pyricularia oryzae, 1548; raspberry viruses, 2206; resistance to Synchytrium endobioticum in potatoes, 809; tobacco mosaic virus, 379; uredospores of Puccinia graminis in rain, 397c; vars. of Verticillium alboatrum on hops, 2330g; V. alboatrum on lucerne, 2832; Xanthomonas oryzae on rice before symptom appearance, 2138; X. vesicatoria on tomato, 2698j; evaluating bactericides, 324h; carbohydrates produced by Claviceps numbers, 1035; chemicals against Sclerotium oryzae, 1548; raspberry viruses, purpurea, 1035; chemicals against Sclerotium cepivorum, 2671; destruction of Verticillium dahliae, 968c; fluoride content in biological materials, 3250; fungicides, 1384, 1388, 2712; Fusarium spp. in soil, 357d; infectivity of herbage viruses, 151; Lolium streak virus on barley, 1595; tobacco mosaic

virus, 324q; tobacco necrosis virus, 1237; turnip yellow mosaic virus, 895; losses caused by Pyricularia oryzae on rice, 439, moisture content of cotton, 2071; moisture on plant parts susceptible to disease, 2071 nematode trapping fungi in soil, 636, 655; Pseudopeziza medicaginis spore ejection, 475; relative cellulolytic activity of fungi, 324k; evaluating resistance of pea to bean yellow mosaic virus, 570; of potato to Phytoph ora infestans, 1938; of sugarcane to sugarcane mosaic virus, 1946a; of sunflower to Plasmopara halstedii, 2221; of tobacco to Phytophthora nicotianae, 1248; of tomato to Corynebacterium michiganense, 3161; of wheat to Leptosphaeria nodorum, 1513; evaluating seed treatments against phycomycetes on rice, 2698b; soil actinomycetes, 1809; soil fumigants, 14; Streptomyces strs. producing heat-stable antibiotics, 988; viability of oospores of *Peronospora tabacina*, 2236; virulence of bacterial populations, 2964; of *Verticillium alboatrum* on cotton, 3057; fixing and mounting growing fungi, 72; grafting tomatoes on resistant root stocks, 1958; heat treating vine virus diseases, 1749; identifying Puccinia sorghi, 117; Ustilago nuda races on wheat, 1511; incubating yeasts with fungicides, 10; inducing sporulation in cultures of Glomerella cingulata, 2072; in Leptodiscus terrestris, 653; inoculating black pepper with Fusarium solani f.sp. piperis, 3234e; canker-producing fungi, 2746; lucerne with Verticillium alboatrum, 2832; oats with oat mosaic virus, 2775; potato with Phytophthora infestans, 530; rye with Fusarium, 3330; Shorea robusta with Fomes caryophylli and Hymenochaete rubiginosa, 3177; sugar-cane with Glomerella tucumanensis, 820a, b; with Ustilago scitaminea, 820a; tobacco with Pseudomonas tabaci, 542; wheat with Pseudomonas tabaci, 542; Cercosporella herpotrichoides, 1053; with Ustilago nuda, 2101; isolating fungi from roots of Calluna vulgaris and Vaccinium myrtillus, 2733; from soil, 1808, 2382, 2732; Fusarium spp. from soil, 1801; F. solani f.sp. piperis from soil, 3234c; Pseudomonas phaseolicola, 26991; Pythium from soil, 1426; Thielaviopsis basicola from soil. 1428: obtaining antibiotic from Cercospora beticola, 1996; antiserum against potato virus S, 1934; against rice 'tungro' virus, 2481; against strawberry green petal virus on clover, 735; protein fragments of rod-shaped plant viruses, 657; telia of *Puccinia coronata* in culture, 1064; virus-free potato planting material, 791, 792; zoospores of *Phytophthora* palmivora, 2432d; purifying bean pod mottle virus, 26980; beet mosaic virus, 906; cherry, sour, necrotic ringspot virus, 1022; lettuce necrotic yellows virus, 1356f; plant viruses, 2748, 3012; studying bacterial plant diseases, 1368; cereal rusts, 1041; host-virus relations. 2696c; hyphal specialization in Corticium solani, 654; soil-borne plant pathogens, 2734; transmitting beet leaf curl virus, 3199a; onion yellow dwarf virus, 1759i; treating potatoes against virus diseases, 2074b. Techniques, Laboratory, Manual on, 327.

Teepol against tobacco mosaic virus on tomato,

Tephrosia vogelii as indicator for Poria hypolateritia, 3146.

[Tephrosia vogelii], Corticium solani on, 3122; *in Puerto Rico, control, and effect of planting depth on, 518.

---, Macrophomina phaseoli on, 3122.

*----, Pythium aphanidermatum on, in Puerto Rico, effect of planting depth on, 518. *---, Rhizoctonia dimorpha on, 3122.

Termites, Xylosphaera furcata in nests of, in Ghana, development and liberation of conidia of, 2971

Terraclor against Corticium solani on potato,

- 75WP against C. solani on cotton, 140.

Terramycin, effect of, on Agrobacterium tumefaciens on cherry, 2198.

-, inhibition of Phytophthora cactorum by, 638.

-, popular account of discovery, production, and uses of, 2043.

Tetrachlor against Pyricularia oryzae on rice, 3345

Tetrachloroisophthalonitrile against Alternaria solani on tomato, Botrytis on broad bean, Colletotrichum lagenarium on tomato, Diplocarpon rosae, Phytophthora infestans, and Stemphylium solani on tomato; Uromyces appendiculatus and Venturia inaequalis, 617.

- injury to apple, properties of, versus botran, captan, dodine, and maneb, 617.

Tetrachloronitroanisole against Tilletia contraversa on wheat and as seed treatment for wheat, 1509.

Tetracycline against Xanthomonas juglandis on walnut, 2900; as seed treatment for water-melon, 1741.

- hydrochloride, inhibition of Phytophthora cactorum by, 638.

Tetragonia expansa, beet mosaic virus on, purification of, 906; restriction of, to parenchyma tissue, 3011.

1,2,3,4-tetrahydronaphthalene, selective toxi-

city of, to gall tissues, 1758a.

Tetranychus urticae not transmitting raspberry leaf curl virus, 2207.

Tetrazolium, use of, in detecting extent of infection by Phytophthora citrophthora and P. nicotianae var. parasitica on lemon, 2791. Thalictrum, Puccinia recondita on, 2698c; in

U.S.A., 397d. - dasycarpum, P. recondita on, 2698c.

- speciosissimum, P. recondita on, in U.S.A., 397d.

*Thecaphora deformans on lupin, 2953. solani on Solanum stoloniferum, 344a.

Thelephora ferruginea, taxonomy of, 55.

Theobroma cacao, see Cacao. grandiflorum, Marasmius perniciosus on, in Brazil, as source of infection for cacao, 3291; non-infected type in Trinidad tested in Brazil, 1480; physiologic races of, 3291.

— subincanum hybrids, 'scorch' disease of, (?)Pestalotia causing, 3292.

Therioaphis riehmi transmitting bean yellow virus, 926.

Thiamine, effect of, on growth of Fusarium oxysporum f.sp. cumini, 1192.

-, requirements of *Phytophthora*, 2728. *Thielavia terricola on Dahlia, 1832.

Thielaviopsis basicola, effect of amino acids and vitamins on, 1002; of toxic decomposition products on, 968b.

— in soil, 1428.

[Thielaviopsis basicola] on cotton, 2800.

- on Cyclamen persicum, 2507.

on ginseng, 3119.

--- on Ricinus communis and sesame, 1921. — on tobacco, 2239, 2608, 2881, 3269. — on tomato, 2884.

* paradoxa on pineapple, 2697a.

Thietsin, see Zineb.

Thimerosal, see Ethyl mercuriothiosalicylic acid.

Thiocarbamates against dieback of Juniperus and J. chinensis, 1282; Tranzschelia prunispinosae on peach, 1354c.

Thiodemeton against vectors of potato viruses, 1645t.

Thiodyl against Corticium solani on potato. 1645e.

Thiometon against lucerne witches' broom,

Thioquinox against powdery mildews, 3245. Thiosulphil, inhibition of *Phytophthora cacto*rum by, 638.

Thiouracil, effect of, on citrus tristeza virus on lime, 1552.

2-thiouracil, inhibition of potato viruses X and Y on Chenopodium amaranticolor and Gomphrena globosa by, 2584.

Thiovit against Microsphaera alphitoides on oak, 1276; Podosphaera leucotricha on apple. 1144, 3098.

in combination against Leveillula tauricu on Capsicum, 2942.

Thiram, analytic methods for, 2360,

against Ascochyta fabae on broad bean, 928; Aspergillus niger on groundnut, 1328; Bacillus mesentericus on peach, 1622; beet black leg, 911; Botrytis cinerea on strawberry, 506; on tomato, 1346i; on vine, 315, 2020; B. fabae, 929; Colletotrichum tabacum, 2607; Corticium solani on beet, 1994a; on pine, 1289; on Tephrosia vogelii, 518; Diaporthe perniciosa on apple and pear, 489; Elsinoe veneta on loganberry, 1354g; Fusarium roseum on Strelitzia reginae, 3074; Glomerella cingulata, 983; Peronospora tabacina, 2236f; Pezicula alba on apple, 1354d; phycomycetes on rice, 2698b; Phytophthora infestans on potato, 805; Plasmopara on vine, 315; Pleospora calvescens on poppy, 197; P. papaveracea, 1195; Pythium on pine, 1289; P. aphanidermatum on Tephrosia vogelii, 518; seedling blackleg of vegetables, 558; sorghum diseases, 2128; Streptomyces scabies on potato, 1218; Taphrina deformans on peach, 1354c; Ustilago maydis on maize, 1539, 3038; Venturia inaequalis, 1136, 1897; V. pirina, 1354e; Xanthomonas pruni on peach, 1622; as seed treatment for barley, peach, 1622; as seed treatment for barley, 3295a; bean, 2930; broad bean, 2928; celery, 2692f; cotton, 3056; flax, 3370; groundnut, 581, 937; maize, 689, 2125, 3036; oats, 3295a; pea, 2928; pine, 879, 2252, 2906; soybean, 2928; tobacco, 965a; wheat, 1056, 1837c, 3295b; as soil disinfectant, 559, 1354q.

-, effect of tomato juice on toxicity of, 1252; of, on Botrytis cinerea on tomato, 1252; on growth and yield of wheat, 3295b.

injury to apple, 2537; flower seeds, 3061;

tobacco, 965a.

versus Bayer 5114, 2209; Bordeaux mixture, 2236f; glyodin, 1354d; M-45, 2607; mancozeb, 3036; phaltan, 315.

[Thiram] in combination against Botrytis cinerea on strawberry, 320b; Mycosphaerella musicola, 2566; Podosphaera leucotricha, 2537; Tilletia foetida on wheat, 667; Venturia inaequalis, 1897, 2537; as seed treatment for cotton, 1575; maize, 123, 689, 2125.

- 75 against Venturia inaequalis, 2540.

— in combination against V. inaequalis, 167. Thiuramin as seed treatment against Racodium

therryanum on pine, 1279.

Thuja standishii, and Thujopsis dolabrata, Caeoma deformans on, causing witches' broom, 1280.

*Thyriopsis halepensis on pine, 1679c.

Thyronectria pseudotrichia, association of, with Ustulina zonata on tea, 3232b.

Tiarsin against Tilletia caries and T. foetida on wheat, 1048.

Tiencine, effect of, on growth of tobacco, 2236f.

Tiezine against Peronospora tabacina tobacco, 835, 3153.

*Tilia, Nectria galligena on, in Lithuania, 2063.

Tillantin ceresan as seed treatment for wheat, 1508.

Tilletia barclayana on rice, 3343a.

- caries, compatibility between T. contraversa and, 669.

- , relationship of, to other T. spp., 2451.

on wheat, see Wheat.

-, serological tests for determining relationships of, 361.

-contraversa, compatibility between Tilletia caries and, 669.

-, germination of teliospores of, 100.

-- on Agropyron repens, 2950f.

— on wheat, see Wheat.

——, relationship of, to other T. spp., 2451.
—foetida on wheat, see Wheat.

-, relationship of, to other T. spp., 2451.

*— intermedia on wheat, 2099. - secalis, relationship of, to other T. spp.,

2451. Tillex against Xanthomonas malvacearum on cotton, 2801.

Timber, Aerobacter on, 2266.

—, Allantophoma nematospora on, 3190. — Alternaria on, 274.

-, Armillaria mellea on, effect of fungi on, 318a; effect of, on, 2267; factors affecting and stump infection by, 318a; use of decayed wood for pulping, 2267.

-, Ascochyta grovesii on, in Canada, tolera-

tion of sodium pentachlorophenate by,

2261b.

, Aureobasidium pullulans on, chemistry of, 1302; control, 1303; factors affecting, 3190; nonformation of specialized penetrating hyphae by, 2265; painting in relation to, 3190; spread of, 3190.

-, Bacillus, B. polymyxa, and B. subtilis on, effect of, 2266.

-, bacteria on, 2920, in Denmark, 2644.

-, basidiomycetes on, in Mexico, 1984; association of, with *Cronartium fusiforme* galls, 543i; distribution and frequency of, 1984.

- blue stain fungi, association of, with Cronartium fusiforme galls, 543i; control, 1986, 2917; (?) factors affecting, 1986.

[Timber], C-134 fungus on, inhibition of Polyporus adustus by, 968k.

-, Cephaloascus fragans on, in Canada, adaptation of, to sodium pentachlorophenate, 2261b.

, Ceratocystis on, 3190; in Canada, 2261a;

effect of moisture content on, 1714.

—, — caerulescens on, control, 1303.

*—, — major on, in Canada, 2261a.

—, — minor on, control, 1303.

piceae on, specialized penetrating hyphae of, 2265.

-, — pilifera on, control, 1303; specialized penetrating hyphae of, 2265.

-, Chaetomium elatum on, in Canada, 2261a. -, - globosum on, in Canada, 2261a; effect of moisture content on, 1714; of, on impact bending strength of, 1715.

orientum on, enzyme production by,

2264.

-, Cladosporium on, 3190.

, Coniophora puteana on, in Canada, 2261a; control, 273, 1988, 1990; effect of Graphium and Lenzites trabea on chemical treatment against, 1988; factors affecting, 1985; paper on, 1717; resistance to, 1306. -, Cortinellus shiitake on, culture of, 1745.

by Fomes annosus and Poria monticola, fungi and insects associated with, 543i.

Cytospora decipiens on, pigmentation of, 543a.

decay control, 1301a; fungi causing, effect of on, and types of, 1305.

Diaporthe aristata on, use of wood decayed by for chemical pulping purposes, 2267.

-, Discula pinicola on, 3190.

, Fomes annosus on, effect of Cronartium fusiforme on decay by, 543i; of temp. on growth and survival of; fungi associated with, 543f; toxicity of old creosote to, 1987. , — pini on, germination of basidiospores of, 2919.

fungi on, culture collection of, in Sweden, 272; insects in relation to, 597a; stimulation of, by preservative chemicals, 273; use of wood decayed by, for chemical pulping purposes, 2267.

- imperfecti on, association of,

Cronartium fusiforme galls, 543i.

Ganoderma lucidum on, in Mexico, distribution and frequency of, 1984.

Hypholoma fasciculare on, effect of low temp. on, 1304.

-, Lentinus edodes on, effect of light and temp. on fruit-body development in, 2945.

,—lepideus on, control, 3191; toxicity of old creosote to, 1987. , Lenzites abietina on, effect of low tempera-

ture on, 1304. betulina on, effect of, on quality and

yield of sulphate pulp from, 2268. ,— saepiaria on, in Canada, 2261a; Mexico, 1984; distribution and frequency of, 1984;

factors affecting, 1985. , — trabea on, in Canada, 2261a; comparison between dicaryons and monocaryons of, 3193; control, 1988, 3191; effect of Graphium

and *Phoma* on treatment against; effect of, on weight loss; of *Trichoderma* on preservation of by pentachlorophenol, 1988. -, Leptographium lundbergii on, 3190.

-, Micromonospora on, in Denmark, 2644.

[Timber], moulds in Canada, 2261b.

-. Paecilomyces on, effect of moisture content on, 1714; on impact bending strength of, 1715.

-, Penicillium on, 274.

- -, Peniophora gigantea on, effect of, on quality and yield of sulphate pulp from, 2268. - phlebioides on, factors affecting, 1985.
- —, phiebiolaes on, factors affecting, 1965.

 —, Phialophora on, in Canada, 2261a.

 —, melinii on, in Canada, 2261a; factors affecting pigmentation of, 543a.

 —, Phoma on submerged, 2920.

 —, Polyporus adustus on, inhibition of, by C-134 fungus, Gliocladium viride, and Tricholation of the Hyperger of the control of the submerger.

derma viride; non-inhibition of, by Hypocrea gelatinosa, 968k.

-, — fimbriatus on, in Mexico, distribution and frequency of, 1984.

- hirsutus on, in Mexico, distribution and frequency of, 1984; inhibition of, by Glio-cladium viride and Trichoderma viride, 968k. - hydnoides and P. munzii on, in Mexico,

distribution and frequency of, 1984.

—, — pargamenus on, 2262.

- pinsitus and P. sanguineus on, in Mexico, distribution and frequency of, 1984.
- stipticus on, effect of low temperature on, 1304.
- -tomentosus on, inoculum carrier for, 1308.
- volvatus on, in Mexico, distribution and frequency of, 1984.

-, - zonalis on, resistance to, 1307.

- zonatus on, effect of on quality and yield of sulphate pulp from, 2268.
- -, Polystictus abietinus on, in Canada, 2251. -, - gilvus on, effect of on weight loss, 1988.
- sanguineus on, enzyme production by, 2264.
- versicolor on, 2262; effect of on weight loss, 1988; inhibition of, by Gliocladium viride and Trichoderma viride, 968k.
- -, Poria monticola on, 2262; in Canada, 2261a; control, 3191; effect of Cronartium fusiforme on decay by, 543i; effect of on weight loss, 1988; on yield, 2261a.
- -, vaillantii on, comparison between monocarvons and dicaryons of, 3193; control, 273; cultures, distribution, and sporophores of,
- vaporaria on, data on cultures, distribution, and sporophores of, 2263.
- __, __ weirii on, hyphal characteristics of, 1712. - preservation, German handbook of, 271;

progress report on, 1989.

- with acetone, 1303; aliphatic chlorinated compounds, 3191; arsenobenzene, 3191; Cu arsenate, 1988; Cu-chromium-arsenate, 3193; Cu compounds, 3191; Cu fluoborate, 3191; Cu sulphate, 3193; creosote, 273; cresol oil, 1990; dodecyl boric acid, 3191; ethanol, 1303; fluorine-chrome-arsenate dinitrophenol mixture, 1988; fuel oil in combination, 3191; 2-heptadecyl-1-5,5,6-tetrahydro-4,4,6-trimethylpyrimidine, 3191; Mg silicofluoride, 273; mercury chloride, 273; naphthalene, chlorinated, 273; pentachlorophenol, 1988; P hydrogen fluoride, 273; Na arsenate, 3193; Na fluoborate, 3191; Na fluoride, 273; Na pentachlorophenate, 2261b; tar, 1990.

-, review of development in, 1301b.

[Timber] preservatives, comparison of, 2645, 3192; necessity of, in building timbers, 1301a; register of, 2916.

-, Pseudomonas on, effect of, on, 2266.

- sap stain in Canada, 2261b.

-, Sclerophoma pityophila on, painting in relation to, and spread of, 3190.

-, Scopularia phycomyces on, control, 1303; formation of specialized penetrating hyphae by, 2265.

-, Serpula lacrimans on, in Mexico, 1984; control, 273; distribution and frequency of, 1984; paper on, 1717.

-, Stereum chailletii on, in Canada, 2251 - sanguinolentum on, in Canada, 2251; effect of low temperature on, 1304; effect of on quality and yield of sulphate pulp from, 2268; factors affecting, 1985.

—, Trametes hispida on, in Mexico, distribution

and frequency of, 1984.

-, Trichoderma viride on, in Canada, 2261a, b; adaptation of, to sodium pentachlorophenate, 2261b; effect of moisture content on, 1714; on impact bending strength of, 1715.

-, Trichosporium tingens on, control, 1303. Xylaria turgida on, enzyme production by, 2264.

Tin compounds, organic, against Cephaleuros parasiticus on tea, 3142; Pellicularia on beet, 1994b.

Tiradin against Sphacelotheca reiliana on maize, 3037.

TMTD, see Thiram.

- Tobacco (Nicotiana tabacum), Agrobacterium tumefaciens on, characteristics of attenuated strs., 1756b; induction of leaf tumours by, 2339.
- , Alternaria longipes on, in Egypt, 1249; *Fiji, 1351b; Rhodesia, 2598; U.S.A., 2698i; breeding against, 2598; control, 1249, 2698i.
- , [beet] curly top virus on, symptomless infection of, and transmission of, by vectors,
- -, boron deficiency in, effect of, on multiplication and translocation of potato virus X in, 1240.
- bushy top virus on tobacco in Rhodesia,
- -, Campanula virus on, protection against cucumber mosaic virus yellow str. conferred by, 2022c.
- -, Capsicum mosaic virus on, interaction of Agrobacterium tumefaciens with, 1759c.
- -, cherry leaf roll virus on, transmission of, by vectors, 496.
- -, Colletotrichum tabacum on, control, 2607, -, cucumber mosaic virus on, transmission of, by vectors and mechanically, 2403.

- yellow str. on, effect of, on glycolic

acid oxidase activity in, 1239.

- , virus 4 [cucumber green mottle mosaic virus str.] on, ultrastructural changes in chloroplasts and cytoplasm of, caused by,
- -, Datura distortion mosaic virus on, 81.

- diseases, 1829a; in U.S.A., 2873; legislation against, 2599; symptoms of, 2873.

, effect of formaldehyde and propionaldehyde irradiation in air on, 1778; of toxicants from irradiated car exhaust on, 1777.

- [Tobacco], Erysiphe cichoracearum on, in Rhodesia, 2598; control, 2606; effect of N, P, and K on, 1672.
- etch virus, acridine orange fluorescence in,
- --- on Capsicum, see Capsicum.
- ——— on Datura stramonium, 539.
- - , serological relationship of, with to-*—, Scrotogical relationship of, with to-bacco mottle virus str., 2877.

 *—, Fusarium oxysporum f.sp. nicotianae on, in Rhodesia, 598a.

 —, growth of Venturia inaequalis on callus tissue of, 3861.
- leaf curl virus on Capsicum, 2318.
- on tobacco in Pakistan, transmission of, by vectors, 2878.
 -, lucerne mosaic virus on, histological changes caused by, 383.
- str. on, transmission of, by aphids, *375.*
- -, Macrophomina phaseoli on, 3264.
- -, micro-organisms in rhizosphere of, antagonism of, to Thielaviopsis basicola, 3269.
- mosaic virus on apple, 1896. -- on bean, see Bean.
- ——— on *Capsicum*, 321, 2011. ——— on cowpea, 1757e.
- — on Crambe abyssinica, 1600.
- — on cucumber, 2750.
- --- on Datura stramonium, 2233, 2876. ——— on Lycopersicon hirsutum, 2414. ——— on Nicotiana, 80.
- — on N. glutinosa, see N. glutinosa.
- ____ × tobacco, 3229d.
- ——— on N. sylvestris, 74, 80, 3229d.
- ——— on *Petunia*, 379.
- — on Physalis floridana, 2750.
- — on potato, 3012.
- — on Solanum luteum, 379.
- Rhodesia, 2598; breeding against, 2598; bronzing symptoms produced by, 1954; control, 323; cowpea chlorotic mottle virus not serologically related to, 300; cowpea mosaic virus resembling, 557p; detection of, in xylem, 379; differentiation of strs. of, 3147; effect of 5-fluoro-deoxyuridine on replication of 3148; of News 15 March replication of, 3148; of N on infectivity of, 2234; of nucleic acid base analogues on infectivity of, 1356e; of particle length on infectivity of, 2417; of temps. on multiplication of, 230; of, on carbohydrate and N content of, 1235; on photosynthesis of, 2415; on respiration of, 2414; on RNA-synthesizing system, 1669; on uridine uptake by host cells, 1236; extraction of nucleic acids from, 2413; improved method for assaying infectivity of, 324q; infectivity period of, 2874; inhibition of, 2875; by blasticidin S, 2076; by oil emulsion in combination, 583; by *Tapes decussatus*, *T. pullastra*, and *Venus verrucosa*, 1671; interference between strs. of, 2422; isolation of polymerases in connexion with infection by, 2412; movement of antigens of, in, 2416; production of fluorescent compounds in, associated with hypersensitivity to, 832; ribonucleic acid production by in host nucleus, 232a; similarity of symptoms of to internal browning in U.S.A., 1954; structure of, 231, 3281; susceptibility to, 1670; in relation to ectodesmata, 378; systemic resistance induced by, 2419;

- technique for purification of, 2748; studying factors affecting accuracy of biological estimation of, 2073; testing fixative for virus-infected cells of, 74; transmission of, mechanically, 374; ultrastructural changes in chloroplets and outside the contraction. in chloroplasts and cytoplasm of, caused by, 538.
- [Tobacco mosaic virus] on tomato, see Tomato.
- — aucuba str. on tomato, 840.
- (?)——— [Chinese rape str.] on Chinese cabbage, 2655.
 - —— green str., hosts of, 1464. - - leaf curl str. on tomato, 840.
 - — mutants on tobacco, cytology of, 232b.
- para str. on tobacco, effect of, on glycolic acid oxidase activity in, 1239.
- — on Nicotiana megalosiphon, 965j.
 - ——— on tobacco, effect of, on activity of enzymes and pigment content in leaves
- of, 1668; reactions of, 2749.
 - — — on tomato, 842. — strs. U1 and U2 on bean, 658, 1462. — str. VM on bean, 1462.
- -- sweet potato str. on bean, 1821.
- -- tomato str. on tomato, 238a, b, 317i, 1250.
- — yellow str. on tobacco, hosts of, 1464; transmission of mechanically, 374.
- ———— on tomato, 2414.
- — streak str. on Spirodela polyrhiza, 2075.
- mottle virus str. on tobacco in India. inactivation of and serological relationships of, 2877.
- -, Mucor on, symptoms of, 838.
- necrosis virus on bean, 1757e, 2000.
- --- on celery, 2938.
- --- on cowpea, 1757e, 2000.
- --- on *Primula*, 2169.
- — on sunflower, 1821. — — on tulip, 596d.
- —— + Olpidium brassicae on Phaseolus
- mungo, 1237.

in Rhodesia, 2598.

- --- on tobacco, acridine orange fluorescence in, 372; effect of chelating agents on transmission of, by *Olpidium brassicae*, 324p; non-survival of, in O. resting sporangia, 318c; not associated with lettuce big vein disease, 308; properties of, 3149; purifica-tion of, by zone electrophoresis, 371; relationship of *Olpidium brassicae* to, 3240; transmission of, by O. brassicae, 1237, 1756k; mechanically, 374.
- str. A on Lepidium sativum, lettuce, Parthenocissus tricuspidata, and tobacco. 2327g.
- D on Lepidium sativum, 2327g.
- ——— on lettuce, 381, 2327g. - on Parthenocissus tricuspidata,
 - --- on Phaseolus aureus, 381.
- —— on tobacco, 2327g; transmission of, by Olpidium brassicae, 381. necrotic Y [potato virus Y str.] on tobacco

[Tobacco] ozone injury, relationship between ascorbic acid levels and susceptibility to, 237. , pea early browning virus on, in England, 382.

, Peronospora on, genetics of resistance to, 1241; P. hyoscyami f.sp. tabacina proposed

as nov. comb. for, 1433.

- tabacina on, 836, 2085; in Belgium, 2603; 5.— *Inductual* 611, 856, 2085; In Beighum, 2003; Bulgaria, 2238; Germany, 965a; 3152; Greece, 235, 833, 3151; Israel, 1674; Italy, 388b, 3228h; Poland, 1951, 2756, 3247; Queensland, 1355b; U.S.S.R., 2236, h, 2601, 2602; Victoria, 1354j, 1949, 3154; breeding against, 2605; control, 540, 833, 835, 965a, 1244, 1354j, 1355b, 1674, 1949, 22366. 965a, 1244, 1354j, 1355b, 1674, 1949, 2236a, b, c, d, e, f, 2357, 2601, 2602, 3151, 3152, 3153, 3228h; development of, 235; differentiation between isolates of and from P. hyoscyami, 1243; distribution of, 2756; effect of antimetabolites and metabolites on sporulation of, 1245; effect of curing and fermenta-tion methods on, 2236k; of temp. on length of germ tubes of, 834; of ventilation on, 2604; of, on seeds of, 2236g; on yield, 388b, 3247; epidemics of, in Europe, review of, 1950; epidemiology of, 1949; factors affecting, 833, 1674, 2236h, 2238, 2331d, 2602, 2603, 3150, 3151; factors affecting oospore formation in, 2236i; reaction to, 2331b; inhibiting of access of 2336i; forecessing viability of oospores of, 2236; forecasting outbreaks of, 2756; fungicidal residues in, 1952; genetics of, 1673; geographical distribution of, 2600; hosts of, 2236l; isolates of, 2880; legislation against, 2599; losses caused by, in America, Australia, Europe, and U.S.S.R., survey of, 2236a; method for detecting viable oospores of, 2236j; physiologic races of, 2236l; relationship between peroxidase and polyphenoloxidase activity and resistance to, 1673; resistance to, 2879; spread of, 833, 1949; in Europe, Mediterranean basin, N. Africa, and W. Asia, 1242; stem infection by, 3154; stem reaction to, 2331a; symptoms of, 1949, 2601, 3152; var. reaction to, 388b, 1673, 1951, 22361, 2237, 2601, 2605, 2879, 3154; world distribution of, 3150.

-, Phytophthora nicotianae on, in Bulgaria, 1247; German Democratic Republic, 1246; amino acid utilization in relation to pathogenicity of, 837; (?)carriers of, 1246; effect of CO₂ and O tensions on growth and inoculum potential of, 3155; crop rotation and intercropping on, 1247; resistance to, 1248; symptoms of, 1246.

var. nicotianae on, C.M.I. description of, 1004.

-, plum pox virus, accompanied by [peach] ringspot virus, can infect, 175.

-, potato stem mottle virus str. on, transmission of, by vectors, to Nicotiana rustica,

1459.

-, — virus X on, differentiation of strs., 207; effect of B deficiency in, on multiplication and translocation of, 1240; of temperature on infectivity and length of particles in, 3013; factors affecting, 386u; interaction of Agrobacterium tumefaciens with, 1759c; premunity in, 1204; strs. and types of, 1204.

-, — Y on, control, 2403; genetics of resistance to, 1241; transmission of, mechanically and by vectors, 2403; virulence of,

1645z.

- [Tobacco, potato virus Y] tobacco vein browning str. on, in Rhodesia, 598a.
- -, Pseudomonas angulata on, in Rhodesia, 2598.
- solanacearum on, in Mauritius, declining resistance to, (?)due to new str. of, 3232a; Rhodesia, 2598; effect of ratio of virulent to avirulent cells on severity of, 236; indoleacetic acid production in, 386y; inhibition of indoleacetic acid oxidase in, 839.

-, — tabact on, in Knouesia, orecuning against, 2598; control, 1244; effect of radioactive S on biological properties of, 2609; on enzyme levels in leaves of, 2882; induced protection tabaci on, in Rhodesia, breeding against, against by heat-killed bacteria, 2240; technique for inoculating, 542.

-, Pythium aphanidermatum on, in Mauritius,

3232e.

- debaryanum and P. ultimum on, control, 2881.

- rattle virus [potato stem mottle virus str.]

on bean, 1821. - on beet, 1312. ————— on Digitalis purpurea,

--[---] on potato, 1645w, 1756g.

*— — on Ranunculus asiaticus, 1646b. --- on tobacco in Netherlands, comparison of with potato corky ringspot, potato stem mottle, and potato spraing viruses, 2858; infective and non-infective particles of, 2327f; transmission of, by vectors, 1460, 17561.

- [potato stem mottle virus str.] on

tomato, 1756l.

-- [(?)-- --— —] on tulip, 596d - str. on Gerbera and tobacco, 2698e.

- ringspot virus on Anemone, 3064.

on celery, 2938.

on soybean, 931, 9680. —— on tobacco, 3064; cowpea chlorotic mottle virus not serologically related to, 300; effect of, on photosynthesis, 2235; hosts of, 1465; non-protection of, against tomato ringspot virus, 2203; properties and purification of, 2423; transmission of, by

vectors, 234: Vaccinium corymbosum necrotic ringspot virus (?)identical with, 2203. on Vaccinium, 1759.

- rosette virus on tobacco in Rhodesia, 2598. - severe etch [tobacco etch virus str.] on tobacco, virus particles associated with, 1238.

-, Stellaria media virus on, 2022c.

- streak virus on cotton, 451.

-, stolbur virus on, in Bulgaria, booklet on, 2078.

- stunt virus on tobacco, hosts of, 380; transmission of, by Olpidium brassicae, 1756k, 2597; mechanically, 380.

 Thielaviopsis basicola on, antagonism to of micro-organisms in soil and in rhizosphere, 3269; control, 2239, 2881; germination of chlamydospores of, 2608.

- tomato aucuba mosaic virus [tobacco mosaic virus str.] on, effect of kinetin on,

1828.

- black ring virus can infect, 2560.

-, — spotted wilt virus on, ribonucleic acid production by, in host nucleus, 232a.

veinal necrosis [potato virus Y str.], legislation against, 2599.

[Tobacco veinal necrosis] virus, see also Potato virus Y str.

veinbanding necrosis virus, see Tobacco mosaic virus str.

Verticillium dahliae on, in New Zealand, 3007.

virus diseases, genetics of resistance to, 2699k.

Tolyposporium ehrenbergii on sorghum, 2128. penicillariae on Pennisetum typhoideum, 1078.

Tomato (Lycopersicon esculentum), Agrobacterium tumefaciens on, 1182; characteristics of attenuated strs. of, 1756b; effect of antibiotics on, 2704; factors affecting, 2705; toxicity of active components of kerosene to, 1758a.

-, Alternaria solani on, in Italy, 840, 3228h; U.S.S.R., 242; control, 617, 1719, 3228h; sporulation and virulence in, 2648; var.

reaction to, 242.

-, - tenuis on, in Italy, 840.

-. Arthrobacter in rhizosphere of, decomposition of Pythium debaryanum by, 1804.

- as indicator for potato spindle tuber virus, 784c, 798, 1933.

- aspermy virus on celery, 2938. -, on Chrysanthemum, 1354s.

-, relationship of Campanula and Stellaria media viruses to, 2022c.

-, aster yellows virus on, in Italy, resemblance of symptoms of, to 'stolbur' virus, 3228d.

- aucuba mosaic virus [tobacco mosaic virus str.] on tobacco, 1828. - — —] on tomato, movement

of, 1957. big bud virus on lucerne, 733.

on tomato in Italy, 840; transmission of, by dodder and grafting, 1675.

-black ring virus, celery yellow vein virus serologically related to, 2939.

——— in soil, 2564. ——— on beet, 1312.

on Narcissus, 463.

——— on raspberry, 186, 3414. —— on spruce, 1819.

——— on strawberry, 1346a, 2564. ——— on vine, 3223.

, Robinia pseudoacacia mosaic virus (?)str. of, 864.

'black shoulder', Alternaria tenuis associ-

ated with, symptoms of, 1267.
-blossom end rot in Italy, 840; control, 1268, 2618; factors affecting, 2618, 3163.

- blotchy ripening in Italy, 840.

, boron deficiency in, in Argentina, symptoms of, 2389.

, Botrytis cinerea on, in Italy, 840; U.S.A., 2613; control, 1346i; effect of fungicides on, 1252; of tomato juice on fungicide toxicity, 1252; factors affecting, 2613.

- bronzing not associated with tobacco mosaic

virus, 1954.

-, brown root rot control, 3171.

- bunchy top virus on Physalis peruviana and potato, 3128d.

———— on tomato, similarity of, to potato spindle tuber virus, 3128d.

- bushy stunt virus on Primula, 2169.

——— on tomato in Italy, 840; electron microscopy of strs. of, 370; serological comparison of strs. of, 2405.

[Tomato], Cladosporium fulvum on, in Hungary, 2612; Italy, 840; control 2241; factors affecting resistance to, 1253; genetics of 1255a, b; physiologic races of, 1254, 1255b; resistance to, 1676; var. reaction to, 1253, 1255b, 2612.

-, Colletotrichum atramentarium on, factors affecting, 2884; grey sterile fungus compared with, 317a; symptoms of, 2884; use of resistant rootstocks against, 1958.

lagenarium on, control, 617.

,—phomoides on, 365; in *Fiji, 1351b; effect of N on virulence of, 2242; lack of correlation between biochemical mutations and virulence in, 1256; mechanism of pathogenicity in, 632.

condensed top' virus on tomato in the

Sudan, symptoms of, 3157.

corky-root in England, 245; France, 321; inoculations with microsclerotia of fungus causing, 245; Pyrenochaeta terrestris causing, 244.

, Corticium solani on, in Italy, 840; U.S.A., 1259; control, 1259, 2954c; factors affecting development of, 2243; isolation of toxic substance from, 2614.

Corynebacterium michiganense on, in Hungary, 1266; Italy, 840; U.K., 2693c; control, 246, 1266; description of pathogen and symptoms of, 1266; development of, 968j; technique for evaluating resistance to, 3161.

-, cucumber mosaic virus on, in U.S.S.R., component of streak complex, 3158.

- str. can infect, 899.

Didymella lycopersici on, in *Romania, 1961; control, 1257.

diseases in Italy, 840; control, 843.

-, effect of mushroom stipes in soil on growth of, 2388.

- fern leaf virus on tomato in Italy, 840. -, Fusarium on, pathogenicity of, 2827. hairs to penetration by, 2430.

-, — oxysporum on, in New S. Wales, isolates

of, 3233.

-ff.sp. on, cross-protection conferred by, 324a.

, — f.sp. lycopersici on, in *Argentina, 2615; Italy, 840; U.S.A., 1259, 2885; control, 1259, 1757a; effect of metabolites from, on root growth of, 1677; of, on auxin content, 1262; factors affecting, 1962; hypersensitivity of, 240; nature of resistance to, 1676; pathogenicity of, 2615, 2885; role of fusaric acid in development of, 1260; symp-

toms of, 2615; vascular plugging by, 1261. , — solani on, resistance of root hairs to

penetration by, 2430. -, — f.sp. minus on, in India, 1831.

Geotrichum candidum on, in Poland, mode of entry of, 2244.

, Gilbertella persicaria var. indica on, symptoms of, 1264.

-, Glomerella cingulata on, in Italy, 840.

, grey sterile fungus on, comparison of, with Colletotrichum atramentarium, symptoms of, 317a.

, growth of Venturia inaequalis on callus tissue of, 386l.

- leaf silvering of, and Leveillula taurica on, in Italy, 840.

-, Macrophomina phaseoli on, 3264.

[Tomato], magnesium deficiency in, factors affecting, 1958.

-, Meloidogyne incognita on, control, 1263. - mosaic virus on tomato, see Tomato, tobacco mosaic virus on.

, penetration and translocation of antibiotics in, 246.

-, Phoma destructiva on, in Italy, 840.

-, phosphorus deficiency in, in relation to Colletotrichum atramentarium and Thielaviopsis basicola on, 2884.

**, Phytophthora infestans on, in Italy, 388a, 840; Malawi, 3160; U.S.S.R., 1959; breeding against, 243; character of oospores of, 1655; control, 617, 843, 1960, 3160; factors affecting, 388a; morphological variation in, 1959; penetration by, 1655; survival of, 1655; transmission of by plant debris, 1655; var. reaction to, 242, 243.

-, — nicotianae var. parasitica on, in Italy, 840; factors affecting, pathogenic variation

in, and var. reaction to, 2616.

-, potato spindle tuber virus on, 798; effect of, on, 784b; symptoms of, 3128a, b; transmission of by pollen and seed, 784b, 3128c.

-, — viruses K and S on, in U.S.S.R., com-

ponent of streak complex, 3158.

, -- X on, in U.S.S.R., component of streak complex, 3158; effect of temperature on infectivity and length of particles in, 3013; factors affecting, 386u.

-, - witches' broom virus on, effect of, on

metabolism of, 1251.

-, Pseudomonas savastanoi on, pathogenicity of, 974.

-, - solanacearum on, in India, 609; breeding against, 2617; control by grafting on Solanum torvum, 609; effect of ratio of virulent to avirulent cells on severity of, 236; factors affecting, 1678, 2886; genetics of, 1678; pathogenicity and serological relationships of 3 strs. of, 608; resistance to, 2617; var. reaction to, 2617.

-, -- tomato on, in Italy, 840.

-, Pyrenochaeta terrestris on, in Germany, causing corky root, 244.

-, Pythium debaryanum on, in Italy, 840.

- ringspot virus on Primula, 2169.

- on tomato in Italy, symptoms of, 840. on Vaccinium corymbosum, 2203.

——— (?)str. on elm, 1679a.

*-, Sclerotinia minor on, in Italy, 390, 840. - sclerotiorum on, in Italy, 840; control,

1265. -, Septoria lycopersici on, in Italy, 840 U.S.S.R., 242; nature of resistance to, 1676.

- spotted wilt virus on Capsicum, 1354q. *____ on potato, 1206.
- ____ on Primula, 2169. _ _ _ on tobacco, 232a.
- ___ on tomato in Italy, 239; N. Ireland, 2; symptoms of, 239.
- -, Stemphylium on, in Italy, 840.
- -, solani on, control, 617, 2954c. -, stolbur virus on, in Bulgaria, booklet on, 2078.
- 'strangling' in Italy 840.
- streak complex in U.S.S.R., components of, 3158.
- -, Thielaviopsis basicola on, symptoms of, 2884.

[Tomato], [tobacco] leaf curl virus strs. on

offiatof, floateof lear early flus sits, on tomato in India, designated Nicotiana viruses 10A, B, and C, symptoms of, and transmission of, by vectors, 1675.

—,—mosaic virus on, 2328b, 2610; in France, 321; Italy, 840; U.S.S.R., 3158; component of streak complex, 3158; control, 1955; distribution of particles of in leaflets, 1956; distribution of particles of, in leaflets, 1956; effect of temp. and Zn on development of, 2883; inactivation of, 3156; prevention of contact transmission of, by milk, 1955; by birds, 1953b; by roots of, 1953a; by seed, 2611.

-, see also tobacco mosaic virus. tomato str.

, — — aucuba str., leaf curl str., single-virus streak str. on, in Italy, 840.

——— tomato str. on, control 317i; effect of nutrient sprays and soil steaming on, 238a; of, on yield and root growth, 238b; on yield and quality, 1250; losses caused by, 1250; review of, 842; symptoms of, 1250; var. reaction to, 317i.

- yellow str. on, effect of, on respira-

tion of, 2414.

, — rattle virus [potato stem mottle virus str.] on, transmission of, by vectors, 1756l.

—, toxicity of fusicoccin A to, 384.

-, Verticillium on, 2648; (?)in Canada. control, 968c.

- alboatrum on, in Canada, 968a; Italy, 840; New Zealand, 3007; control, 1757a; morphology of, 3007; production of pectic

enzymes by, 1794; resistance of root hairs to penetration by, 2430.
-, — dahliae on, in Canada, 968a; New Zealand, 3007; control, 1263; nature of resistance to, 1676; relationship of *Pratylenchus* penetrans to, 597a; resistance of root hairs to penetration by, 2430.

-, — nigrescens on, in Canada, 968a.

- tricorpus on, factors affecting production of dark resting structures in, 2069; resistance of root hairs to penetration by, 2430.

virus diseases in Jamaica, transmission of,

by sap, 1353f.

-, Xanthomonas vesicatoria on, in Italy, 840; New Zealand, 2038; U.S.S.R., 3162; control, 324h, 3162; factors affecting, 3162; isolates of, 3243; serological detection of, 2698j; taxonomy of, 2038.

- yellow leaf curl virus on tomato in Israel,

transmission of, by vectors, 841.

Tomentella, taxonomy of, 55.

Torenia fournieri as test plant for plant viruses, 317k.

Tormonia 100 for eradicating barberry, 1755b. *Torula herbarum on Sansevieria macrophylla, 1832.

- nikitinskii on salted fish, 1775.

Toxoptera aurantii not transmitting citrus tristeza virus, 2491.

- citricidus transmitting citrus tristeza virus, 1090, 2790.
- graminum transmitting barley yellow dwarf virus, 663; potato virus, 2228.

Trachysphaera fructigena, study on development of thallus of, 3278.

Trametes corrugata on areca palm, 2580c.

- gibbosa, spore discharge in, 1409.
- hispida on timber, 1984.

Transvaal grass mosaic [(?)str. of sugarcane mosaic virus] related to Sorghum concentric ring blotch virus, 690.

Tranzschelia pruni-spinosae on peach, 1354c.

Trapex as soil disinfectant, 879.

- technique for evaluation of, 2712. Trees, bacterial diseases of, manual of, 248.

—, Cytospora on, in U.S.S.R., 2246.

—, damping-off of, in Chile, causes of, 552.

-, decay in hardwood, pattern of, 3169. - diseases in the Armenian SSR., 1469; Brazil, 1467; book on 'non-rotting' diseases,

250; symptoms of, 1469.

—, effect of air pollution on, in U.S.A., 249. —, Fomes allardii on, in India, 3168. —, — annosus on, and effect of sap from, on growth of, 1710; detection of, 2259.

- -, calignosus on, in India, 3168. -, lamaensis on, in New Caledonia, 969d. -, linteus and F. sublinteus on, in India, 3168.
- -, fungi on, in Spain, 846; U.S.S.R., 2619; mutual antagonism between, 3167. -, iron deficiency in, control, 3274.

-, iron deficiency in, control, 3274.
-, Mucor in rhizosphere of, in U.S.S.R., 2245.
-, mycorrhiza of, in the Caucasus, anatomy and morphology of, 1408.

-, Nectria on, in U.S.A., characteristics of, 545.

Trialeurodes abutilonea transmitting sweet potato yellow dwarf virus, 2864a, b. vaporariorum transmitting beet pseudo-

yellows virus, 2277. Tribolium castaneum in relation to Aspergillus

on stored grain, 1486.

Tributon D for eradicating barberry, 1755b. N-(trichloromethylthio) hexahydrophthalimide against Erysiphe graminis on oats and

Oidium on vegetable marrow, 1854. Trichloronitromethane as soil fumigant, 641. Trichlorophenyl acetic acid against Ceratocystis

ulmi on elm, 1679e. *Trichoconis padwickii on rice, 595.

Trichoderma, effect of carbamide resin on, 2361; of, on bacteria and fungi, 966e; of, on timber preservation by pentachlorophenol, 1988.

koningii in rhizosphere of Hibiscus canna-

binus, 2056.

viride, adaptability of growth of, 992.
—, antagonism of Scytalidium album and

S. aurantiacum to, 2918.

-, association of, with Fomes annosus on timber, 543f; with maize root rot complex, 120.

-, comparison of enzyme activity of, with some entomopathogenic fungi, 2950o.

- -, effect of fungistatic principle on, 324m. -, Hypocrea rufa perfect state of, 1394; non-production of gliotoxin and viridin by, 1394.
- in rhizosphere of Acer platanoides, 2247. --- of Hibiscus cannabinus, 2056.

- — in soil, see Soil.

-, inhibition of *Polyporus adustus*, *P.* hirsutus, and Polystictus versicolor on timber by, 968k; inhibition of, by almarcetin, 2716.

—, isolation of trichodermin-3 from, 1393.

- on barley, 1418.
- — on clover, 737.
- on pine, 555.
- — on timber, 1714, 1715, 2261a, b.

[Trichoderma viride], products of, causing cytochemical changes in Corticium solani, 3267g.

-, separation of cellulase complex factors

produced in cultures of, 1397a.

-, survival of, in soil, 1803.

- extract, inhibition of Fomes annosus by, 1288; wilt fungi by, 49. Trichodermin, characteristics of, 966e.

-, effect of, on microflora of potato rhizo-sphere, 1219, 3267c.

-3 against Cochliobolus sativus on wheat, Colletotrichum linicola on flax, Fusarium on wheat and F. oxysporum f.sp. lini on flax, 1393; as seed treatment for cotton, 1569.

isolation of, from Trichoderma viride,

1393.

Trichodorus transmitting pea early browning virus, 382; plant viruses, 377.

-allius transmitting tobacco rattle virus [potato stem mottle virus str.], 1756l. - pachydermus transmitting potato stem mottle

virus str., 1459, 2022b. -primitivus transmitting pea early browning

virus, 382. teres transmitting [tobacco] rattle virus

[potato stem mottle virus str.], 1460. viruliferus transmitting pea early browning

virus, 382.

Trichometasphaeria pedicellatum, perfect state of Helminthosporium pedicellatum, 3318.

turcica, inhibition of, by extracts from Anagallis arvensis, 2718.

— on apple, 749.

-- on maize, see Maize.

—— on sorghum, 1078.

on Sorghum bicolor var. technicum and Sudan grass, 2478. *Trichosanthes palmata, Diplodia natalensis

and Trichothecium roseum on, in India, 82. Trichoscyphella willkommii on larch, 1283.

Trichosporium tingens on timber, 1303. Trichosporon penicillatum on elm, 2625.

Trichothecin against vectors of cabbage virus B [cauliflower mosaic virus str.] and of potato virus Y, 2403; as seed treatment for cotton, 714, 1566; for pine, 2252. - constituent of fungicides Bkh-6, -10, -13,

-14, 714.

-, inhibition of fungi by, 620.

-, production of, by Trichothecium roseum, 620.

Trichothecium polybrochum, transference of, to Dactylella, 2341.

- roseum, antagonism of, to fungi, 2981.

——, host range of, 620.

—— in soil, 1423.

- — on Botrytis cinerea, 620.

*— on Feronia limonia, Trichosanthes palmata, and watermelon, 82.

- -, production of trichothecin by, 620.

Trifolium, see Clover.

Trifungal, see Ferbam.

Trigonella, Pseudopeziza medicaginis on, breeding against, 741.

- meliloti on, breeding against, 741; morphology, phylogeny, specialization, and symptoms of, 2824. - trifolii ff.sp. trifolii-pratensis and trifolii-

repentis on, breeding against, 741.

Trioza erytreae transmitting (?) greening virus. 3355b.

Triphenyl tin acetate against Glomerella cingulata, 983.

Triscabol, see Ziram.

Trisetum flavescens, Ustilago avenae on, 3328. Trisodium orthophosphate as seed treatment

for tomato, 317i. Triticum, see Wheat.

Triton B-1956, use of, on potato, 2859.

——, X-100, X-114, and X-400, fungicidal activity of, 981.

Tropaeolum majus, Acroconidiella tropaeoli on,

synonym of Heterosporium tropaeoli, 1592. Tsuga, Melampsora on, in Canada, 1970b.
— rot, detection of, by X-ray fluoroscopy, 1716.

— canadensis, Rhizothyrium abietis on, in Canada, 1697.

— diversifolia witches' broom in Japan, 1280. - heterophylla, Atropellis treleasei on, in Canada, renamed Discocainia treleasei, 1679f.

heart rots in N. America, review of, 1300. T-sulkol against Venturia inaequalis, 167, 2540. Tuberculina maxima against Cronartium ribicola on pine, 1963.

- hyperparasite on C. comandrae and Peridermium stalactiforme in Canada, 2640. Tulip (Tulipa), Botrytis tulipae on, control,

2515; popular description of, 2516. - breaking virus on lily, 1589.

—, fungi on, control, 3062.

—, Rhizoctonia tuliparum on, host range and taxonomy of, 1348b.
—, tobacco necrosis virus and tobacco rattle

[(?)str. of potato stem mottle virus] on, in Denmark, 596d.

Turf, Corticium fuciforme on, in N. Ireland, 2; U.S.A., 3077; factors affecting, 2819. —, Fusarium culmorum on, in England, 3076a,

b. -, Griphosphaeria nivalis on, in Canada, 153; England, 3076a; U.S.A., 3077; Sclerotinia-Corticium type fungus associated with,

3076a. —, Marasmius oreades on, in U.S.A., 3077.

Melanospora damnosa on, in England, 3076b.

-, Melastiza chateri on, in N. Ireland, 2.

-, Ophiobolus graminis on, in England, 3076b; N. Ireland, 2; U.S.A., 3077.

-, Sclerotinia homoeocarpa on, in England, 3076b.

—, Scutellinia scutellata on, in N. Ireland, 2. -, Typhula incarnata on, in England and Scotland, 3076a.

Turmeric (Curcuma longa), Taphrina maculans on, technique for culturing, 1638.

Turnip (Brassica rapa), B deficiency in, in France, 2737; Tasmania, 356.

-, cauliflower+turnip mosaic viruses on, in New Zealand, 2921.

, Cercosporella brassicae and Colletotrichum higginsianum on, control, 2657.

- latent [Physalis floridana yellow net] virus on Physalis floridana, 1021, 2755.

— mosaic virus on Alliaria officinalis, 563.

— — on cabbage, 563, 2650. — — on Chinese cabbage, 2655.

___ on Crambe abyssinica, 1600.

- - on horse radish, 6h, 2656.

[Turnip mosaic virus] on Petunia, 2408.

— on turnip in Germany, 965j; electron microscopy of, 2408; rhubarb virus 2 identified as, 2692d; technique for producing low molecular weight preparations of, 657; transmission of, by vectors, 965j, k.

on watercress, 900.

— + cauliflower mosaic viruses on turnip in New Zealand, 2921.

- virus str. can infect Nicotiana glutinosa, 899.

- on Cruciferae, 897. ———— on radish, 899.

----, Daikon mosaic str. on Japanese radish, 896. -- Kwuting str. on cabbage, Chinese,

2271.

Plasmodiophora brassicae on, in New Zealand, 2274; genetics of, 3194; physiologic races of, 2274, 3194.

, radish mosaic virus on, in U.S.A., sero-

logical relationshiops of, 1309.

- yellow mosaic virus on cabbage, Chinese,

-on turnip, 1720; cacao yellow mosaic virus related to, 2433; electron microscope study on, 1466; interaction of, with quaternary ammonium salts, 2410; liberation of infectious RNA by, 2409; potato Andean latent and Solanum dulcamara mottle viruses resembling, 2327c; technique for local lesion assay, 895; for purification, 371, 2748.

group, cowpea mosaic, red clover mottle, and squash mosaic viruses distinct from, 2327d.

rape (Brassica napus), Alternaria brassicae

on, control, 1723. -, - brassicicola on, in Chile, 1031.

-, Glomerella cingulata on, phytoalexins from, 30.

, Macrophomina phaseoli on, in Pakistan,

131Ó. , Pythium debaryanum on, effect of partial soil sterilization on infection by, 2385.

Tween 20, use of, on sugarcane, 2868b.

81, fungicidal activity of, 981. Tylenchulus semipenetrans on orange, 1756r. Typhlocyba, not transmitting raspberry leaf curl virus, 2207.

Typhula idahoensis on wheat, 1756n.

incarnata on turf, 3076a.

Tyrothricin, inhibition of Phytophthora cactorum by, 638.

Uleiella paradoxa on Araucaria angustifolia, 2903.

Ulmus, see Elm.

Ulstrasound, effect of, on spores of Gymnogramme calomelanos and Ustilago nuda, 999.

UV light, degradation of captan, difolatan and

phaltan by, 618.

-, effect of, on infectivity of Agrobacterium tumefaciens, 3241; microsclerotia and melanin in Verticillium, 350; Serratia marcescens and Xanthomonas phaseoli var. sojense, 2301; sporulation of Diaporthe perniciosa on apple, 2948e; tobacco mosaic virus on bean, 1461.

inactivation of bean southern mosaic

virus by, 2753.

Umbelliferae, medicinal, bacterial diseases of seeds and inflorescences, in Poland, 2573.

*Uncinula acalyphae on Acalypha indica, 3232e. Uracide in combination against Streptomyces

scabies on potato, 1940.

Urea against Fomes annosus on pine stumps, 876: Ustilago striiformis on Poa pratensis, 2519; as soil treatment against Pseudomonas solanacearum on potato, 1658.

-, effect of, on Aspergillus in rhizosphere of wheat, 352; microflora in rhizosphere of rice, 2996a; Venturia inaequalis, 1609.

- formaldehyde against Streptomyces scabies on potato, 814.

Uredinales, generic names of, C.M.I. publication on, 1811.

- in Finland, 1435; Norway, 3000.

- on fodder grasses, 2067.

-, physiology of uredospores of, review of literature on, 34.

, review of structure and divisions of, 1010. Uredo fuchsiae on Fuchsia, 2508.

- sesbaniae, uredial state of Uromyces poonen-

sis, 479. Urocerus transmitting Stereum chailletii on

Abies balsamea, 2251. Urocystis agropyri on wheat, 670, 1051, 1501, 2441.

cepulae on Allium, 1731.

— on leek and onion, 2669. Uromyces in U.S.S.R., 2065, 3229b. —, oils in spores of, 33a.

— appendiculatus on bean, see Bean (Phaseolus). — betae on beet, 566a.

— caryophyllinus on carnation, 2160.

 ciceris-arietini on Cicer arietinum, 1
 decoratus on Crotalaria juncea, 2068. - dianthi on carnation, 458, 1031.

- fabae, see Uromyces viciae-fabae.

- fallens on clover, 733.

*— graminis on carrot, 390. — maydis, tolerance of Na arsenate, 2378.

— nerviphilus on clover, 733.

— pisi-sativi on Leguminosae and pea, 2739. - poonensis on Sesbania aegyptiaca, telial stage of Uredo sesbaniae, 479.

- setariae italicae on Cordia rothii, Setaria italica, and S. verticillata, 128. - sojae on soybean, 2928.

- striatus on clover and lucerne, 2739.

— medicaginis, self-inhibitors in, 2699a. — trifolii on clover, 733, 1131, 2376, 3394. — trifolii-repentis on clover, 733.

- viciae-fabae on bean, 298.

on broad bean, 1325, 2287, 2928.

— on Leguminosae, 2739.

on vetch, 390.

Ustilaginales, genetics and physiologic specialization in, 2399.

- in Norway, 3000.

-, popular account of, by Fischer, 3001. Ustilaginoidea virens on rice, 1087, 3343a.

Ustilago avenae on oats, see Oats. on Trisetum flavescens, 3328.

- cynodontis on Cynodon dactylon, 2171.

- hordei on barley, see Barley.

on oats, see Oats.

 $- \times U$. nigra on barley, 1060.

- maydis, effect of 5-fluorodeoxyuridine on genetic replication and mitotic recombination of, 1070; of vitamin B₆ and Zn on production of auxin by, 1071a, b.

[Ustilago maydis], genetics of, 2328a.

-, hexose monophosphate pathway in, 119.

— —, inhibition of, by almarcetin, 2716. — — on maize, see Maize.

-- on sugarcane, 686.

-, physiology of parasitism of, 1072.

-, solopathogenicity in, 668.

- nigra on barley, 1060. - nuda, effect of microelements on, in pure culture, 2104; of ultrasound on spores of, 999.

- on barley, see Barley.

- on wheat, see Wheat. -, self-inhibitors in, 2699a.

, serological relationships of, 361.

- scitaminea on maize, 686.

on sugarcane, see Sugarcane.
tolerance of Na arsenate, 2378.

- striiformis on Agrostis palustris, 2170, 3390. - on Poa pratensis, 2519.

- violacea on Melandrium album, 462a, b. *— wynaadensis on Sorghum nitidum, 1866.

zeae on maize, 3229f.

Ustilgon against *Ustilago nuda* on parley, 1755a, 2946b.

Ustulina zonata on Hevea rubber, 1222g.

- on tea, 3232b.

Vaccinium, tobacco ringspot virus on; serologically indistinguishable from Skimmia ring-spot virus, 1759e.

- angustifolium, mineral deficiencies in, symp-

toms of, 1624.

- caespitosum, Pucciniastrum goeppertianum on, effect of, on growth, 1756f.

-corymbosum, Botryosphaeria corticis on, resistance to, 2561.

, Fusicoccum putrefaciens on, in U.S.A., 499.

-, Glomerella cingulata on, effect of on free amino acids and reducing sugars in,

necrotic ringspot virus identical with or closely related to tobacco ringspot virus, non-protection of, against tomato ringspot virus; symptoms of, 2203.

, Podophyllum peltatum virus on, nonprotection of, against tomato ringspot virus,

2203.

-, tomato ringspot virus on, failure of other viruses to protect against, 2203.

macrocarpon, Vaccinium false blossom virus

on, 1453.

- membranaceum, Pucciniastrum vaccinii on, in Canada, transmission of, to conifers, 2742.

myrtillus, Fomes annosus on, in Finland, 2258.

, technique for isolation of fungi from roots of, 2733.

witches' broom virus in W. Europe, 1453.

vitis-idaea, Fomes annosus on, in Finland, 2258.

Valsa cincta on plum, 2550.

- eugeniae on pimento, 1353d.

– kunzei on Pseudotsuga menziesii, 2915.

— leucostoma on stone fruit, 2839.

- nivea on aspen, 844.

- on poplar, 2629a, 3173.

- sordida on aspen, 259, 3175.

[Valsa sordida] on poplar, 2629a, 2630.

Vancide 51 against Synchytrium endobioticum on potato, 968i.

Vanda, Pseudomonas andropogonis on, in Hawaii, 465.

-, Sclerotium rolfsii on, in Malaysia, spread and symptoms of, 2167.

Vanilla, Fusarium batatatis var. vanillae on, technique for evaluating reactions to, 202

Vapam against Ceratocystis ulmi on elm, 1683; Fomes noxius on tea, 1233a; Macrophomina phaseoli, 986; Pythium debaryanum and P. ultimum on tobacco, 2881; Sclerotium rolfsii, 986; Thielaviopsis basicola on tobacco, 2239, 2881: Verticillium dahliae on eggplant, 3228f.

—, analytic methods for, 2360.

— as soil disinfectant, 14, 780, 964a, 964i, 1233a, 2239, 2626, 2627, 3065, 3067, 3189.

-, effect of, on mycorrhizal development in forest nurseries, 2365.
- versus WN/12, 3228f.

Vegetable marrow (Cucurbita pepo), cabbage,

Chinese, 'tszyane' virus on, 2269. - mosaic virus in Egypt, host range and non-transmission of by Aphis craccivora, 2009.

on Cucurbitaceae, 2009.

——, Oidium on, control, 1854.

- —, plum pox virus + [peach] ringspot virus can infect, 175.

- —, Pseudoperonospora cubensis on, in Mauri-

tius, 3232c.

-, Sphaerotheca fuliginea on, control, 2674. -, watermelon mosaic virus on, in Hungary, 2311.

Vegetables, deficiency diseases in, symptoms

of, 3228e.

-, diseases of, in Brazil, 1467; India, 82; Italy, 3228b, c, d; Poland, 2427; U.S.A., 1829b; Venezuela, 2647; control, 275, 2647, 3228a, b, c; losses caused by, 1829b; Russian booklet on, 1718.

-, seedling blackleg on, causal agents of, 558.

Venturia, taxonomy of, 55.

-, warning service for, 1755f.

- inaequalis, composition of cell walls of, 2541.
- -, growth of, 2542; on callus tissue of antirrhinum, tobacco, and tomato, 3861.

in the air, 1610.

——, mechanism of pathogenicity in, 632.

--- on apple, see Apple.

-, Trichothecium roseum on, 620.

——, use of, in spore germination tests, 1384.

- nobilis on laurel, 854.

- pirina on pear, see Pear. - tremulae on aspen, 1694.

Venus verrucosa, inhibition of tobacco mosaic virus by, 1671.

Verdasan against Sclerotinia homoeocarpa on turf, 3076b.

Veronica longifolia var. subsessilis, Sphaerotheca fuliginea on, in Scotland, 3285.

-persica not a host of lettuce big-vein virus, 308.

Verticicladiella dryocoetidis, imperfect state of Ceratocystis dryocoetidis, 1699.

Verticillium, effect of light and UV radiation on microsclerotia and melanin production by, 350.

[Verticillium] alboatrum, antagonism of fungi in rhizosphere of desert plants to, 2387

-, effect of light on, 40; nematocides and fungicides on microsclerotia of, 784f; sodium fluoride on, 2377; 1-substituted pyridines on, 982: vitamins on, 41.

of, 39; hereditary variation in monospore cultures of, 1417; production of dark resting structures in, 2069.

- —, hosts of, 491, 3007. - — in soil, 1805, 2736. - —, inhibition of, by almarcetin, 2716.

---, mechanism of variation in, 68. ——, morphology of, 994, 3007.

— on avocado pear, 775. — on cassava, 2954d.

— on Chrysanthemum, 1116.

— — on clover, 738

— — on cotton, 386b, 454, 3057. — on cucumber, 2313, 2314, 2430.

— on eggplant, 321. — on elm, 543c.

— — on ginseng, 3119. -- on hops, see Hops.

- — on horticultural crops, 968a.

— — on laurel, 2627.

-- on Lotus corniculatus, 738. — on lucerne, see Lucerne. — on lupin, 738.

— — on olîve, 195, 2216.

— — on Onobrychis viciifolia, 738.

- - on peppermint, 1194. — on potato, 784e, h, 1924. — on *Rubus*, 3415.

— — on Senecio vulgaris, 2022d.

— — on stone fruit, 491. — — on sunflower, 1197.

— — on tomato, see Tomato. — on Vigna sesquipedalis, 2430.

*-- on vine, 316.

---, origin of new growth in dormant microsclerotial masses of, 3008.

—, production of pectic enzymes by, 1794.

——, review of, 1008.

-, variation in, 319e. - filtrates inhibiting wilt fungi, 49.

- buxi, renamed Paecilomyces buxi, 457. — cinerescens in soil, 3066.

— on carnation, see Carnation.

-dahliae, antagonism of soil actinomycetes to, 3267d.

-, effect of phytoncides on, 966b.

-, factors affecting production of dark resting structures in, 2069.

-, Gliocladium roseum (?)parasitizing, 1177.

-, hosts of, 1429, 3007.

- in soil, see Soil.

--, mechanism of variation in, 68. -, method of assaying, 968c.

--, morphology of, 3007.

--- on Acer, 3263.

— — on bean, 1429.

— on clover, 738, 2950a.
— on cotton, see Cotton.

— — on cucumber, 2430. — — on eggplant, 597a, 3228f, 3229e, 3263.

— on groundnut, 1355c. — on hops, 196f, 1917, 2847.

— — on horticultural crops, 968a.

--- on lucerne, 2950a. --- on lupin, 738.

[Verticillium viciifolia, 738. Onobrychis dahliae] on

- on peppermint, 2850.

*— on rose, 2693e.

- on Senecio vulgaris, 2330h. — on strawberry, 1177, 2330h.
 — on tomato, see Tomato.
 — on Vigna sesquipedalis, 2430.
- —— on watermelon, *1355h, 3219. ——, saltation in, 715.

- hemileiae, associated with Hemileia vastatrix on coffee, lytic activity of, against rust fungi, 1795.
- lateritium associated with Phytophthora cinnamomi on avocado pear, 775.

 - malthousei on mushroom, 2322, 2680.
- nigrescens on horticultural crops and
- tomato, 968a.
- nubilum on potato, 534, 2588. - tricorpus, morphology of, 3007.

— on cucumber, 2430. —— on tomato, 2069, 2430.

- on Vigna sesquipedalis, 2430.

Vespula, fungi in nests of, 2970. Vetch (Vicia), micro-organisms in rhizosphere of, 3270a, b.

*—, Peronospora viciae on, in Italy, 390. -, Phytophthora erythroseptica on, in U.S.A.,

1598. *—, Pseudomonas pisi on, in Greece, 2927.

*-, Uromyces viciae-fabae on, in Italy, 390. *Vetiveria zizanioides, Gloeocercospora sorghi on, in India, 2695a.

Vicia, see Vetch.

angustifolia, Physoderma on, sporangia of, 2698g.

- faba, see Bean, Broad.

- sativa, as indicator for lucerne mosaic, red clover vein mosaic, and Wisconsin pea streak viruses, 2079, 2173. — virus disease in U.S.A., inactivation and

symptoms of, 2698f.

Victorin, effect of, on oats, 1534, 3329.

, production of, by Cochliobolus victoriae,

Vigna, cowpea chlorotic mottle virus on, properties, purification and serology of, 300.

, — viruses on, relationship of, to bean common mosaic virus, symptoms, and transmission of, 966h.

, Dactuliophora tarrii on, in Africa, symptoms of, 362.

, Sphaerotheca fuliginea on, in Queensland, 1355g.

- sesquipedalis, Fusarium and Verticillium spp. on, resistance of root hairs to penetration by, 2430.

- mosaic virus str. on *Phaseolus angularis*, 925.

- unguiculata, see Cowpea.

Vinca rosea, aster yellows virus on, 2404. -, clover proliferation virus on, 2825.

Fusarium solani on, strs. and symptoms of, 468.

- leaf curl virus, symptoms of and transmission of, by grafting, 1593.

virus disease, resemblance of to parastolbur and stolbur, 3010.

Vincetoxicum officinale, Cronartium asclepiadeum on, in Italy, spread of, to pine, 266. Vine (Vitis), Alternaria on, effect of SO2 on

germination of, 2690.

[Vine] black leaf in U.S.A.; K in relation to; symptoms of, 3227.

-wood disease in France, (?) related to vine golden flavescence virus, 2682, 2683a; transmission of, by grafting, and (?)by vectors, 2683a.

, boron deficiency in, in Argentina, 2389; *Greece, 161c.

-, Botryosphaeria obtusa on, description and key for, 1006.

*—, — ribis on, in Tanganyika, 599b.

- stevensii on, description and key for, 1006.

, Botrytis cinerea on, in Austria, 3014; Germany, 1338; Italy, 315; U.S.S.R., 1343, 2020; comparative actiology of, 315; control, 315, 1338, 1342, 1752, 2020, 2691; effect of on yield, 1343; in relation to plant disease control, 2710; to protection of graft sites, 1341; symptoms of, 1752.

-, Cephalosporium on, in Greece, association of with 'Tsulik Marasi' disease, 963.

-chlorosis in U.S.S.R., 1344.

*—, Cladosporium herbarum on, in India, 1472.

-, copper toxicity in, in France, 594.

Cryptosporella viticola on, in New S. Wales, 2332f.

-, Curvularia verruculosa on, in Tanganyika, 599b. - dying arm disease not caused by a virus,

1356d. -, effect of excreted substance from leaves of,

on decomposition of zineb, 1391. — enation virus on vine in Germany, 959.

-, epiphytic microflora of, 3267b.

- fan leaf virus on vine in *Canada, 88; Victoria, 13540; Yugoslavia, 2686; inocula-tion of, 386z; (?)related to vine yellow mosaic virus, 2686; similarity of defence reaction to vine golden flavescence virus. 2682; transmission of, mechanically, 386z.

—, fluorine injury to, 2983b.

golden flavescence virus on vine in France, 2682, 2683a, 2984, 2985; Germany, 959; control, 2684, 2685; monograph on, 2682; relationship of, to black wood disease, 2682, 2683a; transmission of, by grafting, 2683a; by vectors, 2685; var. reaction to, 2684.

- infectious degeneration virus on vine in France, 313; Romania, 314; U.S.S.R., 2323; Yugoslavia, 2686; control, 2324; demonstration of, 1748; effect of, on yield, 314; electron microscope study of, 2324; (?) form of vine fanleaf virus, 2686; forms and symptoms of, 2323; serology of, 1748; transmission of, by soil and vectors, 313; var. reaction to, 314.

- iron chlorosis in, in France, 594.

-leaf roll virus on vine, in *Canada, 88; Victoria, 13540; diagnosis of, 2325; effect of, on mineral content of leaves, 1751; potassium in relation to, 13540; symptoms of, 2325.

-, magnesium and manganese deficiencies in and Mn toxicity in, in France, 594.

-, methods of selecting healthy stocks of, 1337, 2687.

-, microflora in rhizosphere of, factors affecting, 2997.

, mineral deficiency and toxicity in, in France, 594.

[Vine], Penicillium on, in Italy, comparative aetiology of, 315; control, 315, 1342.

phylloxera, legislation against in S. Austra-

lia, 1747.

-, Phytophthora on, in New S. Wales, 2332a. -, Plasmopara viticola on, 2085; in Bulgaria, 592; Germany, 1338; Hungary, 962; Italy, 315, 388a, b; Romania, 3224; U.S.S.R., 1339; comparative aetiology of, 315; control, 315, 592, 961, 962, 1338, 2041, 2326, 2359; factors affecting, 388a, 3224; genetics of, 2689; in relation to plant disease control, 2710; phytopride caticities desired. Plasmopara viticola on, 2085; in Bulgaria, 2710; phytoncide activity in relation to, 591; specific reaction to, 591; var. reaction to, 591, 1339, 2689.

-, Pseudocercospora vitis on, in India, 646. Pseudopeziza tracheiphila on, in Germany,

1338.

-, Rhacodiella vitis on, in U.S.A., 3226.

—, Rhizopus oryzae on, in Tanganyika, 599b. —, storage disorders of fruit of, 1342.

-, tomato black ring virus on, method for

testing for, 3223.
- 'Tsilik Marasi' disease in Greece, Cephalo-

sporium associated with, 963.

- sportum associated with, 963.
 -, Uncinula necator on, in Germany, 1338, 1340; Hungary, 962; Italy, 315, 388a, b; U.S.S.R., 593, 3225; conidial germination of, 2994; control, 315, 388b, 592, 961, 962, 1338, 2355; effect of aspor on, 592; of fungicides on, 12; factors affecting, 388a, 062, 3235; in the state of the st 962, 3225; in relation to plant disease control, 2710; overwintering of, 593, 962, 1340; technique for evaluating fungicides against,
- urticado virus, transmission of, by vectors, 1750.

- vein clearing virus on vine in Germany, 959. *-, Verticillium alboatrum on, in Greece,

symptoms of, 316.

- -virus diseases in Australia, 590; Germany, 959; U.S.A., 590; control, 959; legislation against in S.E. Australia, 1747; review of, 959; soil-borne, serology of, should be grouped as 'court-noue' or 'roncet', 590; technique for heat treatment of, 1749; transmission of by soil, to herbaceous hosts, 590.
- white panachure, effect of temp. on, 1753. - witches' broom virus on vine in Germany, symptoms of, 959.
- Xanthomonas vitis-carnosae on, in India, 977.
- vellow mosaic virus on vine in S. Australia, isolates of, 1356d; Victoria, 1354o; Yugoslavia, (?) related to vine fanleaf virus, 2686. Viola tricolor, see Pansy.

Viridin, production of, by Gliocladium virens,

1394.

Viruses, Advances in research, Volume VIII, 1449; annotated proposals for standardization in nomenclature of, 1452; as vital organic compounds, 2437; books on, 1017, 1818; electron microscopy of, 1450, 1451; 2950p; immunological conditions in, 1646a; in relation to parasitism, 3260d; interactions between hosts and, 1; isolation of polymerases in connexion with infection by, 2412; and Molecular Biology, An elementary introduction, 2nd edition of, 1448; National Plant Virus Research Centre for, 75; new perspectives in control of, 77; problem of unity in, 3281; process of infection by, 76; production of inclusion bodies by, 2696b; purification of, 1019; relationship between hosts of and, 1; replication of, with RNA, 2411; rhizosphere in relation to, 2996j; role of heat therapy in curing, 1018; serological tests as criterion of purity of preparations of, 78; study on cell inclusions of, 385; survival of, 318c; technique for purification of, 2748; transmission of, by nematodes, 377; pollen, 373; seed, 2402; soil and vectors, 1, 318c.

Vitamin B₆, effect of, on production of auxin

by *Ustilago maydis*, 1071a, b. Vitigran alone and in combination against Mycosphaerella ribis on currant, 2563. Vitis, see Vine.

Volvaria esculenta, cultivation of, 1336; in S.E. Asia, 1746.

Vorlex as soil disinfectant, 968c, 1259. -, technique for evaluation of, 2712.

- in combination as soil disinfectant, 1194. Vulpia myuros, Puccinia coronata on, 3020d; in India, 1065.

-, - graminis on, in India, as source of infection for oats; physiologic races of, 2465.

Walnut (Juglans), boron deficiency in, in Argentina, symptoms of, 2389.

decay, pattern of, 3169.

-, Gnomonia leptostyla on, in Yugoslavia, 867; control, 2900; distribution and symptoms of, 867.

-, Hendersonula toruloidea on, anatomical and physiological studies of, 1975; inhibition of arthrospores of, by hydrojuglone, 1757b. *—, Microstroma juglandis on, in U.S.A., 2888.

-, Pleurotus juglandinus on, in Bulgaria, 3178.

, Xanthomonas juglandis on, control, 2900. Watercress (Nasturtium officinale), cucumber mosaic virus on, in China, 900.

- mottle disease, in China, viruses associated with, 900.

-, turnip mosaic virus on, in China, 900.

white spot virus on watercress in China, hosts of, 900, 3283; properties of, 900. *Watermelon (Citrullus vulgaris), Alternaria

cucurbitae on, in U.S.S.R., 89.

- tenuis on, in India, 82.

-bacteriosis, in U.S.S.R., 1741, 3220; effect of streptomycin and tetracycline on, 1741; Erwinia carotovora f. citrullis suggested as name for pathogen, 3220.

Colletotrichum lagenarium on, in U.S.A.,

2954f; U.S.S.R., control, 954.

, Erysiphe cichoracearum on, in U.S.S.R., control, 954.

Fusarium on, in U.S.A., 2954f; U.S.S.R., 3219, 3229c; aetiology of, 3219.

- oxysporum ff.sp. on, cross-protection by, 324a.

,——f.sp. *niveum* on, in U.S.A., geographical distribution of races of, 2954f.

, Glomerella cingulata var. orbiculare on, comparison of races of with those on cantaloupe and cucumber, 310.

-, Macrophomina phaseoli on, in India, 82. - mosaic virus on cucumber and pumpkin,

2008.

Japan, 571; hosts of, 571, 2008; inactivation of, 571; properties of, 2008; purification of,

by zone electrophoresis, 371; symptoms of identical with cucurbit virus B, 2008; types of, 6i.

[Watermelon mosaic virus] on squash and vegetable marrow, 2311.

- strs. on melon, 3218.

viruses 1 (Freitag type) and 2, 6i. -, Mycosphaerella melonis on, in Brazil, 2677.

*__, Phoma citrullicola on, in India, 82. -, Sphaerotheca fuliginea on, in U.S.S.R., control, 954.

-, tobacco ringspot virus on, symptoms of, 1465.

*—, Trichothecium roseum on, in India, 82. Verticillium on, in U.S.S.R., aetiology of,

- dahliae on, in *Queensland, 1355h; U.S.S.R., aetiology of, 3219.

Wepsyn against Oidium begoniae on Begonia, 2162.

155 against Podosphaera leucotricha, 3098. Wheat (Triticum), Absidia on stored, in Canada,

-, Agropyron mosaic virus can infect, 1125. -, Alternaria on, in U.S.S.R., 1056.

-, — triticola on, in India, 1512, 2023b; losses caused by, 2106; symptoms of, 1512. Amomum subulatum mosaic virus can infect,

386a.

-, Arthrobotrys oligospora in rhizosphere of, 1378.

Aspergillus flavus on stored, in Canada, 2773.

- fumigatus, A. nidulans, and A. sydowi in rhizosphere of, effect of urea on, 352. -, - restrictus on, effect of, on yield, 397e.

-, - versicolor on stored, in Canada, 2773 -, aster yellows virus on, symptoms of, 3294. Aureobasidium bolleyi on roots of, in U.S.A., 1515.

—, barley stripe mosaic virus str. on, 2437.

- , yellow dwarf virus on, in New Zealand, 323, 1837e, f; U.S.A., 3321; Victoria, effect of on, 1354h; on yield, 323, 1354h; factors affecting, 1036; losses caused by, 323; review of, 1837e; transmission of, by vectors, 1837f, 3321.
- -, boron deficiency in, in Tasmania, 356.
- Bromus mosaic virus on, in S. Africa, 3293.
- , Cephalosporium on roots of, in U.S.A., 1515.
- gramineum on, effect of wireworms on, 2327i.

Cercosporella herpotrichoides on, in Finland, 90; Germany, 1755i; Latvia and Lithuania, 3310; U.S.S.R., 415, 3310; control, 415, 2107; effect of crop rotation and fertilizers on, 415, 1845; of temp. on sporulation of, 1052; of, on yield, 415; evaluation of resistance to, 91; factors affecting, 415; leaflet on, 3311; review of, 2456; technique for inoculating, 1053; var. reaction to, 2329b, h.

-, Cochliobolus sativus on, 1516; in Canada, 3026; S. Africa, 2455; Sweden, 2762; U.S.A., 1515; U.S.S.R., 1846; changes in spore populations of, 3026; control, 1393, 1518, 1846, 2455; development of, in relation to cultivation, 2110; distribution of, 2762; effect of Alternaria tenuissima and Epicoccum nigrum on, 3025; fungi in rhizosphere on, 1421, 2696d; of, on yield, 1846; inhibition of *Puccinia graminis* by, 2766a, b; manual on, 1846; symptoms of, 2455; toxins from, 2696e; var. reaction to, 2455.

[Wheat], copper deficiency in, in Kenya,

2458.

, Corticium solani on, in Victoria, 1354h; factors affecting, 101; interaction between Fusarium culmorum and, 1354h.

*—, Curvularia pallescens on, in India, 102. Dilophospora alopecuri on, in U.S.S.R.,

, Dua 1596.

diseases in Argentina, 3017; U.S.A., 1836; Victoria, 86; control, spread and symptoms of, 1836; tests for resistance to, 3017; var. reaction to, 104.

dwarf virus disease, wheat ear disease in U.S.S.R. identified as, symptoms and transmission of, by vectors, 3298.

-, effect of length of storage period and mois-ture content on germination of, 1485; of phytoncides from, on development of fungi, 966b; of phytotoxin from residues of, in soil, on growth, 968e.

, Erysiphe on, germination of cleistothecia

of, 2329f.

,—graminis on, in *India, 1848; Poland, 2756; U.K., 3029; U.S.S.R., 1038; control, 2355; distribution of, 2756; effect of 6-azauracil on, 17, 1054; of griseofulvin and procaine on, 1054; of, on metabolic resist-ance to, 106b; evaluation of resistance to, 91; factors affecting ascospore formation in, 418; forecasting outbreaks of, 2756; genetics of, 1847; incubation period of, 106a; isolation of reducing substance from, 106b; photo-phosphorylation and starch metabolism in relation to, 2376; physiologic races of, 419, 1519, 3029; transmission of, to barley, 1520; var. reaction to, 1038, 1519, 2329h, 3030a.

–, fungi on, in India, 2439; Victoria, 1354h.

–, — on stored, factors affecting, 397e.

–, Fusarium on, in Sweden, 2762; U.S.S.R.,

415, 1056; control, 415, 1056, 1393; crop rotation in relation to, 415; distribution of, 2762; effect of, on yield, and factors affecting, 415.

acuminatum on roots of, in U.S.A.,

1515.

- avenaceum on, in England, 1514. -, — culmorum on, in England, 1514; S. Africa, 2455; U.S.S.R., 415; Victoria, 1354h; control, 415, 2455; crop rotation in relation to, 415; effect of on, 1514; on yield and factors affecting, 415, 1514; interaction between Corticium solani and, 1354h: symptoms of, 2455; var. reaction to, 2455.

-, — equiseti and F. oxysporum f.sp. redolens on, in U.S.A., 1515.
-, — poae on, in England, 1514.

- sporotrichiella on, in U.S.S.R., crop

rotation in relation to, 415.

-, Gibberella zeae on, 1516; China, 1055, 2457; England, 1514; Queensland, 1355a; effect of, on, 1514; factors affecting, 1055, 1355a, 1514, 2457; forecasting outbreaks of, 2457; hosts of, 1055; inhibition of by rhizosphere fungi, 1421; overwintering of, 1055; pathogenicity of, 1355a; spread of, 105; var. reaction to, 417, 1355a.

Griphosphaeria nivalis on roots of, 1515; in

England, 1514, 2108; *New Zealand, 3297; factors affecting and var. reaction to, 2108.

gummosis, 1000c.

[Wheat], Helminthosporium on, in U.S.S.R., crop rotation in relation to, 415.

*-, Leptosphaeria avenaria and L. michotii on,

in *Kenya, 2697c.

,—nodorum on, in England, 2108; Kenya, 2697e; Sweden, 2672; control, 412, 2108; distribution of, 2762; factors affecting, 2108; technique for testing for resistance to, 1513. *—, — tritici on, in Kenya, 2697c.

-, microflora in rhizosphere of, factors affect-

ing, 2997.

-mosaic virus on wheat in Canada, 1594b; U.S.S.R., 1038; transmission of, by soil, 1838. -, Mycosphaerella holci and M. tassiana on,

in *Kenya, 2697c.

-, Ophiobolus graminis on, 1845; in Finland, 90; New S. Wales, 2441, 3233; Norway, 429; U.S.S.R., 415, 3313; *Yugoslavia, 3312; comparison of effect of different ff.sp., 429; control, 415, 1516, 2441; crop rotation in relation to, 415; effect of soil microflora on, 1517; of, on yield, 415; factors affecting, 415, 3313; root infection by ascospores of, 3027, 3028; spread and symptoms of, 1516; var. reaction to, 429, 2327h, 2441.

-, ozone toxicity in, symptoms of, 1487. -, Penicillium cyclopium and P. funiculosum on, in Canada, causing hot spot in stored, 2773.

-, Periconia macrospinosa on, in U.S.A., 1515. -, Pleospora phaecomoides on, in Kenya,

Podosporiella verticillata on, in New S. Wales, symptoms of, 2438.

-, Puccinia on, in Argentina, tests for resistance to, 3017.

—, — coronata on, in Canada, 88.
—, — graminis on, 3020a; in Argentina, 1502;
Austria, 3301; Brazil, 1503; Canada, 1357,
2764; France, 3020c; Germany, 3301;
Greece, 401f; India, 2023a; Irish Republic, 3; Israel, 1039; Italy, 401g, h; Morocco, 401c; New S. Wales, 2441; New Zealand, 1837a; N. America, 2442; *N. Nigeria, 1350b; Rhodesia, 598e; Sudan and Switzerland, 3301; United Arab Republic, 406; U.S.A., 1490; U.S.S.R., 1489, 2950b; W. Australia, 1499; Yugoslavia, 401d, e, j; barberry in relation to 3, 401c, d, g; booklet on, 1489; breeding against, 403, 1039; comparison of physiologic races of, with *P. graminis* on barberry, 401h; control, 406, 407, 1491, 1500, 2091, 2441, 2443; effect of *Agropyron* resistance on, 1496; of light on, 1042; of Na propionate on, 397b; of sowing density on, 1488; of temp. on germination of uredospores of, 1043; of, on nucleic acid content of leaves, 1494; electron micrographs of germ tubes and uredospores of, 1498; evaluation of resistance to, 91; factors affecting, 93, 401f, 1488, 1493, 1499, 1837a; Freon-113 as dispersal medium for uredospores of, 2089; Fusarium roseum parasitizing, 2090; genetics of, 403, 1040, 1495, 1497, 1847; inhibition of, by Cochliobolus sativus, 2766a, b; life cycle of, 1500; list of vars. 2766a, b; fife cycle of, 1300; fist of vars, resistant to physiologic races of, 2950b; losses caused by, 1499; metabolic activity of enzymes of, 94; metabolism of pelargonate by uredospores of, 2765; overwintering of, 401f; penetration of, 405, 2088; photosynthesis in, 35; physiologic races of, 3, 401e, in 1039, 1400, 1502, 1503, 2023a, 2441 g, j, 1039, 1490, 1502, 1503, 2023a, 2441,

2764, 3020c, 3301; production of uredospore germination inhibitor by, 404; properties of bacteria isolated from uredospores of, 404: spread and symptoms of, 1500; technique for studying, 1041; up-take of HgCl₂ and S by, 13; var. reaction to, 403, 598e, 1040, 1357, 1490, 1501, 2023a, 2441, 2442; 3299; wild grasses in relation to, 401d, f.

Wheat, Puccinial recondita on, in Belgium, 2445; Bulgaria, 408; Canada, 1357, 2764; Germany, 965b; India, 2023a; Israel, 1039; U.S.A., 97, 98, 407; U.S.S.R., 409, 410, 1038, 1045, 1489; booklet on, 1489; breeding against, 1039, 3302; control, 407, 664, 665, 1045, 1841, 2443, 2444; effect of micro-elements on, 2093; of nutrition on, 2098; of sowing density on, 1488; of, on host metabolism, 1044, 2446; factors affecting, 410, 665, 1045, 1357, 1488; genetics of, 96, 1847, 3303; germination of uredospores of, 3306; host resistance to, 1044; hyperparasitization by *Darluca filum*, 1840; identification of races of, 2767; inhibition of, by sulphanilate, 2092; nutrient mobilization by, 2096; physiologic races of, 97, 98, 408, 1039, 2023a, 2095, 2764; sporulation of, in culture, 1044; teleutospore formation in, 2094; use of race nurseries in breeding against, 1521g; var. reaction to, 95, 96, 408, 410, 1038, 1357, 1504, 2095, 2098, 2445, 2446, 2768, 3303; to fungicides, 1841; wild

2446, 2768, 3303; to fungicides, 1841; wild grasses as reservoirs for, 409.

-, — striiformis on, in Canada, 88; Colombia, 2769; Germany, 965c; India, 2023a; Israel, 1039; Japan, 411; Netherlands, 2449; Pacific N.W., 1046, 1842; U.S.A., 2448, 3307; U.S.S.R., 410, 1045, 1056, 1489, 3023; booklet on, 1489; breeding against, 1039; control, 664, 1045, 1056, 2097, 2769; effect of novozir N and sabithane on, 3304; of nutrition on, 2098; of sowing density on. effect of novozir N and sabithane on, 3304; of nutrition on, 2098; of sowing density on, 1488; of, on C¹⁴ assimilation and translocation, 3021; on yield, 1046, 2769, 3304; evaluation of resistance to, 91, 99; factors affecting, 410, 1045, 1488; infection by, 1843; genetics of, 3022; geographical distribution of races of, 3305; germination of uredospores of, 3306; identification of races of, 2946c; oversummering of, 2448; physical of, 2946c; oversummering of, 2448; physiologic races of, 411, 965c, 1039, 2023a, 2329i, 2449, 3022, 3306; popular account of, 1842; relationship of proteins to infection by, 2447; specific reaction to, 2329h; survey of in Europe, 2450; testing for resistance to, 3023; use of mist culture for measuring effect of, on roots, 17560; of race nurseries in breeding against, 1521g; var. reaction to, 410, 965c, 1046, 1504, 1505, 2098, 3022, 3304, 3307; wild grasses as reservoirs for, 409.

, Pythium on, in U.S.S.R., crop rotation in relation to, 415.

Rhizoctonia on, in S. Africa, symptoms of,

Rhopalosiphum padi on, factors affecting incidence of, 1036.

, rice black-streaked dwarf virus on, in Japan, 2480g.

-root rot in relation to soil treatment, 2110. -, Sclerospora macrospora on, in U.S.A., 398. -, Selenophoma donacis on, in U.S.A., 2109.

-, Septoria graminum on, in U.S.S.R., 414. -, — tritici on, in New Zealand, 1837d; U.S.A., 2109; U.S.S.R., 414, 672; Victoria,

1354h; association of barley yellow dwarf virus with, 1354h; control, 1837d; factors affecting, 672; losses caused by, 1837d; var. reaction to, 672, 1837d, 2109.

*[Wheat], Septoriopsis on, in Kenya, 2697c.

-, sorghum red stripe [sugarcane mosaic virus str.] on, in S. Africa, 3293.

— spot mosaic virus on wheat in Canada, 1594a, 2953.

-, Stemphylium chlamydosporum on roots of, 1515.

- storage disorders, 2773.

— streak mosaic virus on wheat in Canada, 88, *1594c, *2953; Romania, 399; U.S.A., 400; Yugoslavia, 3018; factors affecting, 399; hosts of, 3018; var. reaction to, 399.

————, transmission of, by vectors, 597b.
—, Streptomyces on stored, in Canada, 2773.
— striate mosaic virus not transmitted by

dodder, 397h.

——— on Bromus inermis, 2761.

____ on grasses, 1124.

———— on *Poa pratensis* and rye, 2761.

— — on wheat, factors affecting and transmission of by vectors, 1037.
— stunt [maize streak virus] on wheat in S.

Africa, var. reaction to, 2087.

—, sugarcane mosaic virus str. on, in S. Africa, 3293.

-, Tilletia on, effect of seed treatment with

gamma rays on, 1047.

- —,—caries on, in Argentina, 2099; New S. Wales, 2441; New Zealand, 1837c; Poland, 2756; Victoria, 2770; U.S.S.R., 1049; control, 1048, 1508, 1509, 1837c, 2441, 2770; distribution and forecasting outbreaks of, 2756; genetics of, 1050; solopathogenicity in, 668; var. reaction to, 668, 1049, 1050, 2441
- —, contraversa on, in Argentina, 2099; Austria, 3024; Czechoslovakia, 1844; Germany, 1755i; control, 413, 1509, 2100; distribution of and factors affecting, 1844; indoleacetic acid oxidase in, 1510; resemblance of, to T. asperifolia and T. elymi, 2099; specialization in, 2950f; spread of, 2099; var. reaction to, 2100, 3024; viability of, in soil, 413.
- —, foetida on, in Argentina, 2099; New Zealand, 1837b, c; U.S.S.R., 1049; Victoria, 2770; control, 412, 667, 1048, 1508, 1509, 1837b, c, 2770, 3295b; effect of on yield, 667; factors affecting, 666; inhibition of, 666; resistance of to hexachlorobenzene, 2770; var. reaction to, 666, 1049, 2771, 3308.

*—, — intermedia on, in Argentina, 2099.

—, translocation and uptake of fungicides from treated seeds of, 13.

—, Typhula on, in Finland, 90.

-, - idahoensis on, control, 1756n.

—, Urocystis agropyri on, 1501; in New S. Wales, 2441; Pacific N.W., 1051; control, 2441; factors affecting, 670; var. reaction to, 1051, 2441.

—, Ustilago nuda on, in England, 2946b; Kenya, 2697c; New S. Wales, 2441; New Zealand, 1837c; Poland, 1468, 2756; control, 671, 1522, 1837c, 2441, 2453, 2946b; distribution of, 2756; effect of seed treatment on, 2103; of temp. on, 2772; evaluation of resistance to, 91; factors affecting, 2452, 2772; failure of disease to build up in, 2102; forecasting outbreaks of, 1468, 2756; identification of by seedling crown node test, 1511; inoculation studies on, 2454; nutritional requirements of, 3309; serological relationships of, 1033; technique for infecting, 2101; var. reaction to, 671, 2441, 2772.

[Wheat], variation in distribution of panogen

in seeds of, 15.

—, Verticillium dahliae on, 1429. — 'white ear', Fusarium causing, 2110.

 —, winter wheat mosaic virus on, wheat ear disease in U.S.S.R. different from, 3298.

-, Xanthomonas translucens f.sp. undulata on, in U.S.S.R., 1038.

Whitebeam, see Sorbus aria.

White flies not transmitting veinclearing virus of sweet potato, 1660.

— transmitting Acalypha indica virus, 3063. *Widdringtonia whytei, Armillaria mellea on. in Rhodesia, 598a.

Wild cucumber, see *Ecballium elaterium*. — mosaic virus, purification of, 2748.

Wissadula amplissima mosaic virus in U.S.A., hosts, relationships, and transmission of, by vectors, 1027.

WN/12 against *Verticillium dahliae* on eggplant, 3228f; as soil disinfectant, 3067.

Wood pulp, Scytalidium album and S. aurantiacum on, antagonism of, to fungi; causing blue stain, distinct from S. lignicolum, 2918. WP dyrene and WP maneb against Alternaria

longipes on tobacco, 2698i.

Xanthomonas, enzyme activity in, 334, 973, 1370a.

—, 'genetic species' concept in, 2037.
— albilineans on sugarcane, see Sugarcane.
*— bauhiniae on Bauhinia racemosa, 2497.

- begoniae on Begonia, 1882.

— beticola on bean, 2964. — cajani on Leguminosae, 976.

— capation Legimmosae, 976. — campestris, inhibition of, by almarcetin, 2716.

—— on cabbage, 3196.

— — on cauliflower, 2653. — — on Cruciferae, 1768, 2654.

——, resistance of mutants of, to antibiotics, 2965.

*— carissa on Carissa congesta, 2163.

— cassiae on Leguminosae, 976.

— citri in soil, 136a.

-- on citrus, see Citrus.

— on lemon, 1096.

— — on Murraya exotica, 136b.

—— on orange, 1096.

— —, properties and resistance to streptomycin sulphate, 1374.

— cyamopsidis on Cyamopsis psoraloides, 2936. — guizotiae on Guizotia abyssinica, 1637

— juglandis on walnut, 2900.

- kresek, synonym of X. oryzae, 1088.

- malvacearum, effect of phytoncides on, 966b.

--- on cotton, see Cotton.

— —, properties and resistance to streptomycin sulphate, 1374.

— martynicola on Martynia diandra, 977.

- maydis on maize, 2034.

- oryzae on rice, see Rice.

— oryzicola on rice, 2479e, 2488. — pelargonii on Pelargonium, 150. [Xanthomonas] phaseoli, antagonism of rhizosphere micro-organisms to, 2665.

-, differentiation of X. phaseoli var. fuscans from, 2296.

-, inhibition of, by almarcetin, 2716,

— on bean, see Bean (*Phaseolus*).

— on Leguminosae, 976. — on soybean, 2299.

— var. fuscans on bean, 924, 1768, 2296.

--- sojense on Leguminosae, 976

--- on soybean, 5570, 976, 1326, 2301. --- strs. on bean, Phaseolus aureus, and P. calcaratus, 976.

— pruni on apple, 324f. — on apricot, 181, 1623. — on cherry, 181.

- — on fruit trees, 2532

— on peach, 181, 1622, 2699i. — on plum, 181, 2551.

- punicae on pomegranate, 391. on Prunus, 1768.

- rubrisorghi on sorghum, 2034.

- sesami on sesame, 1922.

- sojae, X. phaseoli var. sojense should be described as, 976.

- translucens on Umbelliferae, 2573. - f.sp. cerealis on Bromus, 88. - undulata on wheat, 1038.

— trifolii not lysed by X. bacteriophages, 2706.
—, taxonomy of, 7.

- uredovorus, not lysed by X. bacteriophages,

- vasculorum on sugarcane, 1663, 1945, 1947, 3139a.

——, pectinolytic activity in, 1370a. — vesicatoria on Capsicum, see Capsicum.

— on Nicandra physaloides, 2038. — on tomato, see Tomato.

- vignicola on Leguminosae, 976.

- vitians on lettuce, 1330, 1355f.
- vitis-carnosae on vine, 977.

Xanthoxylum, Fusarium solani f.sp. robiniae can infect, 1972.

Xerocomus in soil, 2364.

Xiphinema transmitting plant viruses, 377. americanum transmitting tobacco ringspot

- coxi transmitting cherry leaf roll virus, 496;

Lolium perenne streak virus, 152.

- diversicaudatum not transmitting raspberry ringspot virus, 1346a.

- transmitting *Arabis* mosaic virus, 1819, 2022b; cherry leaf roll virus, 496; *Lolium perenne* streak virus, 152.

index transmitting vine infectious degeneration virus, 313; vine urticado virus, 1750.

— paraelongatum, see X. diversicaudatum.

X-ray fluoroscopy for detecting rot in Tsuga,

1716.

Xylaria turgida on timber, 2264.

Xyleborus compactus on coffee, 2345. Xylosphaeria furcata in termites' nests, 2971.

-polymorpha, effect of, on Armillaria mellea on timber, 318a.

Xyloterinus politus (?)transmitting Ceratocystis ulmi, 1682.

Yeasts, antagonism of Cenococcum graniforme antibiotic to, 28b.

-, effect of temp. on, 2723. -, food fermentation by, 2334.

—, in soil, 2383.

Yew (Taxus baccata), Pythium on, similarity of symptoms to those of Phytophthora cinnamomi, 543b.

Zea mays, see Maize.

Zeuzera pyrina, association of with Physalo-

spora obtusa on apple, 3231b. Zinc against Plasmodiophora brassicae on cabbage, 2692b; vine chlorosis, 1344. deficiency (?)causing hop 'Krauskelkrank-

heit', 196b.

- in apple, 161a; citrus, 706; coffee, 1565; maize, 3039; peach and pear, *161a.

-, effect of, on conc. of Crotalaria mosaic virus on C. juncea, 2159; growth of Macro-phomina phaseoli, 43a; of Ustilago nuda in culture, 2104; physiological processes in wheat, 665; production of auxin by Ustilago maydis, 1071b; resistance of wheat to Puccinia recondita, 2093; tobacco mosaic virus on tomato, 2883.

- in combination against apple interveinal chlorosis, 3407; *Peronospora parasitica* on cabbage, 560; *Puccinia striiformis*, 2769; as

seed treatment for maize, 2125.

compounds against Hemileia vastatrix on coffee, 1561; hop 'Krauselkrankheit', 196b.

fluoroarsenate against Botrytis fabae on broad bean, 929.

salicylanilide in combination against Phacidium infestans on pine, 3186.

sulphate against tomato blossom-end rot, 1268; Zn deficiency in maize, 3039; as seed treatment for larch, 870; pine, 1702.

Zineb against Alternaria dauci, 306; A. porri on onion, 941; Botrytis cinerea on vine, 2020; Bremia lactucae, 2692c; Cercospora beticola, 566d; C. carotae, 306; C. dendrobii on Dendrobium, 2955b; Cladosporium cucumerinum on squash, 2010; C. fulvum, 2241; Colletotrichum higginsianum on turnip, 2657; C. lagenarium on melon, 2312; C. tabacum, 2607; Corticium solani on cotton, 453; Cylindrosporium on mulberry, 1181; Dothistroma pini, 1704; Glomerella cingulata, 983; Gnomonia leptostyla on walnut, 2900; Guignardia citricarpa, 2332d; Hemileia vastatrix, 1561; Itersonilia perplexans on Chrysanthemum, 317m; Lophodermium pinastri, 3187; Marssonina on poplar, 1348c; Mycosphaerella musicola, 2566; Oidium begoniae, 2162; Peronospora destructor on onion, 941; P. farinosa, 2279; P. tabacina, 540, 1354j, 1674, 2236e, f, 2601, 2602; Phyllosticta rabiei on Cicer arietinum, 2303; Phytophthora infestans on potato, 804; on tomato, 3160; P. nicotianae var. parasitica on lemon, 1353a; Pseudoperonospora cubeniis on melon P. nicotianae var. parasmet 1353a; Pseudoperonospora cubensis on melon, 22 vibis on currants, 320c, 1740; Pseudopeziza ribis on currants, 320c, 2202, 3111; on gooseberry, 320c; Puccinia allii on garlic, 946; P. asparagi, 2941; P. graminis on wheat, 1491; P. horiana on Chrysanthemum indicum, 2503; P. psidii on pimento, 1353d; P. recondita on wheat, 2444; Rhacodiella vitis, 3226; Sclerotinia aucupariae on Sorbus sambucifolia, 1591; Stagonospora curtisii on Narcissus, 3170; tomato diseases, 843; Uredo fuchsiae, 2508; Ustilago maydis, 1539; Valsa sordida on poplar, 2630; Xanthomonas campestris on cauliflower, 2653; X. malvacearum, 3058.

[Zineb] analytic methods for, 2360.

—, as seed treatment for pine, 2905; as soil

fumigant, 14.

effect of excreted substance from leaves on decomposition of, 1391; of tomato juice on toxicity of, 1252; of, on Botrytis cinerea on tomato, 1252; on Colletotrichum capsici, 2977; on (?) Pleospora herbarum on safflower, 2954a; on Venturia inaequalis, 3092.

-versus Bordeaux mixture, 941, 1704, 2236f;

captan, 3111; maneb, 2312.

- in combination against Alternaria longipes on tobacco, 1249; Glomerella cingulata on orange, 3357; Phyllosticta rabiei on Cicer arietinum, 2303; Plasmopara viticola, 2041; Podosphaera leucotricha, 751; Puccinia graminis on wheat, 1491; P. horiana on Chrysanthemum indicum, 2503; P. striiformis, 2769; tomato diseases, 843.

-, inhibition of Phytophthora infestans

by, 2041.

Zingiber officinalis, see Ginger.

Zingiberaceae, *Pyricularia oryzae* on, in Philippines, host range and symptoms of,

Zinnia, almond calico virus on, 1756x.

—, Alternaria zinniae on, in Bulgaria, 3075.

-, cherry rugose mosaic virus and peach ringspot virus on, 1756x.

, suppression of virus infection in by factor from tobacco mosaic virus-infected Nicotiana glutinosa, 2418.

- elegans, beet yellow stunt virus on, 1757c.

Ziram, against Alternaria dauci, 306; Bacillus mesentericus on peach, 1622; Cercospora carotae, 306: Cylindrosporium on mulberry, 1181; Elsinoe veneta on loganberry, 1354g; Hemileia vastatrix, 1561; Marssonina on poplar, 1348c; Peronospora farinosa, 2279; tomato diseases, 843; Valsa sordida on poplar, 2630; Venturia inaequalis, 1136; Xanthomonas pruni on peach, 1622. , association of, with peach winter necrosis,

764. effect of, on Venturia inaequalis, 3092.

- Emebê against Taphrina deformans on peach,

- in combination against Venturia inaequalis, 3091.

*Zizyphus jujuba, Cercospora jujubae on, in U.S.A., symptoms of, 868. -, Epicoccum nigrum on, causing storage

rot, 1915.

-—, Fusarium oxysporum on, in India, symptoms of, 1472.

Zopfia rhizophila and Z. variospora on Asparagus, 2308.


Zosmerius quadratus, see Piesma quadrata. Zoysia japonica disease in U.S.A., (?) fungus


causing; symptoms of, 2954a.


Puccinia zoysiae on, in U.S.A., *2181, 2822.

× Z. tenuifolia and Z. matrella, Puccinia zoysiae on, in U.S.A., 2822.

Zygocactus virus disease, transmission of by sap, 2498. Zygophiala jamaicensis on carnation, 1112.







Also obtainable from the

COMMONWEALTH MYCOLOGICAL INSTITUTE

REVIEW OF MEDICAL AND VETERINARY MYCOLOGY (quarterly) containing abstracts of world literature on human and animal mycoses.

60s. per annum

C.M.I. DESCRIPTIONS OF PATHOGENIC FUNGI AND BACTERIA (10 a quarter) 20s. per annum

DISTRIBUTION MAPS OF PLANT DISEASES (2 a month). 15s. per annum

COMMONWEALTH PHYTOPATHOLOGICAL NEWS (bimonthly), issued free of charge to subscribers to the Review of Applied Mycology.

PHYTOPATHOLOGICAL PAPERS (irregular) comprising monographic descriptions of crop diseases of economic importance.

Details on application

INDEX OF FUNGI (twice a year) listing new species and varieties of fungi.

20s. per annum

BIBLIOGRAPHY OF SYSTEMATIC MYCOLOGY (twice a year). 10s. per anum

MYCOLOGICAL PAPERS (irregular) containing taxonomic studies, lists of fungi and plant diseases in overseas countries, etc.

Details on application